



**Ref: TPCODL/P&S/1000000376/2023-24 /Corrigendum/001**

**Dated: 22<sup>nd</sup> May 2023**

**Sub: Corrigendum-1 to Open tender number TPCODL/P&S/1000000376/2023-24 for Rate Contract for Meter Reading cum Spot Billing/ Bill Distribution, Door to Door Collection at TPCODL, Odisha.**

With reference to above the bidder are intimated to note the following intimations:

- I. TPCODL is sharing replies to Pre-Bid queries raised by all the bidders and seeking clarification in the Pre-Bid meeting as mentioned in Event Calendar of Tender Document No. TPCODL/P&S/1000000376/2023-24 of the Tender. The replies to Pre-bid queries is attached as Annexure-I to this Corrigendum**

**Note:**

- I. Bidder need to upload original signed Price bid along with copy of Price bid in Excel file in SAP Ariba
- II. All other terms and conditions of the above tender will remain same

**By Order  
Chief-Procurement & Store, TPCODL**

**ANNEXURE – I – Replies to Pre-Bid Queries**

| Sr. No. | Detailed Reference to Tata Power Technical Document. Please specify Document No / Clause No / Page No | Description as per Bid Document   | Remarks - Query / Clarification   | TPCODL RESPONSE  |
|---------|---|---|---|--|
| 1       | 2   | 3   | 4   | 5  |
| 1       | Page 8 Clause 1.4.4   | Drawing, Type Test Details (as applicable)  | Kindly specify whether this clause is applicable or not?  | <b>Not applicable</b> as TPCODL is not purchasing any material from BA in this tender. This is performance based service contract. |
| 2       | Page 10 Clause 2.0 NOTE   | NOTE: In case of a new bidder not registered with TPCODL, factory inspection and evaluation shall be carried out to ascertain bidder's manufacturing capability and quality procedures.   | Kindly specify whether this clause is applicable or not?  | <b>Not applicable</b> as TPCODL is not purchasing any material from BA in this tender. This is performance based service contract. |
| 3       | Page 11 Clause 2.1  | Price Variation Clause: The prices shall remain firm during the entire contract period. However the rates shall be revised on account of any revisions in minimum wages and statutory compliances as published by labour department, Govt. of | Kindly specify the methodology to be adopted by TPCODL for the rates revision, especially those related to the revision of minimum wages? | Break up of the quoted rates shall be submitted by the BA which inturn shall be considered for any revision in minimum wages       |

|   |                      |  |   |  |
|---|----------------------|--|---|--|
|   |                      | Odisha during the contract period.                                       |   |  |
| 4 | Page 11 Clause 3.1.b | Technical literature /GTP/Type test report etc. ( <i>if applicable</i> ) | Kindly specify whether this clause is applicable or not?                    | <b>Not applicable</b> as TPCODL is not purchasing any material from BA in this tender. This is performance based service contract. |
| 5 | Page 11 Clause 3.1.d | Testing facilities (if applicable)                                       | Kindly specify whether this clause is applicable or not?                    | <b>Not applicable</b> as TPCODL is not purchasing any material from BA in this tender. This is performance based service contract. |
| 6 | Page 16 Clause 4.7   | Reverse Auctions   | Please confirm whether TPCODL will mandatorily conduct the reverse auction? | As per tender T&Cs   |

|   |                                   |  |   |   |
|---|-----------------------------------|--|---|---|
| 7 | <b>Annexure VII Scope of Work</b> | No separate payment will be done for any addition parameters introduce to capture for billing purpose in future as per tariff order.   | The number of meter readings taken and bills issued by a meter reader depends on the number of meters parameters to be read. Any additional parameters to be read will have a bearing on the number of meter readings taken in a day by the meter reader. Hence, kindly modify this clause to pay additional rate for additional parameters to be read. | <b>No change.</b> The parameters require to generate bill for spot meter reading is KWH & MDI which consider as one read and for three phase meter KWH, KVAH, MDI KW, MDI KVA, TOD KWH etc. together will be considered as one read and pay as per one read unit rate quoted. If in future, lets say TOD timing changed or KVArh reading require then extra payment for capturing such detail will not pay. |
| 8 | <b>Annexure VII Scope of Work</b> | Exclusions: Consumers whose meter reading is done through Prepaid/Smart meter are excluded from the scope of work of the Agencies for Spot Billing during the contract period. | Kindly provide information on the number of prepaid/smart meters available on a sub-division wise basis. This information is necessary as it has a bearing on the costing.  | Sub-division/Section wise smart meter installed in TPCODL area detail is given. Currently 41K consumers on smart meter which will be increased to 80K till Mar24 and next FY24-25, another 1 Lac meter will be installed as smart as approved plan by OERC subject to availability of smart meter.  |

|    |                            |   |  |  |
|----|----------------------------|---|--|--|
| 9  | Annexure VII Scope of Work | Solar meter reading is in scope of business associate.  | Kindly provide information on the number of solar meters available on a sub-division wise basis.   | Sub-division/Section wise solar meter installed in TPCODL area detail is given. Currently only 600 consumers are having net metering which will be increased @50 case per month as per trend.  |
| 10 | Annexure VII Scope of Work | Business Associate shall deploy one supervisor at each section level (minimum qualification is Diploma holder) having more than 5 years of experience in monitoring of meter reading, billing, collection activities. | Spot billing supervision is a specialized job and getting required number of supervisors with 5 years experience could be difficult in remote areas. Kindly modify this clause to deploy spot billing supervisors having Diploma and are trained by the Business Associate with or without prior experience.                                   | Minimum Experience of supervisor is relax to 2 years from 5 years.   |
| 11 | Annexure VII Scope of Work | Business Associate(s) shall arrange meter reading through portable ladder where meter is installed at height. At least a ladder should be available on each location.   | This clause is impracticable and will be difficult to implement keeping the cost involved in carrying the ladder and moving in the field. Kindly arrange to modify this clause suitably for enabling the Business Associate to report such inaccessible meters to TPCODL for shifting of the meters to convenient locations for meter reading. | Identification of meter at height cases is in scope of meter reading agency with proof of photograph to take up with metering team/section team to shift at readable height but shifting is time taking task so such cases are to be read with use of available chair/table in house after taking permission from house owner or BA issues portable ladder section |

|    |                                     |  |  |   |
|----|-------------------------------------|--|--|---|
|    |                                     |  |  | <p>wise to supervisor for common use. (not mandatory to issue ladder to each &amp; every meter reader).</p>   |
| 12 | <b>Annexure VII a Scope of Work</b> | <p>Technical specification of Paper. .75GSM Pre-printed Paper (quality to be shown to HQ before procurement)</p> | <p>Kindly provide the information on the length and width of the Spot Billing bill and also the length and width of the bill to be issued for the door to door collection by the Business Associate.</p> | <p>Currently we are using 57mm*10Mtr thermal paper roll with 70-75 GSM and 28-30 spot bill could be generated. But for new contract impact printer with pre-printed (front &amp; back) stationary paper to be used. only dynamic value to be printed like name, address, reading, date etc. Pre-printed Paper width is 58mm and thickness is 0.06-0.085 mm. Normal length of pre-printed spot bill will be 38cm and width 5.5 cm.</p> |

|    |  |   |  |   |
|----|--|---|--|---|
| 13 | <b>Annexure VII a Scope of Work</b>                                | Tender Fees   | Since the current tender is an open national tender, kindly extend the concession given to MSMEs registered in the State of Odisha also to all the MSMEs of the Country. | As per tender T&Cs  |
| 14 | <b>Annexure VII a Scope of Work</b>                                | Earnest Money Deposit (EMD)                                 | Since the current tender is an open national tender, kindly extend the concession given to MSMEs registered in the State of Odisha also to all the MSMEs of the Country  | As per tender T&Cs  |
| 15 | <b>Annexure VII a Scope of Work</b>                                | Reservation for MSME  | Since the current tender is an open national tender, kindly extend the reservation given to MSMEs registered in the State of Odisha also to all the MSMEs of the Country | As per tender T&Cs  |
| 16 | <b>Bid Submission Date</b>   | Bid Submission Date   | The time duration between replies to Pre-Bid queries and the Bid submission's last date is very short. Request to extend the Bid submission date.                        | As per tender T&Cs  |
| 17 | <b>Required Impact Printer</b>                                     | Required Impact Printer                                     | As the Impact printer is very slow in printing, please allow a Thermal Printer in lieu of the Impact Printer.  | Impact printer usage is a mandatory requirement from regulator. |
| 18 | <b>Penalty Clause for Meter Reading and Collection activities:</b> | Penalty Clause for Meter Reading and Collection activities: | The penalty is very high, request to reduce the Penalty to 50% of the existing Penalty   | not accepted  |

|    |  |  |   |   |
|----|--|--|---|---|
| 19 |  |  | Please define no. of meter readings and cash collection done by a meter reader on a monthly basis and define their wages.   | ref. page no. 59 which gives you average performance per month for reader & collector in SBM & Non-SBM. As far as wages is concerned, please ref. qualification matrix at page no. 73 which indicate category of manpower to be considered for it(semi skill/skill/high skill etc.) |
| 20 | <b>1.7 Qualification Criteria:</b><br><b>Clause No.: 5</b><br><b>Page No.: 9</b> | Bidder should have Performance Certificate for satisfactory performance in meter reading, billing, collection, revenue recovery from minimum one reputed Power Distribution Utility having consumer base of more than 5 lakhs. | Sir, you are requested to kindly modify the clause as below:<br>Bidder should have Performance Certificate for satisfactory performance in meter reading, billing, collection/revenue recovery from minimum one reputed Power Distribution Utility having consumer base of more than 5 lakhs. | Recovery experience can be considered in collection.  |



|           |  |   |   |   |
|-----------|--|---|---|---|
| <p>21</p> | <p><b>Establishment, Data Compilations and Reports:</b><br/> <b>Clause No.: 2</b><br/> <b>Page No.: 52</b></p> | <p>Spot Billing Business Associates would have to establish 1 no. (one) of official set ups main office for the duration of the project with requisite communication facilities with adequate number of staffs for smooth execution of the overall project.</p> | <p>Sir, please clarify that the TPCODL will provide the space to set up the office or bidders need to do the at its own cost.</p> <p>Also share the location where the bidder need to set up main office.</p> | <p>Please ref. page no.52 establishment detail: one office at sub-division level &amp; one main office at anywhere in bhubaneswar city for overall monitoring for all division. TPCODL can provide space for BA in sub-division subject to availability. However open space can be used in TPCODL premise. Sub-division office establishment is preferrably at location where manpower control &amp; monitoring can be done. It is not mandatory to establish office in each sub-division but as per performance requirement/area condition, office can be established in section also near by TPCODL office for better control. Cost may be inbuild considering best suited establishment arrangement.</p> |
|-----------|--|---|---|---|

|           |  |  |  |   |
|-----------|--|--|--|---|
| <p>22</p> | <p><b>Clause No.: 2. Rate Contract for Door to Door Payment Collection:</b><br/> <b>The scope of work includes the following:</b></p> <p><b>Page No.: 67</b></p> | <p>Agency shall also use mobile cash collection vans one per division for collection with mike facility for announcements &amp; revenue collection. Information for mike shall be provided by TPCODL &amp; Agency shall ensure that mobile vans shall traverse across their allocated area each month with the necessary announcements.</p>                    | <p>Sir, You are requested to kindly provide the detailed specification for Cash collection Mobile Van.</p>   | <p>Mobile cash collection van is a normal four wheeler (Van/Sumo type vehicle) which can have drive and mike arrangement for collection camp in low collection efficiency area. BA can use their own bill collector &amp; supervisor during camp. Also in case of emergency, cash collection van use for depositing cash in bank and visiting sites for performance monitoring by BA. This vehicle will be with BA itself for for TPCODL staff.</p> |
| <p>23</p> | <p><b>Agency shall adopt virtual-wallet cash collection mechanism after duly approved by TPCODL:</b><br/> <b>Clause 2: Virtual</b><br/> <b>Page No.: 70</b></p>  | <p>Virtual - wallet of each bill collector engaged for collection shall be maintained with a minimum top-up amount of Rs. 20,000/- by the Agency. The Bill-collector will not be able to collect beyond the amount in virtual - wallet without further top-up recharge. Bidder will recharge once in 3 days and based on this estimate will be considered.</p> | <p>Initial Top up of E-Wallet- Either it should be 10000 instead of 20000, or lumpsum amount for BA which should be maximum 50 lakhs. It is desired that TPCODL should provide one month advance to the BA, the same can be utilized to maintain the working capital requirement for BA for carrying out collection through E- Wallet.</p> | <p><b>Not accepted.</b> However, recharge to each bill collector is depend on BA requirement and BA can do it for themselves. However overall recharge for agency will be done by divisional finance team.</p>  |

|           |  |  |  |  |
|-----------|--|--|--|--|
| <p>24</p> | <p><b>2. Rate Contract for Door to Door Payment Collection: Scope of Work &amp; Service Level Agreement</b><br/>Page No.: 77</p> | <p>Bidder shall deploy adequate labour considered necessary by TPCODL for carrying out of the contract and to work on Sundays and Holidays whenever required to do so. However, prior permission shall be taken from the Engineer in charge beyond normal working hours or on Sundays and Holidays.</p>  | <p>Will the Department reimburse the Sunday and holiday working amount to BA or allow the BA to provide weekly off &amp; additional leave against Sunday or holiday.</p>   | <p>No additional payment for working on holiday from TPCODL. BA has to give leave in any working day against it. However, working on national holiday like 15th aug, 26th Jan will be pay extra by BA after confirmation from BA legal cell.</p> |
| <p>25</p> | <p><b>Penalty Clause for Meter Reading &amp; Collection Activities</b><br/>S. No.: 1<br/>Page No.: 78</p>                        | <p>Penalty Detail: Every month, division wise provisional reading (not read &amp; house lock cases) reduction target provide from RCM department, HQ to each agency before start of reading. If agency fails in achieving monthly target of reduction of provisional reading (Not Read &amp; House Lock), then penalty will be applicable.<br/>Penalty Amount:<br/>1. Up to 2 % less than Target Assigned:<br/>Penalty of 2% of Reading Invoice Amount<br/>2. &gt;= 2 % less of the target Assigned:</p> | <p>targets are given for reduction of provisional bills (Not read &amp; House lock cases) where as the penalty is levied on full invoice which needs to be looked into and also penalty % is on higher side.<br/><br/>Penalty towards the provisional remarks is on higher side &amp; it is proposed to revise the same –<br/>1. Up to 2 % less than Target Assigned: Penalty of 1% of Reading Invoice Amount<br/>2. &gt;= 2 % less of the target Assigned: Penalty of 2% of Reading Invoice Amount.</p> | <p>Accepted</p>  |

|    |  |   |   |              |
|----|--|---|---|--------------|
|    |  | Penalty of 4% of Reading Invoice Amount   |   |              |
| 26 | <b>Penalty Clause for Meter Reading &amp; Collection Activities</b><br><b>S. No.: 6</b><br><b>Page No.: 78</b> | Achieving Less Collection against monthly Current demand (CD) (excluding govt. consumers, EHT & HT)<br>Penalty Amount:<br>Collection from CD <95% - 2% of monthly invoice<br>Collection from CD <85% - 4% of monthly invoice<br>Collection from CD <75% - 6% of monthly invoice | Achieving Less Collection against monthly Current demand (CD) (excluding govt. consumers, EHT & HT) request to consider the revision of same –<br>Collection from CD <95% - 1% of monthly invoice<br>Collection from CD <85% - 1.5% of monthly invoice<br>Collection from CD <75% - 2% of monthly invoice | Not accepted |
| 27 | <b>Penalty Clause for Meter Reading &amp; Collection Activities</b><br><b>S. No.: 7</b><br><b>Page No.: 78</b> | Penalty if quarterly collection <= 99% of CD<br>Penalty Amount:<br><= 99% of CD – 4% of collection Invoice  | Sir, you are requested to kindly revise the clause as the penalty is on very higher side. It is kind of penalty imposed twice that is monthly and quarterly on the same parameter.  | Not accepted |

|    |   |   |   |  |
|----|---|---|---|--|
|    |   |   | <= 99% of CD – 1% of collection Invoice   |  |
| 28 | <b>Penalty Clause for Meter Reading &amp; Collection Activities</b><br>S. No.: 9<br>Page No.: 78  | Wrong positing of payment/posting into someone else's account/<br>Any complaint for payment not posted and error due to account of Business associates<br>Penalty Amount:<br>₹ 200/- per wrong posting or complaint | Sir, You are requested to kindly revise the penalty from Rs. 200/- to Rs. 100/-per wrong posting or complaint   | Not accepted   |
| 29 | <b>Penalty Clause for Meter Reading &amp; Collection Activities</b><br>S. No.: 13<br>Page No.: 79 | Any disruption of TPCODL business activity due to controllable reason (decided by TPCODL) of Bas.<br>Penalty Amount: ₹ 10000/- per day  | It is on higher side should be revised to Rs. 2,500/- per day   | Not accepted   |
| 30 | <b>Penalty Clause for Meter Reading &amp; Collection Activities</b><br>S. No.: 14<br>Page No.: 79 | Less Manpower deployed as per contract<br>Penalty Amount:<br>₹ 20000/- per person for 1st month<br>₹ 30000/- per person for 2nd month<br>₹ 40000/- per person for >3rd month  | Penalty towards the less manpower deployment is on higher side & it is proposed to revise the same –<br>₹ 10000/- per person for 1st month<br>₹ 20000/- per person for 2nd month<br>₹ 30000/- per person for >3rd month | Not accepted. Only one month will be considered as stabilization period. |

|           |                |         |  |  |
|-----------|----------------|---------|--|--|
|           |                |         | BA should be provided at least 2 months for deployment of manpower and the penalty should be imposed from 3rd billing month onward.                      |  |
| <b>31</b> | <b>General</b> | General | Please provide inputs in regard to CTC and salary breakup for Highly Skilled, skilled, semi-skilled category employees as per the requirement of TPCODL. | Attached   |
| <b>32</b> | <b>General</b> | General | For new BA the gestation period should be for minimum three months keeping in mind the area allocated and the consumer trend in the past.                | Not accepted because majority of staff at field level will be same except few who are low performer/blacklisted by TPCODL/Not recommended by EIC. Once you awarded, division in charge/HoD commercial will give you detail with BA legal cell. |
| <b>33</b> | <b>General</b> | General | There should be a provision of minimum increase in contract awarded rates of 7.5% annually.  | Please refer Price variation clause 2.1 and schedule of items(Annexure-I)  |

|           |                   |   |  |  |
|-----------|-------------------|---|--|--|
| <p>34</p> | <p>Page No.45</p> | <p>C. Meter Reading of Non-Spot Billing Customer (more than 5Kw, 3-phase) need to be done by the reading agency where more than two registers (KWh, KW, KVAh, KVA, Time of Day (TOD) reading, Non TOD) reading parameters to be captured from meter display in reading application.</p> | <p>All non sbm consumers reading will be taken in manually or some are taken in MRI?</p>   | <p>All Non SBM (other than tariff category domestic, commercial, Special purpose with load less than 5 KW) will be considered for manual reading (no spot billing). However, reading have to be entered in mobile reading application and push to TPCODL server for back end billing &amp; further printing by TPCODL. Printed bill be made available to each circle/division office by TPCODL on 6th day of each month)</p> |
| <p>35</p> | <p>Page No.46</p> | <p>Bill printing of Non SBM consumers is not in scope of business associates. TPCODL will print Non SBM bills and deliver to circle</p>   | <p>In price Bid SI.7 says A4 size color printing and Black and white printing. If non sbm bill printing is not the scope of BA then what will print in A4 size Paper</p> | <p>Majority of Non SBM bill printing will be done in 1st lot before 6th day of each month and for remaining bills where reading is getting late due to any provisional (house lock, address not found, wrong reading in 1st visit) remark, printing is not possible for such low qty so bills in PDF file will be provided to BA for printing at their end</p>   |

|           |                   |  |   |   |
|-----------|-------------------|--|---|---|
|           |                   |  |   | and they can start distributing at field.   |
| <b>36</b> | <b>Page No.63</b> | It is the responsibility of the Cash Collection Business Associate(s) to submit the Cash into designated Bank account of TPCODL within 48 hrs of cash collected and any loss incurred in transit has to borne with the Business Associates in case of virtual - wallet system is failed. | Non home branches are not accepting cash, alternate arrangement shall be done by TPCODL | Currently cash deposite is going on in any SBI branch only through virtual account number given to each BA in division so same practice will be continue. Any issue in depositing cash at bank can bring into notice to divisional finanace team / HQ finance team who will help in addressing issue. Further, cash deposite in Rural area within 48 hrs and in Urban area within 24 hrs (urban divisions are CDD-2, BCDD-2, BED) |



|    |  |  |   |  |
|----|--|--|---|--|
| 37 | Page No.64                                       | Consumer touch & payment received through other source (online/counter/RTGS/NEFT etc.)   | How to Bill collector know consumer has paid in on line mode. Request to facilitate the paid and non paid consumer list in application.   | It will be available in application as well as during collection, agent can enter online transaction detail in collection application with reason captured as already paid which will be considered under this line item for payment to BA in invoicing. |
| 38 | 1.7 Qualification Criteria page no 9 clause no 1 | Bidder should be registered entity in India under the Companies Act, 1956 / 2013 or LLP act for the financial year ending 31-Mar-2023. (Duly Attested copy of Certificate of incorporation / Registration Certificate to be submitted).      | as per clause no 6 of qualification criteria Bidder should be a registered Sole Proprietor Firm/ Partnership Firm/ Company whereas as per clause no 1 of the same qualification criteria bidder should be regsitered entity in india under the companies act 1956. Request you to please clarify whether partnership company is allowed or not? | All the clauses of 1.7 including 1 and 6 to be complied  |
| 39 | 1.7 Qualification Criteria page no 9 clause no 3 | The bidder should have at least 2 years of experience in Spot Meter Reading & Billing and/or Revenue Collection/Recovery activity in any power distribution utility during last 5 years covering at least 1 lacs no. of consumers per month. | we have carried out meter reading cum spot billing and bill distribution in Southco from 2015 to 2017 for 1,00,000 consumers on a monthly basis and presently we are carrying out meter reading cum spot billing in TPSODL since August 22 for 3 lacs consumers per month. Can we qualify??   | Can be considered after approval from management.  |

|    |  |  |   |   |
|----|--|--|---|---|
| 40 | TPCODL/P&S/1000000376/202<br>3-24/ Page-45 | Check meter reading and special Site verification need to be done as per sampling plan and submit along with billing cycle & invoice   | will this activities consider as special Site visit cases for invoicing purposes or not ? | Only special site verification cases given seperately by HQ, solar connections and Smart meter non communication cases (5% of total smart metered connections) can considered for invoicing under special site visit line item. |
| 41 | TPCODL/P&S/1000000376/202<br>3-24/ Page-45 | Walking sequence number prepare and update on consumer premise with permanent marker or through paint whichever is suited at field and map all CA/Installation/meter of premises on walking sequence number as one-time activity with GPS coordinates and phone number. Also update new consumer incremental data in to database with walking sequence in excel sheet every month at the end of billing cycle. | Is there any specific rate for this activities or not?                                    | No  |

|           |   |   |   |   |
|-----------|---|---|---|---|
| <p>42</p> | <p><b>TPCODL/P&amp;S/1000000376/202<br/>3-24/ Page-50</b></p> | <p>If the House locked cases are found to be more than 2% of the total consumers billed under a particular Division, then the claim amount for the Spot Billing consumers billed under House Lock over and above 2% shall not be paid</p> | <p>If found genuine HL cases more than 2%, will we generate bill or not ?</p> | <p>No. Such cases of permanent house lock to be shared separately with photo of notice pasted on premises for disconnection through section and convert from active to temporarily disconnection status in system. Only Active consumer base will be considered for performance evaluation and BA score card.</p> |
|-----------|---|---|---|---|

|           |   |  |   |   |
|-----------|---|--|---|---|
| <p>43</p> | <p><b>TPCODL/P&amp;S/1000000376/202<br/>3-24/ Page-52</b></p> | <p>Spot Billing Business Associate(s) shall set up 1 no. (one) of office establishments in each sub-division preferably near TPCODL office with Computers, Printers, Scanner and other office requirements with internet connectivity to do the meter reading/collection operation for each allocated Divisions. Spot Billing Business Associates would have to establish 1 no. (one) of official set ups main office for the duration of the project with requisite communication facilities with adequate number of staffs for smooth execution of the overall project</p> | <p>is there any provision for section level offices ?</p> | <p>No. But if require to improve performance, BA can establish it. Please ref. page no.52 establishment detail: one office at sub-division level &amp; one main office at anywhere in bhubaneswar city for overall monitoring for all division. TPCODL can provide space for BA in sub-division subject to availability. However open space can be used in TPCODL premise. Sub-division office establishment is preferrably at location where manpower control &amp; monitoring can be done. It is not mandatory to establish office in each sub-division but as per performance requirement/area condition, office can be established in section also near by TPCODL office for better control. Cost may be inbuild considering best suited establishment arrangement.</p> |
|-----------|---|--|---|---|

|    |  |   |  |   |
|----|--|---|--|---|
| 44 | <p><b>TPCODL/P&amp;S/1000000376/2023-24/ Page-65</b></p> | <p>Business Associate would engage One Cashier per sub-division (minimum qualification – mentioned separately) who will collect cash from each sections of their sub-division not exceeding more than 2 days and deposit to designated bank /power Jyoti account (detail given by TPCODL division/HQ) and share detail to BA divisional manager &amp; AFM/DFM of division. Also ensure the reconciliation of cash collected in close co-ordination with AFM/DFM in division. Penalty for not depositing / reconciliation of amount within 48 hrs. All efforts to be made by BA to ensure 100%</p> | <p>Is one cashier at SD level able to deposit all revenue cash in time at Power Jyoti Account having over limit Issue ?</p>  | <p>Currently in TPCODL division level finance person from BA is there for cash reconciliation and section supervisor is engaged in collecting cash from each bill collector/agent and depositing in bank so majority time of supervisor gone in to bank and supervisory work neglecting by him which ultimately hamper performance. Sub-division cashier can coordinate with section supervisor/bill collector and fix time for collecting cash. Any alternative arrangement can be done by BA.</p> |
| 45 |  |   | <p>Is there any provision of Division level Finance position for collection tracking and Joint Reconciliation Purposes ?</p> | <p>BA can give joint responsibility to their project divisional manager with any cashier for daily/weekly cash reconciliation &amp; closing monthly cash deposite within 2 days of month close and then after start collection for next month. However, if BA feels that</p>  |

|    |  |   |  |  |
|----|--|---|--|--|
|    |  |   |  | one finance manager is required at division level then they can deploy as per their discretion.  |
| 46 | <b>TPCODL/P&amp;S/1000000376/2023-24/Penalty Clause-1/ Page-78</b> | Every month, division wise provisional reading (not read & house lock cases) reduction target provide from RCM department, HQ to each agency before start of reading. If agency fails in achieving monthly target of reduction of provisional reading (Not Read & House Lock), then penalty will be applicable. | If we found genuine HL cases more than 2 % with proof then what action wi be taken ?     | As recommended in process, BA has to serve/paste house lock notice and take photograph as proof. Such permanent house lock cases report to JM commerce in section & Team Lead - Reading in division for initiating disconnection. BA role is to give accurate detail and proof for considering as visit. |
| 47 | <b>TPCODL/P&amp;S/1000000376/2023-24/Penalty Clause-6/ Page-78</b> | Achieving Less Collection against monthly Current demand (CD) (excluding govt. consumers, EHT & HT)   | Is avg / provisional Consumers billing amount excluded from this CD calculation or not ? | Govt, HT, EHT, No Meter & agriculture connection billed amount excluded from current demand. However, it is a responsibility of BA to identify ghost consumers (not exist at field but in reading database) in one month of inception and  |

|    |  |   |   |   |
|----|--|---|---|---|
|    |  |   |   | declare it with site verification form (SVR) jointly with section JE for further stop billing.  |
| 48 | <b>TPCODL/P&amp;S/1000000376/2023-24/Penalty Clause-2/ Page-78</b> | Wrong Reading/<br>Remark/Fake Remark/<br>Remark Conversion (e.g. OK to Faulty)                      | if wrong reading cases photo will provided with in the same month then penalty wl be withdraw or not ?      | Yes but the condition is correct bill sever to consumer in same month.  |
| 49 | <b>TPCODL/P&amp;S/1000000376/2023-24/Penalty Clause-6/ Page-78</b> | Achieving Less Collection against monthly Current demand (CD) (excluding govt. consumers, EHT & HT) | Is it included all sources of collection amount for Less Collection against monthly CD calculation or not ? | Please ref. page no: 63 - Unique transaction will be considered for payment. All source of payment will be considered from allotted consumer for collections (max.30% allowed through other source to give buffer to collector's effort with condition BA has to visit premise & capture detail in collection application with transaction detail). Means agency can claim under line item - Consumer touch & payment received through other source (online/counter/RTGS/NEFT etc.) with capturing detail |

|    |  |   |  |   |
|----|--|---|--|---|
|    |  |   |  | in collection application during site visit limited to 30% of total money receipt generated other than BA.  |
| 50 | <b>TPCODL/P&amp;S/1000000376/2023-24/Penalty Clause-8/ Page-78</b> | Collection Coverage against target (Paid Money receipt generation) excluding govt. consumers (Target : 1st Qtr - 90% MR, 2nd Qtr - 95% MR, 3rd Qtr - 97% MR, 4th Qtr - 100% MR) | Is it included all sources Money receipt for Collection Coverage against target calculation or not ? | No only paid money receipt will be considered for collection coverage irrespective of collection done by BA or TPCODL staff from allotted consumer to BA. |



|           |  |  |  |  |
|-----------|--|--|--|--|
| <p>51</p> | <p><b>TPCODL/P&amp;S/1000000376/2023-24/Penalty Clause-14/ Page-79</b></p>   | <p>Less Manpower deployed as per contract</p>                      | <p>What is allotment consumer per MRBC for both meter reading &amp; collection purposes &amp; If base consumer reduce then manpower deployment will reduce or not?</p> | <p>we have given minimum manpower deployment detail so you can allocate consumer as your choice to achieve 100% reading &amp; collection coverage through this manpower. Current performance is given at page no: 59. If any base consumer reduce due to any reason (WSHG introduce or convert in to smart meter) then more than 500 nos. of reduction manpower can be reduced accordingly. please ref. page no: 72.</p> |
| <p>52</p> | <p><b>TPCODL/P&amp;S/1000000376/2023-24/Incentive Clause-12/ Page-80</b></p> | <p>Resolving Consumer Refusal (CR) cases for meter replacement</p> | <p>How can it will be track &amp; who will certify this ?</p>  | <p>All CR cases will be shared to agency and can further inform to meter reader/bill collector to agree consumer for meter replacement. Once consumer agree then same can be informed to TL-MBC posted at division to reissue meter through MMG and if replaced then TL-MBC can certify this cases for claiming as incentive in invoice.</p>   |

|    |   |  |   |  |
|----|---|--|---|--|
| 53 | TPCODL/P&S/1000000376/202<br>3-24/Incentive Clause-11/<br>Page-80     | Booked DT/DAE/Misuse<br>Cases  | How can it will be track ? Is this<br>applicable on case booking only<br>or after payment realisation ?   | All theft cases will be<br>shared by agency to TL-<br>MBC/JM commerce/HQ<br>directly on mail. These<br>cases will further share to<br>enforcement department<br>and if case booked then<br>incentive will be application.<br>Payment realisation has<br>play no role in incentive.                     |
| 54 | Bidder's Qualification, Page<br>NO. - 9, Clause-1.7, Sub-<br>clause-3 | the performance feedback<br>for that bidder by Tata power<br>user group shall only be<br>considered irrespective of<br>performance certificate<br>issued by any third<br>organisation. | What is the nature of this<br>performance feedback, verbal,<br>written or any electronically<br>message like, whatsapp, sms,<br>email   | Written confirmation can<br>be considered from at least<br>head level.   |
| 55 | Do  | Do   | When an entity has been worked<br>in Odisha for more than years<br>and were continued how their<br>performance will have no value<br>with your simple performance<br>feedback | Here we specifically<br>mentioned that if entity has<br>working experience in TP<br>Utilities and other utilities<br>both then TP Utilities<br>experience will be<br>considered in evaluation.<br>However, any entity has no<br>experience with TP utility<br>can also be considered in<br>evaluation. |

|    |   |               |  |  |
|----|---|---------------|--|--|
| 56 | Do  | Do            | When an agency was continued continually for years and with extension of work orders after complete of their contract period, and due to some unavoidable circumstances the previous agency or authority was denying providing performance certificate what to do. | You can mentioned in annexure iii with chief / head level person name/contact number whom can contact for performance. |
| 57 | Price variation, Page -11, Clause 2.1           | Minimum wages | What is the current minimum wages and skill category for Meter Reader, Bill Collector, KPO and Supervisor  | Attached   |
| 58 | 19.1 Liability                                  | Consortium    | Is consortium/Joint venture allowed for participating in the bid   | No   |
| 59 |   |               | Meter changed, Round completed, meter burnt, meter in elevated place, Premises locked, High bill etc will the agency be paid for such cases  | If bill generated in our SAP system then you will be paid.   |
| 60 |   |               | During the Financial evaluation is completed it is requested to include Rate justification for the bidders which will help ensure adherence to the Odisha labour laws.   | As per tender T&Cs   |
| 61 | Page 7, 1. Event Information, 1.1 Scope of Work | EMD           | Rs.8,50,000/- EMD - will this be the combined amount for all 20 divisions or separate EMD for each division would require to be submitted  | EMD amount of Rs 8.5 lakhs is to be submitted against the tender   |

|    |   |   |  |  |
|----|---|---|--|--|
| 62 | Page 60, New Process to follow  | Payment clarification   | Please mention timelines for each level of approval viz. RCM, SES. While there is a mention of release of payment within 3 days from SES release date but there is no mention of the time taken tat each approval level. | Once invoice received at HQ within 2 days service entry sheet (SES) created in SAP and forward to finance on next day so payment received within 7 days from SES for 70% monthly invoice amount. Currently 98% of payment release within 7 days from SES through auto process. |
| 63 | Page 45, Scope of Work, 1. Meter reading Cum Spot Billing / Bill Distribution Scope of work | Bill Distribution   | If a meter reader is unable to procure acknowledgement for bill distribution such as in apartments where bills are submitted at the society office, how will such cases be addressed.                                    | Option for capturing such information in bill distribution application is available & can be considered.   |
| 64 | 54  | The Business Associate shall open office at each sub-division level as mentioned in establishment section.  | are these offices are in TPCODL /DISCOM Premises. Please allow to setup office in TPCODL /DISCOM Premises for Security Reason specially for collection.  | Depends / Subject to availability BA can use TPCODL office space. BA can setup office as per area geography & after considering performance.   |
| 65 | 68  | Business Associate(s) shall set up 1 no. (one) of common office establishments in each section preferably near TPCODL Section office with Computers, Printers, Scanner and other office | are these offices are in TPCODL /DISCOM Premises. Please allow to setup office in TPCODL /DISCOM Premises for Security Reason specially for collection.  | Depends / Subject to availability BA can use TPCODL office space. BA can setup office as per area geography & after considering performance.   |

|           |           |   |  |  |
|-----------|-----------|---|--|--|
|           |           | requirements with internet connectivity to do the meter reading/collection operation for each allocated Divisions.  |  |  |
| <b>66</b> | <b>68</b> | Business Associates would have to establish 1 no. (one) of official set ups main office for the duration of the project with requisite communication facilities with adequate number of staffs for smooth execution of the overall project. | Is this main office located at division HQ. Please allow to setup office in TPCODL/DISCOM Premises for Security Reason specially for collection. | No BA has to setup their main office separately. |

|           |           |  |  |  |
|-----------|-----------|--|--|--|
| <p>67</p> | <p>70</p> | <p>Virtual - wallet of each bill collector engaged for collection shall be maintained with a minimum top-up amount of Rs. 20,000/- by the Agency. The Bill-collector will not be able to collect beyond the amount in virtual - wallet without further top-up recharge. Bidder will recharge once in 3 days and based on this estimate will be considered.</p> | <p>Is the Total amount of virtual wallet for total no of collector has been deposited for every three days. That means if 10 no of collectors wallet would be recharge with Rs 2 Lac in advance. Please clarify.</p> | <p>As per contract, security amount of 3 days advance deposit in division/Central finance account and based on that we will give limit to each BA in division. This will be a virtual wallet with limit set as per security amount deposited. BA can set limit for collection amount to each bill collector. Once limit set, collection can start by bill collector as per their limit. As per collection of cash from field by bill collector, virtual amount given to bill collector deduct as per collection to set amount. Once set amount collected by bill collector, collection will stop and collected amount need to deposit in bank and bank challan to be shown to divisional finance manager for recharge to BA virtual account as per deposit amount. After that BA can recharge to their bill collector.</p> |
|-----------|-----------|--|--|--|

|    |    |   |  |  |
|----|----|---|--|--|
| 68 | 75 | <p>Any delay beyond 48 hrs in cash deposit to designated bank against energy amount collected by field staff is penalised @ 1% of amount collected per day delay.</p> | <p>Once we deposit BG as per Annexure XI C, Then we have to recharge wallet in advance and after we have to deposit collection amount to TPCODL Bank Account. That means, All money will be stacked in TPCODL hand, moreover we have to again recharge wallet for next 3 days as advance. so that for one collector we have to deposit Rs 2lac considering 30 days month. That means all money will be in your custody, and penalty will be imposed for delayed deposit. Please clear the concept.</p> | <p>As per contract, security amount of 3 days advance deposit in division/Central finance account and based on that we will give limit to each BA in division. This will be a virtual wallet with limit set as per security amount deposited. BA can set limit for collection amount to each bill collector. Once limit set, collection can start by bill collector as per their limit. As per collection of cash from field by bill collector, virtual amount given to bill collector deduct as per collection to set amount. Once set amount collected by bill collector, collection will stop and collected amount need to deposit in bank and bank challan to be shown to divisional finance manager for recharge to BA virtual account as per deposit amount. After that BA can recharge to their bill collector.</p> |
|----|----|---|--|--|

|    |     |  |  |              |
|----|-----|--|--|--------------|
| 69 | 7.2 | 70% payment of reading and collection activity shall be made to BA within 7 days of receipt of duly certified Bills.   | The Payment Term should be 80% payment of reading & collection.  | Not accepted |
| 70 | 7.2 | 30% payment after receiving compliance like cash reconciliation statement signed by AFM/DFM, last month incentive if any paid with statement, Site verification report submission in SAP through notification & its status and reading & collection final summary with performance and reason of not read & not paid from division/TL-MBC. | 20% payment should be after receiving compliance.  | Not accepted |
| 71 | 2   | Wrong Reading/<br>Remark/Fake Remark/<br>Remark Conversion (e.g. OK to Faulty)   | The penalty rate should be ₹ 50/- in SBM & ₹ 100/- in Non-SBM  | Not accepted |
| 72 | 5   | Over achieving OCR Reading Target (Target will be circulated by HQ/EIC)  | Rs.5/- per addition of OCR consumer over & above target consumer. This will boost the morale of the employees                  | Not accepted |
| 73 | 9   | Wrong positing of payment / posting into someone else's account/ Any complaint for payment not posted and error due to account of Business associates  | No penalty should be charged against wrong posting bills because the meter reader and the company are already incurring losses | Not accepted |



|    |    |   |   |  |
|----|----|---|---|--|
| 74 | 10 | Delay in Cheque deposit to division excluding holiday beyond (2 days) | Provide the collection details such as flow chart & apk details.                          | All cheques deposit at division level by BA within 48 hrs through cashier and detail of cheque enter in online collection application on same time of collection by agent. Apk detail will be shared upon selection. |
| 75 | 14 | Less Manpower deployed as per contract                                | No penalty should be charged due to already you are charging Billing target penalty.      | Not accepted   |
| 76 |    |   | Request: - All penalties should not be levied for the first Three months of the contract. | Not accepted   |

|           |                   |   |   |   |
|-----------|-------------------|---|---|---|
| <p>77</p> | <p>2.1/Page11</p> | <p>Price Variation Clause: The prices shall remain firm during the entire contract period. However the rates shall be revised on account of any revisions in minimum wages and statutory compliances as published by labour department, Govt. of Odisha during the contract period.</p> | <p>If rate is fixed for Contract Why there is Price asked for three Years? After any Changes in Minimum Wages How this will be Incorporated in Unit rate?</p> | <p>Bidders can quotes competitive rates for three different years or can quote same rates for 3 years.<br/>Please also refer following clauses:<br/>1. Clause no 7.1, page no-17: The overall period of the contract shall be for a period of 3 years. The contract value shall however initially be placed for a period of one year only. TPCODL reserves the right to extend the contract value on a year to year basis for a period of further 2 years as per the agreed rates.<br/>2. Clause no 2.1, page no-11: The prices shall remain firm during the entire contract period. However the rates shall be revised on account of any revisions in minimum wages and statutory compliances as published by labour department, Govt. of Odisha during the contract period.</p> |
|-----------|-------------------|---|---|---|

| Solar Consumer Base                |                      |                          |                     |       |
|------------------------------------|----------------------|--------------------------|---------------------|-------|
| Circle Description                 | Division Description | Sub-Division Description | Section Description | Total |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 1                    | BRIT COLONY         | 4     |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 1                    | DELTA               | 16    |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 1                    | POWER HOUSE 1       | 1     |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 1                    | Power House 2       | 11    |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 1                    | UNIT 6              | 15    |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 2                    | KARVEL NAGAR        | 8     |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 2                    | UNIT 1              | 15    |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 2                    | UNIT 2              | 4     |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 2                    | UNIT 4              | 6     |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 3                    | BOARD COLONY        | 5     |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 3                    | SAHID NAGAR         | 9     |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 3                    | UNIT 9 FLAT         | 7     |
| Electrical Circle - I ,Bhubaneswar | BCDD-1 ,BHUBANESWAR  | SDO 3                    | UNIT 9 ROAD         | 5     |
| Electrical Circle - I ,Bhubaneswar | BCDD-2 ,BHUBANESWAR  | KHANDAGIRI               | BHARATPUR           | 15    |
| Electrical Circle - I ,Bhubaneswar | BCDD-2 ,BHUBANESWAR  | KHANDAGIRI               | DUMUDUMA            | 6     |
| Electrical Circle - I ,Bhubaneswar | BCDD-2 ,BHUBANESWAR  | KHANDAGIRI               | KALINGANAGAR        | 25    |
| Electrical Circle - I ,Bhubaneswar | BCDD-2 ,BHUBANESWAR  | KHANDAGIRI               | Khandagiri S/O      | 17    |
| Electrical Circle - I ,Bhubaneswar | BCDD-2 ,BHUBANESWAR  | NAYAPALLI                | BARAMUNDA           | 6     |
| Electrical Circle - I ,Bhubaneswar | BCDD-2 ,BHUBANESWAR  | NAYAPALLI                | IRC NAYAPALLI       | 34    |
| Electrical Circle - I ,Bhubaneswar | BCDD-2 ,BHUBANESWAR  | NAYAPALLI                | VSS NAGAR           | 11    |
| Electrical Circle - I ,Bhubaneswar | BCDD-2 ,BHUBANESWAR  | NAYAPALLI                | XAVIER              | 25    |
| Electrical Circle - I ,Bhubaneswar | BCDD-2 ,BHUBANESWAR  | PERIPHERI                | BARANG              | 9     |

|                                     |                     |           |                |    |
|-------------------------------------|---------------------|-----------|----------------|----|
| Electrical Circle - I ,Bhubaneswar  | BCDD-2 ,BHUBANESWAR | PERIPHERI | CS PUR 1       | 8  |
| Electrical Circle - I ,Bhubaneswar  | BCDD-2 ,BHUBANESWAR | PERIPHERI | CS PUR 2       | 40 |
| Electrical Circle - I ,Bhubaneswar  | BCDD-2 ,BHUBANESWAR | PERIPHERI | KANANVIHAR     | 22 |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | RASULGARH | KALPANA 1      | 7  |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | RASULGARH | KALPANA 2      | 4  |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | RASULGARH | LAXMISAGAR     | 4  |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | RASULGARH | MANCHESWAR     | 10 |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | RASULGARH | PHULNAKHARA    | 12 |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | RASULGARH | Rasulagarh S/O | 12 |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | TEMPLE    | BARAGADA       | 18 |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | TEMPLE    | DHAULI         | 20 |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | TEMPLE    | OLD TOWN 1     | 9  |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | TEMPLE    | OLD TOWN 2     | 5  |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | TEMPLE    | OLD TOWN 3     | 5  |
| Electrical Circle - I ,Bhubaneswar  | BED,BHUBANESWAR     | TEMPLE    | UTTARA         | 2  |
| Electrical Circle - I ,Bhubaneswar  | NED , NIMAPARA      | NIMAPARA  | NIMAPARA 1     | 1  |
| Electrical Circle - I ,Bhubaneswar  | NED , NIMAPARA      | PIPILI    | BALAKATI       | 1  |
| Electrical Circle - II ,Bhubaneswar | BAED,BALUGAON       | BALUGAON  | BALUGAON 2     | 2  |
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA        | BANKI     | BANKI 3        | 1  |
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA        | BEGUNIA   | RAJSUNAKHALA   | 1  |
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA        | JATNI     | HARIRAJPUR     | 2  |
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA        | JATNI     | JANLA          | 6  |
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA        | JATNI     | JATANI 1       | 2  |
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA        | JATNI     | JATANI 2       | 3  |
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA        | KHURDA    | KHURDA 1       | 1  |
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA        | KHURDA    | KHURDA 2       | 1  |



|                                     |               |                  |                   |    |
|-------------------------------------|---------------|------------------|-------------------|----|
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA  | KHURDA           | KHURDA 3          | 1  |
| Electrical Circle - II ,Bhubaneswar | KHD , KHURDA  | KHURDA           | KHURDA 4          | 9  |
| Electrical Circle - II ,Bhubaneswar | NAYAGARH Div  | NAYAGARH Sub Div | ODAGAON 1         | 1  |
| Electrical Circle - II ,Bhubaneswar | NAYAGARH Div  | NAYAGARH Sub Div | SARANAKUL 1       | 1  |
| Electrical Circle - II ,Bhubaneswar | PED,PURI      | PURI-I           | BALIAPANDA        | 2  |
| Electrical Circle - II ,Bhubaneswar | PED,PURI      | PURI-I           | PASCHIMADWAR      | 1  |
| Electrical Circle - II ,Bhubaneswar | PED,PURI      | PURI-I           | SWARGADWAR        | 1  |
| Electrical Circle - II ,Bhubaneswar | PED,PURI      | PURI-II          | SUNAMUHI          | 1  |
| Electrical Circle - II ,Bhubaneswar | PED,PURI      | PURI-III         | GHODABAZAR        | 1  |
| Electrical Circle - II ,Bhubaneswar | PED,PURI      | PURI-III         | POWERHOUSE        | 2  |
| Electrical Circle - II ,Bhubaneswar | PED,PURI      | PURI-III         | TALABANIA         | 1  |
| Electrical Circle - II ,Bhubaneswar | PED,PURI      | SAKHIGOPAL       | SAKHIGOPAL-1      | 2  |
| Electrical Circle,Cuttack           | AED,ATHAGADA  | ATHAGADA         | KHUNTUNI          | 2  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 01  | BUXI BAZAR        | 4  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 01  | COLLEGE SQUARE    | 4  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 01  | RANIHAT 2         | 14 |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 03  | CITY              | 3  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 03  | GANESH GHAT       | 3  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 04  | CANTONMENT        | 6  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 04  | CHANDINI CHOWK    | 3  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 04  | TINIKONIA BAGICHA | 1  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 06  | BIDANASI          | 4  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 06  | CDA               | 8  |
| Electrical Circle,Cuttack           | CDD-1,CUTTACK | SUB DIVISION 06  | TULSIPUR          | 5  |
| Electrical Circle,Cuttack           | CDD-2,CUTTACK | BADAMBADI        | DOLAMUNDAI        | 2  |
| Electrical Circle,Cuttack           | CDD-2,CUTTACK | BADAMBADI        | IND.ESTATE(OGP)   | 7  |



|                             |                |                   |                 |   |
|-----------------------------|----------------|-------------------|-----------------|---|
| Electrical Circle,Cuttack   | CDD-2,CUTTACK  | JOBRA             | JAGATPUR        | 2 |
| Electrical Circle,Cuttack   | CDD-2,CUTTACK  | JOBRA             | JOBRA           | 4 |
| Electrical Circle,Cuttack   | CDD-2,CUTTACK  | JOBRA             | KANDARPUR       | 3 |
| Electrical Circle,Cuttack   | CDD-2,CUTTACK  | JOBRA             | MAUZA           | 1 |
| Electrical Circle,Cuttack   | CDD-2,CUTTACK  | MAHANADIVIHAR     | CHAULIAGANJ     | 2 |
| Electrical Circle,Cuttack   | CDD-2,CUTTACK  | MAHANADIVIHAR     | MAHANADI VIHAR  | 9 |
| Electrical Circle,Cuttack   | CED,CUTTACK    | BADACHANA         | BADACHANA       | 1 |
| Electrical Circle,Cuttack   | CED,CUTTACK    | CHOUDWAR Sub Div  | CHARIBATIA      | 2 |
| Electrical Circle,Cuttack   | CED,CUTTACK    | CHOUDWAR Sub Div  | CHOUDWAR 2      | 5 |
| Electrical Circle,Cuttack   | CED,CUTTACK    | GOPALPUR          | ADASPUR         | 3 |
| Electrical Circle,Cuttack   | CED,CUTTACK    | GOPALPUR          | BALIKUDA        | 4 |
| Electrical Circle,Cuttack   | SED , SALIPUR  | SALIPUR Sub Div   | SALIPUR 1       | 1 |
| Electrical Circle,Dhenkanal | Angul Division | ANGUL             | Angul No I      | 1 |
| Electrical Circle,Dhenkanal | Angul Division | ANGUL             | Angul No II     | 6 |
| Electrical Circle,Dhenkanal | Angul Division | ANGUL             | Angul No III    | 1 |
| Electrical Circle,Dhenkanal | Angul Division | ANGUL             | Bantla          | 1 |
| Electrical Circle,Dhenkanal | Angul Division | BOINDA            | Bamur           | 2 |
| Electrical Circle,Dhenkanal | Angul Division | CHENDIPADA        | Jarapada        | 1 |
| Electrical Circle,Dhenkanal | DED,DHENKANAL  | DHENKANAL Sub Div | DKL SEC-I       | 1 |
| Electrical Circle,Dhenkanal | DED,DHENKANAL  | DHENKANAL Sub Div | DKL SEC-II      | 4 |
| Electrical Circle,Dhenkanal | DED,DHENKANAL  | GONDIA            | Gondia Sec Off  | 1 |
| Electrical Circle,Dhenkanal | DED,DHENKANAL  | HINDOL ROAD       | HINDOL          | 2 |
| Electrical Circle,Dhenkanal | DED,DHENKANAL  | HINDOL ROAD       | Hindol Road S/O | 1 |
| Electrical Circle,Dhenkanal | DED,DHENKANAL  | KAMAKHYA NAGAR    | BHUBAN          | 1 |
| Electrical Circle,Dhenkanal | DED,DHENKANAL  | KAMAKHYA NAGAR    | K NAGAR         | 1 |
| Electrical Circle,Dhenkanal | DED,DHENKANAL  | KAMAKHYA NAGAR    | KANKADA HADA    | 1 |



|                             |                  |                  |                  |            |
|-----------------------------|------------------|------------------|------------------|------------|
| Electrical Circle,Dhenkanal | TED ,TALCHER     | CHAINPAL         | BANARPAL         | 1          |
| Electrical Circle,Dhenkanal | TED ,TALCHER     | TALCHER          | Talcher Sec Off  | 3          |
| Electrical Circle,Paradeep  | JED,JAGATSINGPUR | RAGHUNATHPUR     | Raghunathpur S/O | 1          |
| Electrical Circle,Paradeep  | KED1,KENDRAPARA  | AUL              | Aul Sec Off      | 1          |
| Electrical Circle,Paradeep  | KED1,KENDRAPARA  | KENDRAPARA S/D   | CHHATA           | 1          |
| Electrical Circle,Paradeep  | KED1,KENDRAPARA  | PATTAMUNDAI      | PATTAMUNDAI 3    | 1          |
| Electrical Circle,Paradeep  | KED1,KENDRAPARA  | RAJNAGAR         | RAJNAGAR 2       | 1          |
| Electrical Circle,Paradeep  | KED2,MARSHAGHAI  | Mahakalapada S/D | MAHAKALAPADA     | 1          |
| Electrical Circle,Paradeep  | PDP,PARADEEP     | PARADEEP         | Paradeep Sec Off | 3          |
| Grand Total                 |                  |                  |                  | <b>616</b> |

| Smart Meter Installed detail |                          |                      |                                     |       |
|------------------------------|--------------------------|----------------------|-------------------------------------|-------|
| Section Description          | Sub-Division Description | Division Description | Circle Description                  | Total |
| ADASPUR                      | GOPALPUR                 | CED,CUTTACK          | Electrical Circle,Cuttack           | 216   |
| Angul No I                   | ANGUL                    | Angul Division       | Electrical Circle,Dhenkanal         | 136   |
| Angul No II                  | ANGUL                    | Angul Division       | Electrical Circle,Dhenkanal         | 134   |
| Angul No III                 | ANGUL                    | Angul Division       | Electrical Circle,Dhenkanal         | 229   |
| ASTARANG                     | KAKATPUR                 | NED , NIMAPARA       | Electrical Circle - I ,Bhubaneswar  | 104   |
| ASURESWAR                    | N.Koili Sec Div          | SED , SALIPUR        | Electrical Circle,Cuttack           | 84    |
| ATHAGADA 1                   | ATHAGADA                 | AED,ATHAGADA         | Electrical Circle,Cuttack           | 85    |
| ATHAGADA 2                   | ATHAGADA                 | AED,ATHAGADA         | Electrical Circle,Cuttack           | 265   |
| Athamallik                   | BOINDA                   | Angul Division       | Electrical Circle,Dhenkanal         | 260   |
| Aul Sec Off                  | AUL                      | KED1,KENDRAPARA      | Electrical Circle,Paradeep          | 172   |
| BABAR                        | Mahakalapada S/D         | KED2,MARSHAGHAI      | Electrical Circle,Paradeep          | 108   |
| BADACHANA                    | BADACHANA                | CED,CUTTACK          | Electrical Circle,Cuttack           | 142   |
| BADAMBARI                    | BADAMBADI                | CDD-2,CUTTACK        | Electrical Circle,Cuttack           | 140   |
| BAGHAMARI                    | BEGUNIA                  | KHD , KHURDA         | Electrical Circle - II ,Bhubaneswar | 90    |
| BAHUGRAM                     | SALIPUR Sub Div          | SED , SALIPUR        | Electrical Circle,Cuttack           | 123   |
| BALAKATI                     | PIPILI                   | NED , NIMAPARA       | Electrical Circle - I ,Bhubaneswar  | 491   |
| BALIAPANDA                   | PURI-I                   | PED,PURI             | Electrical Circle - II ,Bhubaneswar | 167   |
| BALICHANDRAPUR               | BADACHANA                | CED,CUTTACK          | Electrical Circle,Cuttack           | 103   |
| BALIKUDA                     | GOPALPUR                 | CED,CUTTACK          | Electrical Circle,Cuttack           | 217   |
| BALIKUDA 1                   | BALIKUDA                 | JED,JAGATSINGPUR     | Electrical Circle,Paradeep          | 157   |
| BALIKUDA 2                   | BALIKUDA                 | JED,JAGATSINGPUR     | Electrical Circle,Paradeep          | 104   |
| BALIPATNA                    | PIPILI                   | NED , NIMAPARA       | Electrical Circle - I ,Bhubaneswar  | 219   |
| BALUGAON 1                   | BALUGAON                 | BAED,BALUGAON        | Electrical Circle - II ,Bhubaneswar | 71    |
| BALUGAON 2                   | BALUGAON                 | BAED,BALUGAON        | Electrical Circle - II ,Bhubaneswar | 81    |



|                       |                          |                     |                                     |     |
|-----------------------|--------------------------|---------------------|-------------------------------------|-----|
| <b>Bamur</b>          | <b>BOINDA</b>            | Angul Division      | Electrical Circle,Dhenkanal         | 189 |
| <b>BANAPUR 1</b>      | <b>BALUGAON</b>          | BAED,BALUGAON       | Electrical Circle - II ,Bhubaneswar | 84  |
| <b>BANAPUR 2</b>      | <b>BALUGAON</b>          | BAED,BALUGAON       | Electrical Circle - II ,Bhubaneswar | 77  |
| <b>BANARPAL</b>       | <b>CHAINPAL</b>          | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 172 |
| <b>BANKI 1</b>        | <b>BANKI</b>             | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 44  |
| <b>BANKI 2</b>        | <b>BANKI</b>             | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 40  |
| <b>BANKI 3</b>        | <b>BANKI</b>             | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 206 |
| <b>Bantla</b>         | <b>ANGUL</b>             | Angul Division      | Electrical Circle,Dhenkanal         | 265 |
| <b>BARAGADA</b>       | <b>TEMPLE</b>            | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 530 |
| <b>Baramba</b>        | <b>Narsingpur S/D</b>    | AED,ATHAGADA        | Electrical Circle,Cuttack           | 253 |
| <b>BARAMUNDA</b>      | <b>NAYAPALLI</b>         | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 39  |
| <b>BARANG</b>         | <b>PERIPHERI</b>         | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 768 |
| <b>Begunia S/O</b>    | <b>BEGUNIA</b>           | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 103 |
| <b>BHAPUR</b>         | <b>DHENKANAL Sub Div</b> | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 187 |
| <b>BHAPUR 1</b>       | <b>KHANDAPADA</b>        | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 48  |
| <b>BHAPUR 2</b>       | <b>KHANDAPADA</b>        | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 41  |
| <b>BHARATIPUR</b>     | <b>PIPILI</b>            | NED , NIMAPARA      | Electrical Circle - I ,Bhubaneswar  | 47  |
| <b>BHARATPUR</b>      | <b>KHANDAGIRI</b>        | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 839 |
| <b>BHUBAN</b>         | <b>KAMAKHYA NAGAR</b>    | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 201 |
| <b>BHUINPUR</b>       | <b>AUL</b>               | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 75  |
| <b>BHUSANDPUR</b>     | <b>TANGI</b>             | BAED,BALUGAON       | Electrical Circle - II ,Bhubaneswar | 66  |
| <b>BHUTAMUNDAI</b>    | <b>PARADEEP</b>          | PDP,PARADEEP        | Electrical Circle,Paradeep          | 86  |
| <b>BIDANASI</b>       | <b>SUB DIVISION 06</b>   | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 85  |
| <b>BIRIDI</b>         | <b>RAGHUNATHPUR</b>      | JED,JAGATSINGPUR    | Electrical Circle,Paradeep          | 200 |
| <b>BOARD COLONY</b>   | <b>SDO 3</b>             | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 12  |
| <b>Boinda Sec Off</b> | <b>BOINDA</b>            | Angul Division      | Electrical Circle,Dhenkanal         | 343 |

|                         |                         |                     |                                     |     |
|-------------------------|-------------------------|---------------------|-------------------------------------|-----|
| <b>BOLAGARH</b>         | <b>ITAMATI</b>          | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 66  |
| <b>BRAHMAGIRI</b>       | <b>PURI-II</b>          | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 162 |
| <b>BRIT COLONY</b>      | <b>SDO 1</b>            | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 25  |
| <b>BUXI BAZAR</b>       | <b>SUB DIVISION 01</b>  | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 240 |
| <b>CANTONMENT</b>       | <b>SUB DIVISION 04</b>  | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 173 |
| <b>CDA</b>              | <b>SUB DIVISION 06</b>  | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 157 |
| <b>Chainpal Sec Off</b> | <b>CHAINPAL</b>         | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 58  |
| <b>CHANDANPUR</b>       | <b>SAKHIGOPAL</b>       | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 119 |
| <b>CHANDINI CHOWK</b>   | <b>SUB DIVISION 04</b>  | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 40  |
| <b>CHARIBATIA</b>       | <b>CHOUDWAR Sub Div</b> | CED,CUTTACK         | Electrical Circle,Cuttack           | 71  |
| <b>CHARINALA</b>        | <b>PURI-III</b>         | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 23  |
| <b>CHATUA</b>           | <b>KUJANGA</b>          | PDP,PARADEEP        | Electrical Circle,Paradeep          | 95  |
| <b>CHAULIAGANJ</b>      | <b>MAHANADIVIHAR</b>    | CDD-2,CUTTACK       | Electrical Circle,Cuttack           | 160 |
| <b>CHHATA</b>           | <b>KENDRAPARA S/D</b>   | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 104 |
| <b>CHHATIA</b>          | <b>BADACHANA</b>        | CED,CUTTACK         | Electrical Circle,Cuttack           | 157 |
| <b>Chhendipada</b>      | <b>CHENDIPADA</b>       | Angul Division      | Electrical Circle,Dhenkanal         | 229 |
| <b>CHOUDWAR 1</b>       | <b>CHOUDWAR Sub Div</b> | CED,CUTTACK         | Electrical Circle,Cuttack           | 135 |
| <b>CHOUDWAR 2</b>       | <b>CHOUDWAR Sub Div</b> | CED,CUTTACK         | Electrical Circle,Cuttack           | 242 |
| <b>CITY</b>             | <b>SUB DIVISION 03</b>  | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 99  |
| <b>COLLEGE SQUARE</b>   | <b>SUB DIVISION 01</b>  | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 94  |
| <b>CS PUR 1</b>         | <b>PERIPHERI</b>        | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 156 |
| <b>CS PUR 2</b>         | <b>PERIPHERI</b>        | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 885 |
| <b>DANDISAHAI</b>       | <b>PATTAMUNDAI</b>      | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 73  |
| <b>DANPUR</b>           | <b>KENDRAPARA S/D</b>   | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 226 |
| <b>DASPALLA</b>         | <b>DASPALLA</b>         | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 90  |
| <b>DELANGA</b>          | <b>PURI-II</b>          | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 196 |



|                 |                   |                     |                                     |      |
|-----------------|-------------------|---------------------|-------------------------------------|------|
| DELTA           | SDO 1             | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 109  |
| DHAULI          | TEMPLE            | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 1259 |
| DHIASAHI        | JAGATSINGPUR      | JED,JAGATSINGPUR    | Electrical Circle,Paradeep          | 119  |
| DKL SEC-I       | DHENKANAL Sub Div | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 116  |
| DKL SEC-II      | DHENKANAL Sub Div | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 255  |
| DKL SEC-III     | DHENKANAL Sub Div | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 230  |
| DOLAMUNDAI      | BADAMBADI         | CDD-2,CUTTACK       | Electrical Circle,Cuttack           | 160  |
| DUMUDUMA        | KHANDAGIRI        | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 279  |
| ERKANA          | MAHANGA           | SED , SALIPUR       | Electrical Circle,Cuttack           | 84   |
| ERSAMA          | TIRTOL            | PDP,PARADEEP        | Electrical Circle,Paradeep          | 227  |
| GANESH GHAT     | SUB DIVISION 03   | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 87   |
| GANIA           | DASPALLA          | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 66   |
| GARADAPUR       | Marshaghai S/D    | KED2,MARSHAGHAI     | Electrical Circle,Paradeep          | 125  |
| GHODABAZAR      | PURI-III          | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 141  |
| GOBINDAPUR      | GOPALPUR          | CED,CUTTACK         | Electrical Circle,Cuttack           | 114  |
| GODISAHI        | PERIPHERI         | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 43   |
| Gondia Sec Off  | GONDIA            | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 160  |
| GOP             | NIMAPARA          | NED , NIMAPARA      | Electrical Circle - I ,Bhubaneswar  | 147  |
| HARIRAJPUR      | JATNI             | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 40   |
| HATATOTA        | TALCHER           | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 91   |
| HINDOL          | HINDOL ROAD       | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 162  |
| Hindol Road S/O | HINDOL ROAD       | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 150  |
| IND.ESTATE(OGP) | BADAMBADI         | CDD-2,CUTTACK       | Electrical Circle,Cuttack           | 178  |
| INDUPUR         | KENDRAPARA S/D    | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 107  |
| IRC NAYAPALLI   | NAYAPALLI         | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 246  |
| ITAMATI 1       | ITAMATI           | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 126  |



|                |                |                     |                                     |      |
|----------------|----------------|---------------------|-------------------------------------|------|
| ITAMATI 2      | ITAMATI        | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 85   |
| J S PUR 1      | JAGATSINGPUR   | JED,JAGATSINGPUR    | Electrical Circle,Paradeep          | 189  |
| J S PUR 2      | JAGATSINGPUR   | JED,JAGATSINGPUR    | Electrical Circle,Paradeep          | 159  |
| JAGATPUR       | JOBRA          | CDD-2,CUTTACK       | Electrical Circle,Cuttack           | 143  |
| Jankia Sec Off | JANKIA         | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 93   |
| JANLA          | JATNI          | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 253  |
| Jarapada       | CHENDIPADA     | Angul Division      | Electrical Circle,Dhenkanal         | 166  |
| JATANI 1       | JATNI          | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 76   |
| JATANI 2       | JATNI          | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 98   |
| JOBRA          | JOBRA          | CDD-2,CUTTACK       | Electrical Circle,Cuttack           | 198  |
| JORANDA        | GONDIA         | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 166  |
| K NAGAR        | KAMAKHYA NAGAR | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 286  |
| KACHERI        | PURI-I         | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 127  |
| KAKATPUR 1     | KAKATPUR       | NED , NIMAPARA      | Electrical Circle - I ,Bhubaneswar  | 109  |
| KAKATPUR 2     | KAKATPUR       | NED , NIMAPARA      | Electrical Circle - I ,Bhubaneswar  | 206  |
| KALAPATHAR     | BEGUNIA        | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 97   |
| KALIAPANI      | KAMAKHYA NAGAR | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 22   |
| KALINGANAGAR   | KHANDAGIRI     | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 1341 |
| KALPANA 1      | RASULGARH      | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 128  |
| KALPANA 2      | RASULGARH      | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 187  |
| KANANVIHAR     | PERIPHERI      | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 1122 |
| KANAS          | PURI-II        | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 203  |
| KANDARPUR      | JOBRA          | CDD-2,CUTTACK       | Electrical Circle,Cuttack           | 108  |
| KANIHA         | TALCHER        | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 100  |
| KANKADA HADA   | KAMAKHYA NAGAR | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 148  |
| Kanpur         | Narsingpur S/D | AED,ATHAGADA        | Electrical Circle,Cuttack           | 226  |

|                |                  |                     |                                     |     |
|----------------|------------------|---------------------|-------------------------------------|-----|
| KANTILO        | KHANDAPADA       | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 103 |
| KARVEL NAGAR   | SDO 2            | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 54  |
| KAZI BAZAR     | SUB DIVISION 03  | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 24  |
| KENDRAPARA 1   | KENDRAPARA S/D   | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 157 |
| KENDRAPARA 2   | KENDRAPARA S/D   | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 166 |
| KENDRAPARA 3   | KENDRAPARA S/D   | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 159 |
| KHAJURIAKATA   | HINDOL ROAD      | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 220 |
| KHAMARA        | PALLAHARA        | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 148 |
| Khandagiri S/O | KHANDAGIRI       | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 610 |
| KHANDAPADA     | KHANDAPADA       | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 79  |
| KHUNTUNI       | ATHAGADA         | AED,ATHAGADA        | Electrical Circle,Cuttack           | 221 |
| KHURDA 1       | KHURDA           | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 168 |
| KHURDA 2       | KHURDA           | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 126 |
| KHURDA 3       | KHURDA           | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 116 |
| KHURDA 4       | KHURDA           | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 143 |
| KISHORNAGAR    | JOBRA            | CDD-2,CUTTACK       | Electrical Circle,Cuttack           | 84  |
| KOLAR          | TIRTOL           | PDP,PARADEEP        | Electrical Circle,Paradeep          | 152 |
| KONARK         | NIMAPARA         | NED , NIMAPARA      | Electrical Circle - I ,Bhubaneswar  | 131 |
| KORUA          | Marshaghai S/D   | KED2,MARSHAGHAI     | Electrical Circle,Paradeep          | 207 |
| Kosala         | CHENDIPADA       | Angul Division      | Electrical Circle,Dhenkanal         | 164 |
| KOTHAPADA      | MAHANGA          | SED , SALIPUR       | Electrical Circle,Cuttack           | 81  |
| KUHUDI         | TANGI            | BAED,BALUGAON       | Electrical Circle - II ,Bhubaneswar | 79  |
| Kujang         | KUJANGA          | PDP,PARADEEP        | Electrical Circle,Paradeep          | 114 |
| LAXMISAGAR     | RASULGARH        | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 435 |
| LUNA           | Mahakalapada S/D | KED2,MARSHAGHAI     | Electrical Circle,Paradeep          | 132 |
| M K GOLA       | KAMAKHYA NAGAR   | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 207 |



|                        |                         |                  |                                     |     |
|------------------------|-------------------------|------------------|-------------------------------------|-----|
| <b>MAHAKALAPADA</b>    | <b>Mahakalapada S/D</b> | KED2,MARSHAGHAI  | Electrical Circle,Paradeep          | 201 |
| <b>MAHANADI VIHAR</b>  | <b>MAHANADIVIHAR</b>    | CDD-2,CUTTACK    | Electrical Circle,Cuttack           | 170 |
| <b>Mahanga Sec Off</b> | <b>MAHANGA</b>          | SED , SALIPUR    | Electrical Circle,Cuttack           | 90  |
| <b>MALIPADA</b>        | <b>JANKIA</b>           | KHD , KHURDA     | Electrical Circle - II ,Bhubaneswar | 70  |
| <b>MANCHESWAR</b>      | <b>RASULGARH</b>        | BED,BHUBANESWAR  | Electrical Circle - I ,Bhubaneswar  | 150 |
| <b>MANDASAH</b>        | <b>JAGATSINGPUR</b>     | JED,JAGATSINGPUR | Electrical Circle,Paradeep          | 90  |
| <b>MARSHAGHAI S/D</b>  | <b>Marshaghai S/D</b>   | KED2,MARSHAGHAI  | Electrical Circle,Paradeep          | 233 |
| <b>MAUZA</b>           | <b>JOBRA</b>            | CDD-2,CUTTACK    | Electrical Circle,Cuttack           | 89  |
| <b>MERAMANDALI</b>     | <b>CHAINPAL</b>         | TED ,TALCHER     | Electrical Circle,Dhenkanal         | 123 |
| <b>N KOILI</b>         | <b>N.Koili Sec Div</b>  | SED , SALIPUR    | Electrical Circle,Cuttack           | 81  |
| <b>NACHUNI</b>         | <b>BALUGAON</b>         | BAED,BALUGAON    | Electrical Circle - II ,Bhubaneswar | 144 |
| <b>Narsingpur</b>      | <b>Narsingpur S/D</b>   | AED,ATHAGADA     | Electrical Circle,Cuttack           | 277 |
| <b>NAUGAON</b>         | <b>BALIKUDA</b>         | JED,JAGATSINGPUR | Electrical Circle,Paradeep          | 179 |
| <b>NAYAGARH</b>        | <b>NAYAGARH Sub Div</b> | NAYAGARH Div     | Electrical Circle - II ,Bhubaneswar | 120 |
| <b>NIALI-I</b>         | <b>NIALI</b>            | CED,CUTTACK      | Electrical Circle,Cuttack           | 130 |
| <b>NIALI-II</b>        | <b>NIALI</b>            | CED,CUTTACK      | Electrical Circle,Cuttack           | 125 |
| <b>NIHAL PRASAD</b>    | <b>GONDIA</b>           | DED,DHENKANAL    | Electrical Circle,Dhenkanal         | 108 |
| <b>NIMAPARA 1</b>      | <b>NIMAPARA</b>         | NED , NIMAPARA   | Electrical Circle - I ,Bhubaneswar  | 203 |
| <b>NIMAPARA 2</b>      | <b>NIMAPARA</b>         | NED , NIMAPARA   | Electrical Circle - I ,Bhubaneswar  | 112 |
| <b>NIRAKARPUR</b>      | <b>JANKIA</b>           | KHD , KHURDA     | Electrical Circle - II ,Bhubaneswar | 72  |
| <b>NUAGAON</b>         | <b>DASPALLA</b>         | NAYAGARH Div     | Electrical Circle - II ,Bhubaneswar | 131 |
| <b>NUAPADA</b>         | <b>Marshaghai S/D</b>   | KED2,MARSHAGHAI  | Electrical Circle,Paradeep          | 214 |
| <b>NUAPATNA</b>        | <b>ATHAGADA</b>         | AED,ATHAGADA     | Electrical Circle,Cuttack           | 106 |
| <b>ODAGAON 1</b>       | <b>NAYAGARH Sub Div</b> | NAYAGARH Div     | Electrical Circle - II ,Bhubaneswar | 47  |
| <b>ODAGAON 2</b>       | <b>NAYAGARH Sub Div</b> | NAYAGARH Div     | Electrical Circle - II ,Bhubaneswar | 73  |
| <b>OLAVER</b>          | <b>AUL</b>              | KED1,KENDRAPARA  | Electrical Circle,Paradeep          | 124 |



|                         |                         |                     |                                     |      |
|-------------------------|-------------------------|---------------------|-------------------------------------|------|
| <b>OLD TOWN 1</b>       | <b>TEMPLE</b>           | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 131  |
| <b>OLD TOWN 2</b>       | <b>TEMPLE</b>           | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 153  |
| <b>OLD TOWN 3</b>       | <b>TEMPLE</b>           | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 46   |
| <b>ORIKANTA</b>         | <b>N.Koili Sec Div</b>  | SED , SALIPUR       | Electrical Circle,Cuttack           | 183  |
| <b>Pallahara SecOff</b> | <b>PALLAHARA</b>        | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 182  |
| <b>Paradeep Sec Off</b> | <b>PARADEEP</b>         | PDP,PARADEEP        | Electrical Circle,Paradeep          | 264  |
| <b>PARBIL</b>           | <b>PALLAHARA</b>        | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 125  |
| <b>PARJANG-I</b>        | <b>PARJANG</b>          | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 175  |
| <b>PARJANG-II</b>       | <b>PARJANG</b>          | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 175  |
| <b>PASCHIMADWAR</b>     | <b>PURI-I</b>           | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 52   |
| <b>PATRAPUR</b>         | <b>PATTAMUNDAI</b>      | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 59   |
| <b>PATTAMUNDAI 1</b>    | <b>PATTAMUNDAI</b>      | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 170  |
| <b>PATTAMUNDAI 2</b>    | <b>PATTAMUNDAI</b>      | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 113  |
| <b>PATTAMUNDAI 3</b>    | <b>PATTAMUNDAI</b>      | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 84   |
| <b>Periphery S/O</b>    | <b>NAYAGARH Sub Div</b> | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 101  |
| <b>PHULNAKHARA</b>      | <b>RASULGARH</b>        | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 1612 |
| <b>PIPILI 1</b>         | <b>PIPILI</b>           | NED , NIMAPARA      | Electrical Circle - I ,Bhubaneswar  | 133  |
| <b>PIPILI 2</b>         | <b>PIPILI</b>           | NED , NIMAPARA      | Electrical Circle - I ,Bhubaneswar  | 106  |
| <b>Power House 2</b>    | <b>SDO 1</b>            | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 139  |
| <b>POWERHOUSE</b>       | <b>PURI-III</b>         | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 63   |
| <b>R N PUR</b>          | <b>KAMAKHYA NAGAR</b>   | DED,DHENKANAL       | Electrical Circle,Dhenkanal         | 171  |
| <b>Raghunathpur S/O</b> | <b>RAGHUNATHPUR</b>     | JED,JAGATSINGPUR    | Electrical Circle,Paradeep          | 196  |
| <b>RAHAMA</b>           | <b>KUJANGA</b>          | PDP,PARADEEP        | Electrical Circle,Paradeep          | 156  |
| <b>RAISUNGUDA</b>       | <b>SALIPUR Sub Div</b>  | SED , SALIPUR       | Electrical Circle,Cuttack           | 61   |
| <b>RAJKANIKA</b>        | <b>AUL</b>              | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 151  |
| <b>RAJNAGAR 1</b>       | <b>RAJNAGAR</b>         | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 128  |



|                 |                  |                     |                                     |     |
|-----------------|------------------|---------------------|-------------------------------------|-----|
| RAJNAGAR 2      | RAJNAGAR         | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 184 |
| RAJSUNAKHALA    | BEGUNIA          | KHD , KHURDA        | Electrical Circle - II ,Bhubaneswar | 223 |
| RANAPUR         | TANGI            | BAED,BALUGAON       | Electrical Circle - II ,Bhubaneswar | 164 |
| RANIHAT 1       | SUB DIVISION 01  | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 79  |
| RANIHAT 2       | SUB DIVISION 01  | CDD-1,CUTTACK       | Electrical Circle,Cuttack           | 71  |
| Rasulagarh S/O  | RASULGARH        | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar  | 427 |
| RENGALI         | PALLAHARA        | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 94  |
| SADAR           | PURI-II          | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 60  |
| SAHID NAGAR     | SDO 3            | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar  | 675 |
| SAKHIGOPAL-1    | SAKHIGOPAL       | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 101 |
| SAKHIGOPAL-2    | SAKHIGOPAL       | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 80  |
| SALIPUR 1       | SALIPUR Sub Div  | SED , SALIPUR       | Electrical Circle,Cuttack           | 111 |
| SALIPUR 2       | SALIPUR Sub Div  | SED , SALIPUR       | Electrical Circle,Cuttack           | 87  |
| SAMALA          | TALCHER          | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 36  |
| SARANAKUL 1     | NAYAGARH Sub Div | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 61  |
| SARANAKUL 2     | NAYAGARH Sub Div | NAYAGARH Div        | Electrical Circle - II ,Bhubaneswar | 92  |
| SATASANKHA      | SAKHIGOPAL       | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 87  |
| SITHALO         | NIALI            | CED,CUTTACK         | Electrical Circle,Cuttack           | 98  |
| SOUTH BALANDA   | TALCHER          | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 108 |
| SUNAMUHI        | PURI-II          | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 122 |
| SWARGADWAR      | PURI-I           | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 65  |
| TALABANIA       | PURI-III         | PED,PURI            | Electrical Circle - II ,Bhubaneswar | 24  |
| TALACHUA        | RAJNAGAR         | KED1,KENDRAPARA     | Electrical Circle,Paradeep          | 59  |
| Talcher Sec Off | TALCHER          | TED ,TALCHER        | Electrical Circle,Dhenkanal         | 191 |
| TANGI 1         | TANGI            | BAED,BALUGAON       | Electrical Circle - II ,Bhubaneswar | 108 |
| TANGI 2         | TANGI            | BAED,BALUGAON       | Electrical Circle - II ,Bhubaneswar | 67  |





|                    |                 |                     |                                    |              |
|--------------------|-----------------|---------------------|------------------------------------|--------------|
| TIGIRIA            | ATHAGADA        | AED,ATHAGADA        | Electrical Circle,Cuttack          | 174          |
| TINIKONIA BAGICHA  | SUB DIVISION 04 | CDD-1,CUTTACK       | Electrical Circle,Cuttack          | 82           |
| TIRTOL             | TIRTOL          | PDP,PARADEEP        | Electrical Circle,Paradeep         | 200          |
| TOWN HALL          | SUB DIVISION 03 | CDD-1,CUTTACK       | Electrical Circle,Cuttack          | 86           |
| TULSIPUR           | SUB DIVISION 06 | CDD-1,CUTTACK       | Electrical Circle,Cuttack          | 120          |
| UNIT 1             | SDO 2           | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar | 224          |
| UNIT 2             | SDO 2           | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar | 27           |
| UNIT 4             | SDO 2           | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar | 70           |
| UNIT 6             | SDO 1           | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar | 42           |
| UNIT 9 FLAT        | SDO 3           | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar | 80           |
| UNIT 9 ROAD        | SDO 3           | BCDD-1 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar | 52           |
| UTTARA             | TEMPLE          | BED,BHUBANESWAR     | Electrical Circle - I ,Bhubaneswar | 139          |
| VSS NAGAR          | NAYAPALLI       | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar | 141          |
| XAVIER             | NAYAPALLI       | BCDD-2 ,BHUBANESWAR | Electrical Circle - I ,Bhubaneswar | 130          |
| <b>Grand Total</b> |                 |                     |                                    | <b>41542</b> |