

Open Tender Notification

For

Construction of Cuttack Division Office at Jagatpur under Cuttack Circle.

Tender Enquiry No.: TPCODL/P&S/1000000714/24-25 Due Date for Bid Submission: 21 – Jun - 2024 [15:00 Hrs.]

> TP Central Odisha Distribution Limited (A TATA Power and Odisha Government Joint Venture)


Procurement & Stores Department, 1st floor, Anuj building, Plot No. 29, Satya Nagar, Bhubaneswar, Odisha –751007

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page $1 \mbox{ of } 20$



REAMBLE

TP Central Odisha Distribution Limited (TPCODL) is a joint venture between Tata Power and the Government of Odisha with the majority stake being held by Tata Power Company (51%). TPCODL is a state electricity distribution utility with sole rights to distribution of electricity in the Central Zone in Odisha covering the distribution circles of Bhubaneswar, Cuttack, Paradeep and Dhenkanal in accordance with the Electricity Act. Tata Power Company has successfully won the bid to own the license for the distribution and retail supply of electricity in Odisha's five circles constituting Central Electricity Supply Utility of Odisha (CESU). It came into operation with effect from 01.06.2020. TPCODL serves a population of 1.36 Crore with Customer Base of 26 Lakh and a vast Distribution Area of 29, 354 Sq. Km. The primary business activity includes purchase of power from GRIDCO Ltd at BSP rate and distribute to consumers. The field structure has been presented below:



20 Electrical Divisions are as follows:

- 1. Bhubaneswar City Distribution Division-I (BCDD-I) 2. Bhubaneswar City Distribution Division-II (BCDD-II)
- 3. Bhubaneswar Electrical Division (BED) 4. Nimapada Electrical Division, Nimapada (NED)
- 5. Khurda Electrical Division, Khurda (KED) 6. Balugaon Electrical Division, Balugaon(BEDB)
- 7. Nayagarh Electrical Division, Nayagarh (NYED) 8. Puri Electrical Division, Puri (PED)
- 9. City Distribution Division, Cuttack (CDD-I) 10. City Distribution Division, Cuttack (CDD-II)
- 11. Cuttack Electrical Division, Cuttack (CED) 12. Athagarh Electrical Division, Athagarh (AED)
- 13. Salipur Electrical Division, Salipur (SED) 14. Dhenkanal Electrical Division, Dhenkanal (DED)
- 15. Talcher Electrical Division, Chainpal (TED) 16. Angul Electrical Division, Angul (ANED)
- 17. Kendrapara Electrical Division, Kendrapara (KED-I) 18. Kendrapara Electrical Division, Marshaghai (KED-II)
- 19. Jagatsinghpur Electrical Division, Jagatsinghpur(JED) 20. Paradeep Electrical Division, Paradeep (PDP)



TP CENTRAL ODISHA DISTRIBUTION LIMITED

NIT - TPCODL/P&S/1000000714/24-25

Tender Enquiry No.	Work Description	EMD (Rs.) *	Tender Fee (Rs.) **	Last Date and Time for payment of Tender Fee
TPCODL/P&S/1000000714/24-25	Construction of Cuttack Division Office at Jagatpur Under Cuttack Circle.	1,00,000	5,000	07.06.2024, 18:00 Hrs

> EMD is exempted for MSMEs registered in the State of Odisha.

MSMEs registered in the State of Odisha shall pay tender fee of Rs. 1,000/- including GST. For details of MSME norms, please refer "Annexure A" below.

Annexure-A

Preferential norms for procurement from MSMEs registered in the State of Odisha

1) Tender Fees

To participate in the tender, MSMEs registered in the State of Odisha shall pay Rs.1,000/- including GST towards cost of tender paper.

2) Earnest Money Deposit (EMD)

EMD shall be exempted for MSME registered in the State of Odisha. However, Bidder shall be barred to participate in the tendering process for a period of 2 years in case it backs out post award of the contract.

3) Qualification Requirement for Open Tenders

Qualification Requirement of Financial Turnover for MSME registered in the State of Odisha shall be reduced to 20% of the existing criteria.

For past experience, instead of relying on the volumes / value of earlier Supplies / Projects, assessment of the Bidder shall be done on the basis of feedback from Customers. Past performance experience at Tata Power and its Group Companies shall supersede feedback from other Customers.

4) Reservation for MSME

It shall be mandatory to procure at least 20% of the total volume of the procurement from MSME registered in the State of Odisha (however, it shall not apply where goods/services are not available with the MSME), subject to matching L1 discovered prices and meeting technical specifications including quality requirements.

5) Performance Bank Guarantees

Performance Bank Guarantee for MSME registered in the State of Odisha shall be 25% of the value normally prescribed.



ond Venture of Tata Power and Government of Orde

INFORMATION TO THE BIDDERS TO PARTICIPATE IN E-OPEN TENDER SYSTEM OF TPCODL

NIT - TPCODL/P&S/1000000714/24-25

-: Steps for E-tender submission:-

Bids are to be submitted only through online e-procurement platform, ARIBA. Any other form of bid submission will not be accepted. Online Link for submission of bid through ARIBA will be sent only after confirmation of payment of tender fee from bidder.

Step 1: The bidder can get primary information about the tender from the Newspaper advertisement / TPCODL website <www.tpcentralodisha.com> and can download the tender document from the above website.

Step 2: Non-Refundable Tender Participation Fee, as indicated in tender document, to be submitted before last date of tender fee payment, in the form of direct deposit/NEFT/RTGS in the following bank account. Account Name: TP Central Odisha Distribution Limited Bank Name: SBI, IDCO Towers, Bhubaneswar Bank Account No. : 10835304915 IFSC Code : SBIN0007891

Step 3: Eligible and Interested bidder to send an email to TPCODL attaching duly signed and stamped letter on Bidder's letterhead, with following details, expressing their intend to bid against above tender:

SI No	Description	Bidder's Response
i)	Tender Enquiry No.	
ii)	Description of materials / Works Tendered	
iii)	Name of the bidding company	
iv)	Name of the authorized contact person	
v)	Contact No. authorized person	
vi)	E-mail Id of the where online ARIBA link to be mailed.	
vii)	Tender Fee details (Amount / NEFT-RTGS UTR No /	
viii)	GST No.of bidder	

E-mail has to be sent to <asish.karmakar@tpcentralodisha.com> with copy to <sudhakar.behera@tpcentralodisha.com> before "Last date and time for payment of Tender Participation Fee".

Step 4: On receipt of the document as mentioned in Step 3 above and after due verification of the same, ARIBA link for participation in the tender will be sent to bidder's mail address from ARIBA system.

Step 5: In this mail there will be an online link as <u>Click Here</u> to participate in the tender.

Step 6: Click <u>"Click Here"</u> to access this event.

Step 7: If bidder is bidding first time for TPCODL through ARIBA site then please "Sign UP" by creating User Name and password as mentioned in Sign Up page. Please follow the process, as mentioned in the Sign Up page, during creation of User Name and password. Also a simple one-page registration screen will open for first time user. All * mark mandatory field to be filled in. Those who are already having User Name and password for accessing TPCODL events, they can LOGIN using same User Name and password. If bidder has got User name and password for their other customer, same will not be applicable for TPCODL.

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page 4 of 20



Step 8: You will be able to see the RFQ
 Step 9: After review and downloading of all documents click on <u>"Review Pre-requisites"</u>

Step 10: Review and accept "Bidder Agreement".

Step 11: You can see attached pdf tender document against clause no 1.1.1 (Introduction).

Step 12: Vendor has to attach pdf version of technical bid in clause no. 2.1 and 2.2. In this field do not attach any price document.

Price schedule is attached in clause no.3.2. Same has to be downloaded and price and tax details to be filled in as per the format given, print to be taken in vendor's letter head and signature and seal to be made by authorised person. PDF version of this price bid to be attached in clause 3.2 For Price Bid put all the unit price and taxes and duties in provided field. Put "0" (ZERO) in not applicable field.

Step 13: After successfully putting Techno commercial offer and price part then click on "Submit Entire Response"



comment of Odishu)

NIT - TPCODL/P&S/1000000714/24-25

CONTENTS OF THE ENQUIRY

S. NO.	PARTICULARS
1.	Event Information
2.	Submission of Bid Documents
3.	Bid Opening & Evaluation process
4.	Evaluation Criteria
5.	Award Decision
6.	Order of Preference/Contradiction
7.	Post Award Contract Administration
8.	Specifications and Standards
9.	General Conditions of Contract
10.	Safety
Annexu	res
1	Annexure I – Schedule of Items
II	Annexure II – Specification and Scope of Job
III	Annexure III – Schedule of Deviations
IV	Annexure IV – Schedule of Commercial Specifications
V	Annexure V – Document Check List
VI	Annexure VI – Acceptance Form for Participation in Reverse Auction Event
VII	Annexure VII – General Condition of Contract
VIII	Annexure VIII – Safety Policy and Safety Terms and Conditions
IX	Annexure IX - Environment & Sustainability Policy
X	Annexure X – Tata Code of Conduct (TCOC)
хі	Annexure XI – Quality, Safety, Occupational Health & Environment



1.0 Event Information

1.1. Scope of Work:

Bids are invited from interested Bidders for this jobs:

SI. No.	Work Description
1.	Construction of Cuttack Division Office at Jagatpur Under Cuttack Circle.

1.2. Availability of Tender Documents

Please refer "Procedure to participate in the e-tender".

1.3. Calendar of Events

(a)	Date of availability of tender documents from TPCODL Website	01.06.2024
(b)	Last date and time of Payment of Tender Fee	07.06.2024 up to 18 Hrs
(c)	Last Date of receipt of pre-bid queries, if any	12.06.2023
(d)	Last Date of Posting Consolidated replies to all the pre-bid queries as received	14.06.2023
(e)	Last date and time of receipt of Bids	21.06.2023 up to 15.00 Hrs

Note: In the event of last date specified for submission of bids and date of opening of bids is declared as a closed holiday for TPCODL's office, the last date of submission of bids and date of opening of bids will be the day following working day at appointed times.

1.4 Mandatory documents required along with the Bid

- 1.4.1 EMD of requisite value and validity
- 1.4.2 Tender Fee.
- 1.4.3 Requisite Documents for compliance to Qualification Criteria mentioned in Clause 1.7.
- 1.4.4 Acceptance of Specification and Scope of job as per Annexure II.
- 1.4.5 Duly signed and stamped 'Schedule of Deviations' as per Annexure III on bidder's letter head.
- 1.4.6 Duly signed and stamped 'Schedule of Commercial Specifications' as per Annexure IV on bidder's letter head.
- 1.4.7 Duly filled in Annexure V and VI.
- 1.4.8 Proper authorization letter/ Power of Attorney to sign the tender on the behalf of bidder.
- 1.4.9 Copy of PAN, GST registration (In case any of these documents is not available with the bidder, same to be explicitly mentioned in the 'Schedule of Deviations')

Please note that in absence of any of the above documents, the bid submitted by a bidder shall be liable for rejection.

1.5. Deviation from Tender

Normally, the deviations to tender terms are not admissible and the bids with deviation are liable for rejection. Hence, the bidders are advised to refrain from taking any deviations on this Tender. Still in case of any deviations, all such deviations shall be set out by the Bidders, clause by clause in the 'Annexure III - Schedule of Deviations' and same shall be submitted as a part of the Technical Bid.

1.6. Right of Acceptance/Rejection

Bids are liable for rejection in absence of following documents:

- i. EMD of requisite value and validity.
- ii. Price Bid as per the Price Schedule mentioned in Annexure I (BOQ)

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL

Page **7** of **20**



- iii. Necessary documents against compliance to Qualification Requirements mentioned at Clause 1.7 of this Tender Document.
- iv. Filled in Schedule of Deviations as per Annexure III.
- v. Filled in Schedule of Commercial Specifications as per Annexure IV.
- vi. Signed and filled in Annexure II.
- vii. Duly filled and signed Annexure V and VI.
- viii. Receipt of Bid within the due date and time.

TPCODL reserves the right to accept/reject any or all the bids without assigning any reason thereof.

1.7 Qualification Criteria

- a) The bidder should have an average annual turnover of Rs. 7.00Cr in the last three years.
- b) Work Experience: The bidder should have experience in execution of a single project of Rs 1 Cr or two projects of 50 Lacs each or three projects of 35 Lacs each in the last three years.
- c) Bidder must have all Statutory Compliance like Valid PAN, ESI registration, EPF registration, GSTN Registration etc. company website & Labor Dept. Compliances. Bidder must submit the copy of all these Registration certificates.

1.8. Marketing Integrity

We have a fair and competitive marketplace. The rules for bidders are outlined in the General Condition of Contracts. Bidders must agree to these rules prior to participating. In addition to other remedies available, TPCODL reserves the right to exclude a bidder from participating in future markets due to the bidder's violation of any of the rules or obligations contained in the General Condition of Contracts. A bidder who violates the market place rules or engages in behavior that disrupts the fair execution of the marketplace, may result in restriction of a bidder from further participation in the marketplace for a length of time, depending upon the seriousness of the violation. Examples of violations include, but are not limited to:

- Failure to honor prices submitted to the marketplace
- Breach of terms as published in TENDER/NIT

1.9. Supplier Confidentiality

All information contained in this tender is confidential and shall not be disclosed, published or advertised in any manner without written authorization from TPCODL. This includes all bidding information submitted to TPCODL. All tender documents remain the property of TPCODL and all suppliers are required to return these documents to TPCODL upon request. Suppliers who do not honor these confidentiality provisions will be excluded from participating in future bidding events.

2.0 Evaluation Criteria

- The bids will be evaluated technically and on qualifying criteria of tender terms and conditions.
- The bids will be evaluated commercially on aggregate basis (all-inclusive lowest cost including installation and testing charges of each item) for the tender as calculated in Schedule of Items [Annexure I].
- TPCODL however, reserves right to split the order line item wise and/or quantity wise amongst more than one Bidder(s). Hence all bidders are advised to quote their most competitive rates against each line item.

NOTE: In case a new bidder is not registered with TPCODL, factory inspection and evaluation shall be carried out to ascertain bidder's manufacturing capability and quality procedures. However, TPCODL reserves the right to carry out factory inspection and evaluation for any bidder prior to technical qualification.

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page 8 of 20



In case a bidder is found as Disqualified in the factory evaluation, their bid shall not be evaluated any further and shall be summarily rejected. The decision of TPCODL shall be final and binding on the bidder in this regard.

2.1 Price Basis: Price will be fixed and firm during the contractual period.

3.0 Submission of Bid Documents

3.1 Bid Submission

Bidders are requested to submit their offer in line with this Tender document through e-tendering process.

Please note all future correspondence regarding the tender, bid submission, bid submission date extension, Pre-bid query etc. will happen only through TPCODL E-Tender system (Ariba).

No e-mail or verbal correspondence will be responded. All communication will be done strictly with the bidder who have done the above step to participate in the Tender.

Bids shall be submitted in 3(Three) parts:

FIRST PART: "EMD" as applicable shall be submitted. The EMD shall be <u>valid for 210 days</u> from the due date of bid submission in the form of Bank Guarantee / Bank Draft / Bankers Pay Order (issued from a Scheduled Bank) online NEFT/ RTGS transfer favoring 'TP Central Odisha Distribution Limited' payable at Bhubaneswar. The EMD BG has to be strictly in the format as mentioned in General Condition of Contract, failing which it shall not be accepted by TPCODL and the bid as submitted shall be liable for rejection. A separate non-refundable tender fee of stipulated amount also needs to be transferred online through NEFT/ RTGS in case the tender document is downloaded from our website.

TPCODL Bank Details for transferring Tender Fee and EMD is as below:

Account Name: TP CENTRAL ODISHA DISTRIBUTION LIMITED Bank Name: SBI, IDCO Towers, Bhubaneswar Bank Account No.: 10835304915 IFSC Code: SBIN0007891

Note- EMD is preferred in form of Bank Guarantee and to be delivered at the following address. However, in view of present situation if Bidder is finding it difficult to make and submit BG for EMD amount, they can do online transfer of EMD amount in the above mentioned Account and submit proof of the same as part of Bid Submission.

Please note that in such case, Tender Fee and EMD should be strictly 2 separate transactions.

Please note as return of EMD from Bank Account is non-standard practice and the same may take more time than return of EMD BG.

EMD Original Hard Copy shall be delivered at the following address in Envelope clearly indicating Tender Reference/ Enquiry Number, Name of Tender and Bidder Name

Chief (Procurement & Stores)

TP Central Odisha Distribution Limited

1st Floor, Anuj Building, Plot No 29, Satya Nagar, Bhubaneswar- 751007

SECOND PART: "TECHNICAL BID" shall contain the following documents:

i) Requisite Documents for compliance to Qualification Criteria mentioned in Clause 1.7.

ii) Acceptance of Specification as per Annexure II.

iii) Duly signed and stamped 'Schedule of Deviations' as per Annexure III on bidder's letter head.

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page 9 of 20



- iv) Duly signed and stamped 'Schedule of Commercial Specifications' as per Annexure IV on bidder's letter head.
- iv) Duly filled in Annexure V and VI.
- vi) Proper authorization letter/ Power of Attorney to sign the tender on the behalf of bidder.
- vii) Copy of PAN, GST registration (In case any of these documents is not available with the bidder, same to be explicitly mentioned in the 'Schedule of Deviations')

The technical bid shall be properly indexed and is to be submitted through TPCODL E-tender System (Ariba) only. Hard Copy of Technical Bids need not be submitted

THIRD PART: "PRICE BID" shall contain only the price details and strictly in format as mentioned in Annexure I along with explicit break up of basic prices and Taxes & duties etc. In case any discrepancy is observed between the item description stated in Schedule of Items mentioned in the tender and the price bid submitted by the bidder, the item description as mentioned in the tender document (to the extent modified through Corrigendum issued if any) shall prevail.

Price Bid is to be submitted in soft copy through TPCODL E-Tendering system (Ariba) only. Hard copy of Price Bid not be submitted

The EMD in the form of Bank Draft / BG / Bankers Pay Order shall be submitted in original hard copy and then placed in sealed envelope which shall be clearly marked as below:

EMD

"Design-engg, manufacture, supply, installation, testing and commissioning of UPS System Tender No TPCODL/P&S/100000432/2023-24

The Bid prepared by the Bidder, and all correspondence and documents relating to the Bid exchanged by the Bidder and the TPCODL, shall be written in the English Language. Any printed literature furnished by the Bidder may be written in another Language, provided that this literature is accompanied by an English translation, in which case, for purposes of interpretation of the Bid, the English translation shall govern.

SIGNING OF BID DOCUMENTS:

The bid must contain the name, residence and place of business of the person or persons making the bid and must be signed and sealed by the Bidder with his usual signature. The names of all persons signing should also be typed or printed below the signature.

The Bid being submitted must be signed by a person holding a Power of Attorney authorizing him to do so, certified copies of which shall be enclosed.

The Bid submitted on behalf of companies registered with the Indian Companies Act, for the time being in force, shall be signed by persons duly authorized to submit the Bid on behalf of the Company and shall be accompanied by certified true copies of the resolutions, extracts of Articles of Association, special or general Power of Attorney etc. to show clearly the title, authority and designation of persons signing the Bid on behalf of the Company. Satisfactory evidence of authority of the person signing on behalf of the Bidder shall be furnished with bid.

A bid by a person who affixes to his signature the word 'President', 'Managing Director', 'Secretary', 'Agent' or other designation without disclosing his principal will be rejected.

The Bidder's name stated on the Proposal shall be the exact legal name of the firm.

3.2 Contact Information

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page **10** of **20**



All the bidders are requested to send their pre-bid queries (if any) against this tender through e-mail within the stipulated timelines. The consolidated reply to all the queries received shall be posted on TPCODL website by the stipulated timelines as detailed in calendar of events.

Communication Details:

Handling Executive for this Tender:

Name: Sujit Patra Contact No.: 7008941254 E-Mail ID: <u>Sujit.patra@tpcentralodisha.com</u>

3.3 Bid Prices

Bidders need to quote for all items as per the Price schedule attached in Annexure I. The bidder shall complete the appropriate Price Schedules included herein, stating the Unit Price for each item & total price with taxes, duties & freight up to destination at various sites of TPCODL. The all-inclusive prices offered shall be inclusive of all costs as well as Duties, Taxes and Levies paid or payable during the execution of the supply work, breakup of price constituents.

Applicable GST to be specified clearly.

The quantity break up shown else-where other than Price Schedule is tentative. The bidder shall ascertain himself regarding material required for completeness of the entire work. Any items not indicated in the price schedule but which are required to complete the job as per the Technical Specifications/ Scope of Work/ SLA mentioned in the tender, shall be deemed to be included in prices quoted.

3.4 Bid Currencies

Prices shall be quoted in Indian Rupees Only.

3.5 Period of Validity of Bids

Bids shall remain valid for 180 days from the due date of submission of the bid.

Notwithstanding clause above, the TPCODL may solicit the Bidder's consent to an extension of the Period of Bid Validity. The request and responses thereto shall be made in writing.

3.6 Alternative Bids

Bidders shall submit Bids, which comply with the Bidding documents. Alternative bids will not be considered. The attention of Bidders is drawn to the provisions regarding the rejection of Bids in the terms and conditions, which are not substantially responsive to the requirements of the bidding documents.

3.7 Modifications and Withdrawal of Bids

The bidder is not allowed to modify or withdraw its bid after the Bid's submission. The EMD as submitted along with the bid shall be liable for forfeiture in such event.

3.8 Earnest Money Deposit (EMD)

The bidder shall furnish, as part of its bid, an EMD amounting as specified in the tender. The EMD is required to protect TPCODL against the risk of bidder's conduct which would warrant forfeiture.

The EMD shall be denominated in any of the following form:

- Banker's Cheque/ Demand Draft/ Pay order drawn in favor of TP Central Odisha Distribution Limited payable at Bhubaneswar.
- Online transfer of requisite amount through NEFT/ RTGS.
- Bank Guarantee valid for 210 days after due date of submission.

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page **11** of **20**



The EMD shall be forfeited in case:

a) The bidder withdraws its bid during the period of specified bid validity.

Or

- b) The successful Bidder does not
 - a) accept the Purchase Order, or
 - b) furnish the required Performance Security Bank Guarantee

3.9Type Tests (if applicable)

The type tests specified in TPCODL specifications should have been carried out within five years prior to the date of opening of technical bids and test reports are to be submitted along with the bids. If type tests carried out are not within the five years prior to the date of bidding, the bidder will arrange to carry out type tests specified, at his cost. The decision to accept/ reject such bids rests with TPCODL

4 Bid Opening & Evaluation process

4.1. Process to be confidential

Information relating to the examination, clarification, evaluation and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other persons not officially concerned with such process. Any effort by a Bidder to influence the TPCODL's processing of Bids or award decisions may result in rejection of the Bidder's Bid.

4.2. Technical Bid Opening

Bids will be opened at TPCODL Office, Bhubaneswar. All tender bids shall be opened internally by TPCODL. Presence of any bidder will not be allowed during bid opening process. Technical bid must not contain any cost information whatsoever.

First the envelope marked "EMD" will be opened. Bids without EMD/cost of tender (if applicable) of required amount/ validity in prescribed format, shall be rejected.

Next, the technical bid of the bidders who have furnished the requisite EMD will be opened, one by one.

4.3. Preliminary Examination of Bids/Responsiveness

TPCODL will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the Bids are generally in order. TPCODL may ask for submission of original documents in order to verify the documents submitted in support of qualification criteria.

Arithmetical errors will be rectified on the following basis: If there is a discrepancy between the unit price and the total price per item that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price per item will be corrected. If there is a discrepancy between the Total Amount and the sum of the total price per item, the sum of the total price per item shall prevail and the Total Amount will be corrected.

Prior to the detailed evaluation, TPCODL will determine the substantial responsiveness of each Bid to the Bidding Documents including production capability and acceptable quality of the Goods offered. A substantially responsive Bid is one, which conforms to all the terms and conditions of the Bidding Documents without material deviation.

Bid determined as not substantially responsive will be rejected by the TPCODL and may not subsequently be made responsive by the Bidder by correction of the non-conformity.

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page 12 of 20



4.4. Techno Commercial Clarifications

Bidders need to ensure that the bids submitted by them are complete in all respects. To assist in the examination, evaluation and comparison of Bids, TPCODL may, at its discretion, ask the Bidder for a clarification on its Bid for any deviations with respect to the TPCODL specifications and attempt will be made to bring all bids on a common footing. All responses to requests for clarification shall be in writing and no change in the price or substance of the Bid shall be sought, offered or permitted owing to any clarifications sought by TPCODL.

4.5. Price Bid Opening

Price bids will be opened internally without the presence of any bidder representative. The EMD of the bidder withdrawing or substantially altering his offer at any stage after the technical bid opening will be forfeited at the sole discretion of TPCODL without any further correspondence in this regard.

4.6. Splitting Criteria:

The number of bidders amongst which tenders shall be split shall be mentioned in the tender (2.0 Clause)

4.7. Reverse Auctions

TPCODL reserves the right to conduct the reverse auction (instead of public opening of price bids) for the products/ services being asked for in the tender. The terms and conditions for such reverse auction events shall be as per the Acceptance Form attached as Annexure VI of this document. The bidders along with the tender document shall mandatorily submit a duly signed copy of the Acceptance Form attached as Annexure VI as a token of acceptance for the same.

Reverse Auction shall be as per the below approach:

No of bidders to be allowed in RA process shall be: Total No of bidders on whom tender would be split PLUS 2 more bidders.

Illustrative example: Total no of qualified bidders is 10 & tender needs to split amongst 4 bidders. PLUS 2 means (04 + 02 = 06) means lowest 6 bidders i.e., L1 to L6 bidders would be allowed in the RA process. Balance, H1 to H4 bidders would not be allowed in the RA process.

In case – Total no of qualified bidders is equal to or less than the PLUS 2 number, all qualified bidders shall be allowed in the RA process.

Illustrative example: Total no of qualified bidders is 4 & tender needs to split amongst 2 bidders. PLUS 2 means (02 + 02 = 04), so all 4 qualified bidders would be allowed in the RA process .

Illustrative example: Total no of qualified bidders is 3 & tender would be awarded to single party only. PLUS 2 means (01 + 02 = 03), so all 3 gualified bidders would be allowed in the RA process

5 Award Decision

TPCODL will award the contract to the successful bidder whose bid has been determined to be the lowestevaluated responsive bid as per the Evaluation Criterion mentioned at Clause 2.0. The Cost for the said calculation shall be taken as the all-inclusive cost (at item level) quoted by bidder in Annexure I (Schedule of Items) subject to any corrections required in line with Clause 3.1 above. The decision to place purchase order/LOI solely depends on TPCODL on the cost competitiveness across multiple lots, quality, delivery and bidder's capacity, in addition to other factors that TPCODL may deem relevant.

TPCODL reserves the rights to award contract to one or more bidders so as to meet the delivery requirement or nullify award decision without assigning any reason thereof.

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page 13 of 20



In case any supplier is found unsatisfactory during delivery process, the award will be cancelled and TPCODL reserves right to award contract to other suppliers who are found fit.

6 Order of Preference/Contradiction

In case of contradiction in any part of various documents in tender, following shall prevail in order of preference:

- 1. Schedule of Items (Annexure I)
- 2. Technical Specifications (Annexure II)
- 3. Special Conditions of Contract (Clause 7.0)
- 4. Submission of Bid Documents (Clause 3.0)
- 5. Acceptance Form for Participation in Reverse Auction (Annexure VI)
- 6. General Conditions of Contract (Annexure VIII)

7 Post Award Contract Administration

7.1. Special Conditions of Contract

- PO shall be placed post completion of tendering and Business Associate (BA) selection process. Rate shall be firm and fixed during the validity of the contract.
- Business Associate (BA) shall submit applicable Performance Bank Guarantee as per GCC within 30 days of
 issuance of rate contract or release order. PBG applicable shall be 10% of Purchase Order value. PBG shall
 be valid till the warranty period of the UPS system plus applicable claim period.
- Any change in statutory taxes, duties and levies during the contract period shall be borne by TPCODL. However, in case of delay in work execution owing to reasons not attributable to TPCODL, any increase in total liability shall be passed on the Bidder, whereas any benefits arising owing to such statutory variation in taxes and duties shall be passed on TPCODL.
- Statutory Variations: Any changes in existing taxes/ Duties and levies, Introduction of new taxes and duties
 etc. during the period of the contract shall be paid at actuals to BA subject to BA shall submit the tax break
 up in details, however, where BA has quoted the all-inclusive prices and not shown the tax break-up, this
 clause will not be applicable. The date of issue of MDCC shall be used for this purpose.
- Quotation in all BOQ items is mandatory, and bid shall be rejected if any line of found blank in price bid.
- Delivery period shall be 11 weeks from date of receipt of release order / CAT-A issuance, whichever is later. Installation, testing and commissioning time will be 15 days from date of site clearance..
- Job location: Cuttack Division Office at Jagatpur under Cuttack Circle.
- Late delivery (LD) clause will be applicable as per GCC.
- All other terms and conditions of TPCODL General Conditions of Contract shall be applicable.
- TPCODL shall short close the issued Purchase Order / Rate contract, in case of any quality issues
- Terms of Payment: 100% payment of Running Account(RA) bills(if applicable) shall be released within 15 days from the date of submission of certified bills/ invoices..

7.2 Drawing Submission and Approval

The relevant drawings need to be submitted within two weeks of receipt of firm purchase order by the successful bidder to TPCODL for approval. In case, re-submission of drawings is required on request of TPCODL, same needs to be submitted back to TPCODL within 5 days of such request.

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page $14 \mbox{ of } 20$



7.3 Payment Terms

As per SCC, Clause number 7.1.

7.4 Climate Change

Significant quantities of waste are generated during the execution of job and an integrated approach for effective handling, storage, transportation and disposal of the same shall be adopted. Also as per the directive from Government of India, there shall be no use of Single Use Plastic, having thickness less than 120 micron, by Associate in the execution of the job. This would ensure the minimization of environmental and social impact in order to combat the climate change. Please refer attached Environment Policy and Sustainability Policy, Annexure-X for more details.

7.5 Ethics

TPCODL is an ethical organization and as a policy TPCODL lays emphasis on ethical practices across its entire domain. Bidder should ensure that they should abide by all the ethical norms and in no form either directly or indirectly be involved in unethical practice.

TPCODL work practices are governed by the Tata Code of Conduct which emphasizes on the following:

- We shall select our suppliers and service providers fairly and transparently.
- We seek to work with suppliers and service providers who can demonstrate that they share similar values.
 We expect them to adopt ethical standards comparable to our own.
- Our suppliers and service providers shall represent our company only with duly authorized written
 permission from our company. They are expected to abide by the Code in their interactions with, and on
 behalf of us, including respecting the confidentiality of information shared with them.
- We shall ensure that any gifts or hospitality received from, or given to, our suppliers or service providers comply with our company's gifts and hospitality policy.
- We respect our obligations on the use of third party intellectual property and data.

Bidder is advised to refer Tata Code of Conduct (TCOC) attached for more information.

Any ethical concerns with respect to this tender can be reported to the following e-mail ID:

Pradip.sil@tpcentralodisha.com

8 Specification and Scope of Job.

As per Annexure II

9 General Condition of Contract

Any condition not mentioned above shall be applicable as per GCC attached along with this tender.

10 Safety

All jobs are this tender have to be executed strictly in compliance to the Safety terms and Conditions of TP Central Odisha Distribution Limited. Please refer attached Safety terms and conditions, Annexure-IX, for details. Violation of Safety norms will result in Penalty as mentioned in the above document.

11. Statutory compliance before commencement and during execution of any Service Work by workmen under CLRA Act:

Requirement before commencement of Service Work

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page **15** of **20**



- Business Associate (BA) will register themselves through TPCODL's BAMS (Business Associate Management System) web portal with the following documents:
 - Filled in C1 & C2 forms (internal forms of TPCODL)
 - PF details
 - ESI details
 - Indemnity Bond in TPCODL format
 - Labour License (if applicable)
 - Order copy
- ii) BA need to obtain ID card for workmen after completion of registration in the BAMS Portal by uploading the following documents:
 - GPA (Group Personal Accident) Insurance Policy for workmen, sum assured Rs 15 Lacs.
 - Police verification of workmen
 - WC/ESI copy
 - Safety training clearance (Training will be provided by TPCODL).
 - Aadhar card
 - Photos
 - Medical Test Report of workmen

Only after obtaining ID cards, commencement of job will be allowed.

Requirement Post Commencement of Work

i) Submission of records with regard to wage payment, PF,ESI challans etc as per statutory practice to be submitted alongwith each bill for verification by TPCODL BA cell.



ANNEXURE III

Schedule of Deviations

Bidders are advised to refrain from taking any deviations on this TENDER. Still in case of any deviations, all such deviations from this tender document shall be set out by the Bidders, Clause by Clause in this schedule and submit the same as a part of the **Technical Bid**.

Unless <u>specifically</u> mentioned in this schedule, the tender shall be deemed to confirm the TPCODL's specifications:

S. No.	Clause No.	Tender Clause Details	Details of deviation with justifications

By signing this document we hereby withdraw all the deviations whatsoever taken anywhere in this bid document and comply to all the terms and conditions, technical specifications, scope of work etc. as mentioned in the standard document except those as mentioned above.

Seal of the Bidder:

Signature:

Name:



ANNEXURE IV

Schedule of Commercial Specifications

(The bidders shall mandatorily fill in this schedule and enclose it with the offer Part I: Technical Bid. In the absence of all these details, the offer may not be acceptable.)

S. No.	Particulars	Remarks
1.	Prices firm or subject to variation	Firm / Variable
	(If variable indicate the price variation	
	clause with the ceiling if applicable)	
1a.	If variable price variation on clause given	Yes / No
1b.	Ceiling	%
1c.	Inclusive of GST	Yes / No (If Yes, indicate % rate)
1d.	Inclusive of transit insurance	Yes / No
2.	Delivery	Weeks / months
3.	Guarantee clause acceptable	Yes / No
4.	Terms of payment acceptable	Yes / No
5.	Performance Bank Guarantee acceptable	Yes / No
6.	Liquidated damages clause acceptable	Yes / No
7.	Validity (180 days)	Yes / No
	(From the date of opening of bid)	
8.	Inspection during stage of manufacture	Yes / No
9.	Rebate for increased quantity	Yes / No (If Yes, indicate value)
10.	Change in price for reduced quantity	Yes / No (If Yes, indicate value)
11.	Covered under Small Scale and Ancillary	Yes / No
	Industrial Undertaking Act 1992	(If Yes, indicate, SSI Reg'n No.)
		Seal of the Bidder:
		Signature:
		Name:

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page 18 of 20



ANNEXURE V

Checklist of all the documents to be submitted with the Bid

Bidder has to mandatorily fill in the checklist mentioned below:

S. No.	Documents attached	Yes / No / Not Applicable
1	EMD of required value	
2	Tender Fee as mentioned in this tender	
3	Signed copy of this tender as an unconditional acceptance	
5	Duly filled schedule of commercial specifications (Annexure IV)	
6	Sheet of commercial/technical deviation if any (Annexure III)	
7	Balance sheet for the last completed three financial years; mandatorily enclosing Profit & loss account statement	
8	Acknowledgement for Testing facilities if available (duly mentioned on bidder letter head)	
9	List of Machine/tools with updated calibration certificates if applicable	
10	Details of order copy (duly mentioned on bidder letter head)	
11	Order copies as a proof of quantity executed	
12	Details of Type Tests if applicable (duly mentioned on bidder letter head)	
13	All the relevant Type test certificates as per relevant IS/IEC (CPRI/ERDA/other certified agency) if applicable	
14	Project/supply Completion certificates	
15	Performance certificates	
16	Client Testimonial/Performance Certificates	
17	Credit rating/solvency certificate	
18	Undertaking regarding non blacklisting (On company letter head)	
19	List of trained/untrained Manpower	

Seal of the Bidder:

Signature:

Name

Property of TPCODL – Not to be reproduced without prior written permission of TPCODL Page 19 of 20



DISTRUBUTION LIMITED A Joint Venture of Tata Power and Government of Odisha)

NIT - TPCODL/P&S/100000714/24-25

ANNEXURE VI

ACCEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION EVENT

(To be signed and stamped by the bidder)

In a bid to make our entire procurement process more fair and transparent, TPCODL intends to use the reverse auctions as an integral part of the entire tendering process. All the bidders who are found as technically qualified based on the tender requirements shall be eligible to participate in the reverse auction event.

The following terms and conditions are deemed as accepted by the bidder on participation in the bid event:

- 1. TPCODL shall provide the user id and password to the authorized representative of the bidder. (Authorization Letter in lieu of the same shall be submitted along with the signed and stamped Acceptance Form).
- 2. TPCODL will make every effort to make the bid process transparent. However, the award decision by TPCODL would be final and binding on the supplier.
- **3.** The bidder agrees to non-disclosure of trade information regarding the purchase, identity of TPCODL, bid process, bid technology, bid documentation and bid details.
- 4. The bidder is advised to understand the auto bid process to safeguard themselves against any possibility of nonparticipation in the auction event.
- 5. In case of bidding through Internet medium, bidders are further advised to ensure availability of the entire infrastructure as required at their end to participate in the auction event. Inability to bid due to telephone line glitch, internet response issues, software or hardware hangs, power failure or any other reason shall not be the responsibility of TPCODL.
- 6. In case of intranet medium, TPCODL shall provide the infrastructure to bidders. Further, TPCODL has sole discretion to extend or restart the auction event in case of any glitches in infrastructure observed which has restricted the bidders to submit the bids to ensure fair & transparent competitive bidding. In case of an auction event is restarted, the best bid as already available in the system shall become the start price for the new auction.
- 7. In case the bidder fails to participate in the auction event due any reason whatsoever, it shall be presumed that the bidder has no further discounts to offer and the initial bid as submitted by the bidder as a part of the tender shall be considered as the bidder's final no regret offer. Any offline price bids received from a bidder in lieu of non-participation in the auction event shall be out-rightly rejected by TPCODL.
- 8. The bidder shall be prepared with competitive price quotes on the day of the bidding event.
- 9. The prices as quoted by the bidder during the auction event shall be inclusive of all the applicable taxes, duties and levies and shall be FOR at TPCODL site.
- **10.** The prices submitted by a bidder during the auction event shall be binding on the bidder.
- **11.** No requests for time extension of auction event shall be considered by TPCODL.
- **12.** The original price bids of the bidders shall be reduced on pro-rata basis against each line item based on the final all-inclusive prices offered during conclusion of the auction event for arriving at Contract amount.

	Annexure - 1 (Construction of Cuttack Division Office at Jagatpur u	nder C	uttack	Circle.)	
Sr. No.	Description	Quantity	Unit	Unit Price	Unit Price with GST	Total Price
1	Earth work Excavation-upto 1.5m depth: Excavation below existing Ground Level upto 1.5 m depth for foundations,drains or any other structure within the OWNER's Premises in ordinary earth,soft/weathered rock, which includes rock/boulders/slag//slate/ laterite,and/ gravel/ clay/ murrum of all kinds, rubble, concrete debrisscrap steel, clearing away vegetation trees of all girth, bushes, underground roots, stumps etc.,including shoring,strutting and all safety provisions by providing adequate slopes using hard barricading as per OWNER's standards including removing vegetation, shrubs,including careful handling of underground utilities etc., including box by the Owner,stacking and multiple handling of earth within the OWNER's Premises and disposal of surplus earth outside the Owner's Premises as directed by Engineer-in-charge, including dewatering, preparing the bed for foundation etc. The rate quoted shall be inclusive of the above works and also include those for statutory permission. Payment for earth works shall be on net plan area of PCC. No payment will be made for side slopes, working area etc.	305	Cum			
2	Earth work Excavation-1.51m to 3.0m: Excavation below existing Ground from a depth of 1.51 m to 3.0 m for foundations, drains or any other structure within the OWNER's Premises in ordinary earth, soft/weathered rock, which includes rock/boulders /slag/slate/laterite, and/ gravel/ clay/ murrum of all kinds, rubble, concrete debris, scrap steel, clearing away vegetation trees of all girth, bushes, underground roots, stumps etc., including shoring, strutting and all safety provisions, by providing adequate slopes using hard barricading as per OWNER's standards including removing vegetationshrubs, including careful handling of underground utilities etc., including backfilling as directed by the Owner, stacking and multiple handlingof earth within the OWNER's Premises and disposal of surplus earth outside the Owner's Premises as directed by Engineer-in-charge, includingdewatering, preparing the bed for foundation etc. The rate quoted shall be inclusive of the above works and also include those for statutory permission. Payment for earth works shall be on net plan area of PCC. No payment will be made for side slopes, working area etc.	120	Cum			
3	Providing and filling in plinth and floors with good quality of murrum brought by the Contractor from outside in 15 to 20 cm thick layers including watering and consolidating so as to achieve compaction upto 95% of Standard Proctor Density, etc. complete in all aspects as directed by the Engineer-in-Charge.	110	Cum			
4	Supplying & Filling good quality Murrum: Providing & laying dry trap granite/quartzite/gneiss/rubble stone soling with maximum 230mm size hard stone set in regular lines, hand packed and interstices thoroughly filled with small chips including filling in with good quality murum and compacted with 8 to 10 tonne rollers and spreading 12mm thick layer of grit on top, etc. complete in all aspects as directed by the Engineer-in-Charge.	85	Cum			
5	Pre-constructional anti-termite treatment: Supplying and Providing pre-constructional anti-termite treatment, and creating a chemical barrier, under and on sides of trenches, wall footings, top surface of plinth filling, including junction of wall and floor along the perimeter of building, with approved emulsifiable insecticides at the rates and concentrations as per IS.6313 (Part-II) and as directed by Engineer. (Treated plinth area of the building at ground floor only shall be measured) (Contractor to submit guarantee on Rs. 1000 stamp paper, guaranteeing against termite attack for a period of 5 years.)	544	Sqm			
6	Supplying & Filling River Sand: Supplying and filling in plinth with River sand under floors including, watering, ramming, consolidating and dressing complete.	200	Cum			
7	CC M15 grade above Plinth-20mm aggregate: Providing and laying Ready Mix Concrete of M15 Grade using 20 mm downgraded aggregates above ground for coping to plinth or parapet, transomes and mullions, for protection of dowel bars of slabs, beams, columns, etc. moulded or chamfered as per drawing or as directed by the Engineer-in-Charge including shuttering, formwork, vibrating, compacting, curing, etc. complete for all lifts and levels.	5	Cum			
8	CC M15 grade below Plinth-20mm aggregate: Providing and laying Ready Mix Concrete, M15 Grade using 20 mm downgraded aggregates below ground for blinding layer under R.C. foundation and bedding, bottom of pits, sumps, chambers, trenches, anchor blocks, rubble masonry and brick walls etc. as per drawing or as directed by the Engineer-in-Charge including vibrating, compacting, curing, shuttering if required, etc. complete.	25	Cum			

		1		1	1	
9	RCC M25 grade-All Foundation & Base raft: Providing and placing in position Ready Mix Concrete of M25 grade for all shapes, at all levels above or below ground including admixtures if any, centering, shuttering,scaffolding, vibrating, compacting,curing, dewatering, levelling, cutouts, openings, finishing, removal of formwork, etc. complete, for all lead and lifts, to obtain class F1 finish with leak proof concrete as per specifications/drawings and as directed by the Engineer- in-Charge for the following items (excluding reinforcement and structural steel): For All foundations & base raft.	80	Cum			
10	RCC M25 grade -RCC M25 grade -RCC columns, pedestals, brackets, walls: Providing and placing in position Ready Mix Concrete of M25 grade for all shapes, at all levels above or below ground including admixtures if any, centering, shuttering, scaffolding, vibrating, compacting, curing, dewatering, levelling, cutouts, openings, finishing, removal of formwork, etc. complete, for all lead and lifts, to obtain class F1 finish with leak proof concrete as per specifications/drawings and as directed by the Engineer- in-Charge for the following items (excluding reinforcement and structural steel): For RCC columns, pedestals, brackets, walls.	55	Cum			
11	RCC M25 grade -RCC slabs, staircase step: Providing and placing in position Ready Mix Concrete of M25 grade for all shapes, at all levels above or below ground including admixtures ifany, centering, shuttering, scaffolding, vibrating, compacting, curing,dewatering,levelling, cutouts, openings,finishing, removal of formwork, etc. complete, for all lead and lifts, to obtain class F1 finish with leak proof concrete as per specifications/drawings and as directed by the Engineer- in-Charge for the following items (excluding reinforcement and structural steel): For RCC slabs, staircase steps, waist slabs,	80	Cum			
12	RCC M25 grade -RCC Beams, lintels, chajja: Providing and placing in position Ready Mix Concrete of M25 grade for all shapes, at all levels above or below ground including admixtures if any, centering, shuttering, scaffolding, vibrating, compacting, curing, dewatering, levelling, cutouts, openings, finishing, removal of formwork, etc. complete, for all lead and lifts, to obtain class F1 finish with leak proof concrete as per specifications/drawings and as directed by the Engineer- in-Charge for the following items (excluding reinforcement and structural steel): For RCC Beams, lintels, chajjas, etc.	105	Cum			
13	RCC M25 grade-Grade Slab: Providing and placing in position Ready Mix Concrete of M25 grade for all shapes, at all levels above or below ground including admixtures if any,centering,shuttering,scaffolding,vibrating, compacting, curing, dewatering, levelling, cutouts, openings, finishing, removal of formwork, etc. complete, for all lead and lifts, to obtain class F1 finish with leak proof concrete as per specifications/drawings and as directed by the Engineer- in-Charge for the following items (excluding reinforcement and structural steel): For Grade Slab	66	Cum			
14	Steel Reinforcement for R.C.C: Supply, Cleaning, cutting, bending, as per drawings and placing in position High yield strength deformed reinforcement bars conforming to IS: 1786 at all locations and levels including binding with soft annealed 18G black wire, etc. Complete as shown on drawings and as directed by the Engineer (No payment will be made for staper bar,layerpin, chair, tie rods and other supports, binding wires, laps) a) For HYSD bars conforming to grade Fe 500 of IS 1786	34	MT			
15	Brick Masonry in CC 1:5: Providing Brick Masonry, 230 mm thick and above (of approved make), in cement mortar 1:5 (1 cement: 5 coarse sand) using best quality locally available first class kiln bricks having crushing strength of 50 Kg/sqcmand water absorption not more than 20%, in superstructure for walls, parapets, etc., at all levels and locations, including curing, raking ofjoints, providing RCC transomes and mullions of grade M15 of 230 thk. including shuttering, etc. complete. (reinforcement and concrete for transomes and mullions shall be paid separately in respective items.(inclusive of Supply Erection and dismantling of scaffolding)	87.00	Cum			
16	Half Brick Masonry in CC 1:4: Providing Brick Masonry 115 mm thick (of approved make)in cement mortar1:4 (1 cement : 4 coarse sand) using best quality locally available first class kiln bricks having crushing strength of 50 Kg/sqcm and waterabsorption not more than 20%, in superstructure for walls, parapets, etcat all levels including curing, raking of joints, providing RCC transomsand mullions of grade M15 of 115 thk.including shuttering,etc.completed (reinforcement and concrete for transoms and mullions shall be paid separately in respective items). (inclusive of Supply Erection and dismantling of scaffolding)	282.00	Sqm			

17	20 mm Cement plaster(1:4) Course sand: Providing & applying 20 mm thick external sand faced plaster in cement mortar 1:4 using addition of integral water proofing compound 100% virgin polypropylene fibrillated fibres @125 gm/bag of cement as per manufacturer's specifications waterproofing compound of approved make asper the manufacturer's specifications, in two layers (first layer of 14 mm thickness and the second layer of 6 mm thickness) including forming key to recieve the finishing coat, on all types of external surfaces using coarse, clean sand including surface preparation, curing both the coats, bends, grooves, drip moulds, at all levels,heights and location including curing, providing and fixing chicken mesh of 22 gaugewith about 15 cm. width of approved quality at the junction of reinforced cement concrete members and brick work, grooves, moulds wherever required etc. complete. Providing and dismantling of scaffolding shall be paid seperately	462.00	Sqm		
18	12 mm Cement plaster(1:4) Course sand: Providing internal cement plaster 12 mm thick plain finish in single coat in cement mortar 1:4 with hacking, surface preparation, including curing, grooves at all levels, heights and location, including providingand fixing chicken mesh of 22 gauge, with about 15 cm. width of approvedquality at the junction of reinforced cement concrete members and brick work.Providing and dismantling of scaffolding shall be paid seperately.	490.00	Sqm		
19	6 mm Cement plaster(1:4) Course sand: Providing internal cement plaster 6 mm thick to ceiling in a single coatin cement mortar 1:4 to rough/fair concrete surface, in all positions, with hacking, surface preparation, including scaffolding, curing, grooves, bands, drip moulds, etc. complete.	410.00	Sqm		
20	12 mm POP: Providing and applying average 12 mm thk. POP mirror smooth rendering tocement plastered walls including 5 x 5 mm grooves,scraping and cleaning wherever required, to proper angle, line, level and plumb, ready to receivepaint. Including protective, external corners of 20/25 SWG GI [India Gypsum or equivalent make], making all grooves, required scaffolding andprotecting the surrounding areas and cleaning finished complete. Final finish should be given after skirting etc. carried out by other agency.	405.1	Sqm		
21	Exterior emulsion Paint: Providing and applying three coats of exterior emulsion paint of Asian make Apex, weather shield from ICI or approved equivalent make and shade over 1 coat of primer as per manufactureres specifications includiing necessary double scaffolding and surface preparation curing. Rate tobe applicable for all heighta and level surface and texture. No extra payable for extra paint consumption due to surface texture.	462.00	Sqm		
22	Acrylic emulsion Paint-Internal grade: Providing and applying two coats of first quality Acrylic Emulsion paintof internal grade having VOC contain less tha 50 gm/lit of Asian make ACE / Nerolac Suraksha / ICI Dulux Super Coat or approved equivalent of approved colour and shade on gypsum partition /brick/siporex wall including one coat of primer, scaffolding, preparing the surface to receive the primer, any additional coat required to achieve even shade and colour etc. complete.	900	Sqm		
23	Water proofing using FASTFLEX of Dr.Fixit: Providing and Applying "FASTFLEX" of Dr. Fixit high performance polymer modified cementitious coating or Equivalent make, on negative or positiveside and including treatment of the construction joints on the negative side of Water retaining structures/Retaining wall/Basements(Wall & raft)as per manufacturer's detailed specifications to form a membranous barrier, (Specifications should be got approved from consultants) etc complete as directed by Engineer In-charge. Contractor shall provide 10 years of performance guarantee of leak-proof treated structure.	36	Sqm		
24	125mm thick Brick Bat Coba waterproofing: Providing and Laying 125 mm average thick Water proofing with Brick bat Coba on Exposed RCC Slab / drainage gallery, Clearing the Surface of all Lose Particles and Dust, Spreading neat Cement Slurry mixed with Waterproofing compound Conplast X421 IC (Fosroc) 125 ml (min) per bag ofcement or as per manufacturers specifications on the Cleaned Surface, filling up the uneven Surface, honey Combing etc.,appling Cementitious based chemical waterproofing coats in three coats, Spreading of CM(1:5)mix, mixed with Waterproofing compound Conplast X421 IC (Fosroc) 125 ml (min) per bag of cement or as per manufacturers specifications and Grouting brick bat in the Mortar with Necessary Slope of approx. 1 in 100 for Easy flow of Water. Filling the Joints in the bricks with the Mortar properly. This treatment to Continue along the inner Side of the Parapet or other Adjoining Walls up to a height of 30 cm in the Shape of around Vatta and finally Converting the top Surface with Joint less Waterproofing Cement Sand Mortar 1:3, 20 to 25 mm thick finished Smooth with Trowel in Cement Colour marked into 30cm x 30 cm False Squares, curing etc complete as directed by Engineer In Charge. (Contractor to provide 10 years of performance guarantee of waterproofin	460	Sqm		

	-			-	
25	Brickbat coba for Sunken: Providing and laying brickbat coba for roof consisting of one part of cement, 2 parts of broken brickbats varying from 12 mm to 25 mm thick and one part of lime mortar (one part of lime to two parts of sand) as specified including preparing the surface by applying and grouting a slurry coat of neat cement using 2.75 kg/m2 of cement admixed with proprietary water proofing compound conforming to IS: 2645 over the RCC slab including cleaning the surface before treatment,necessary watering ramming, etc. all complete (Rate shall include wattas, finishing, etc.) (Thk/Depth upto 300mm.). All above operations to be done in order and asdirected and specified by the Engineer-in-Charge. Contractor shall give 10 years guarantee on court fee stamp paper of Rs. 1000/	11.00	Cum		
26	Vitrified tile flooring (Type 1-600x600): Providing and fixing 12 mm thick Vitrified tiles of Nitco / Kajaria /Johnson approved quality, pattern and shade in flooring, on a 40-60 mm thick bedding of 1:3 cement mortar and jointed with white/ coloured cement slurry, cutting of tiles to required size, cleaning, curing, floating joints with matching colour cement etc complete as directed. Type 1 - 600x600	374.00	Sqm		
27	Anti-Skid tile flooring: Providing and fixing 12 mm thick Anti-skid tiles of Nitco / Kajaria /Johnson approved quality, pattern and shade in flooring, on a 40-60 mm thick bedding of 1:3 cement mortar and jointed with white/ coloured cement slurry, cutting of tiles to required size, cleaning, curing, floating joints with matching colour cement etc complete as directed.	36.00	Sqm		
28	Vitrified tile in Skirting: Providing and fixing 150 mm skirting using 12 mm thick vitrified tile on 20 mm thick bedding of 1:4 cement mortar and jointed with white/ matching coloured cement slurry, cutting of tiles to required size, cleaning, curing, etc.	21.00	Sqm		
29	12 mm thk granite-sill to openings in step Fashion: Providing and fixing sill to openings in step fashion with minimum 50mm overlapping on 20 mm thick cement mortar 1:3 including polishing to exposed edges, cement float, filling joints with neat cement slurry mixed with pigment to match shade of granite, raking and finishing the joints with silicon sealant, curing, rubbing, polishing and cleaning complete at all levels. Overlapped portion shall not be considered for payment.12 mm thick polished black granite	46.20	М		
30	12 mm thk granite- stone frame to window: Providing and fixing stone frame to all window and opening on all Three sides at all heights. Stone slab to be placed on 20 mm thick cement mortar 1:3 including polishing to exposed edges, cement float, filling joints with neat cement slurry mixed with pigment to match shade of granite, raking and finishing the joints with silicon sealant, curing, rubbing, polishing and cleaning complete at all levels. Overlapped portion shall not be considered for payment12 mm thick polished black granite	139.00	М		
31	12 mm thk granite-tread for steps: Providing and laying tread for steps of colour as approved by Owner in treads of steps and staircase in one piece with rounded nosing and 3 Nosof anti skid grooves on 1:4 cement mortar (1 cement : 4 course sand) bedding to give an overall thickness of 50 mm including cement float, filling joints with neat cement slurry mixed with pigment to match shadeof stone /tile, curing, rubbing, polishing and cleaning complete at a -12 mm thick polished black granite	19.00	Sqm		
32	12 mm thk granite-Riser for steps and staircase: Providing and laying Riser for steps and staircase as approved by Owner having a minimum thickness of 20 mm in risers of steps and staircase in one piece on 1:4 cement mortar (1 cement : 4 course sand) bedding including cement float, filling joints with neat cement slurry mixed with pigment to match shade of stone, curing, rubbing, polishing and cleaning complete at all levels12 mm thick polished black granite	8.50	Sqm		
33	Flat back Full stall Urinal: Providing and fixing in position flat back full stall type urinal (approx size 580x 380 x 350 mm) including Pressy type (non automatic) flushing system, bottle trap, concealed CI down take pipe leading to half round channel below, necessary chromium plated distribution pipes branches, spreaders with unions & clamps, traps (one for each urinal) & lead waste pipe up to trap, fittings with approved quality & cutting and making good the walls & floor where required etc. complete as directed by Engineer In Charge. Urinal flushing capacity: 1-1.5 Liter flushing cistern	3	EA		
34	Modular partition for EWC: Modular cubical in 12mm compact laminate of size 900x1500 mm & 2100mm high in approved color and texture with ss hardware comprising of door shutter, wall fixing rose, head, rail, wall bracket,tubular holder, corner connector, coat hook cum door stopper, lock cum occupancy indicator, hinge, door knob, adjustable foot and all other necessary acessories required to complete the job in all respect. Make - Matrix, Greenlam Sturdo or equivalent	3	EA		

				-	-	
35	Granite Pantry platform: Providing and fixing polished granite pantry platform 675 mm deep consisting of 20 mm thick black Granite for counter top over 40 mm thick Kadappa stone slab, 25 to 30 mm thick both side polished kadappa verticles and 150 mm high facial patti in polished granite with nosing, 25 mm thick horizontal Kadappa shelves, including making chases in wall and floor and finishing neat with cement mortar 1:2, providing opening in granite and kadappa for Stainless Steel sink and taps and making moulding and edge polishing all complete as directed by Engineer-in – Charge. All exposed edges of Kadappa and Granite to be polished to the satisfaction of the Engineer as per the design (Supply and fixing of Stainless Sink sink shall be paid separately). All joints shall be made water tight in perfect line level and slope as desired. Only plan area shall be measured for payment. Wastage due to dimentional difference pattern and size shall be to the contractor's account. Filling and finishing of joints shall be done with cement and colour pigments	1.62	Sqm			
36	Granite end partition: Providing and fixing polished granite pantry platform 675 mm deep consisting of 20 mm thick black Granite for counter top over 40 mm thick Kadappa stone slab, 25 to 30 mm thick both side polished kadappa verticles and 150 mm high facial patti in polished granite with nosing, 25 mm thick horizontal Kadappa shelves, with polished granite end partition on one side from finished floor level to 300 mm above counter including making chases in wall and floor and finishing neat with cement mortar 1:2, providing opening in granite and kadappa for Stainless Steel sink and taps and making moulding and edge polishing all complete as directed by Engineer-in – Charge. All exposed edges of Kadappa and Granite to be polished to the satisfaction of the Engineer as per the design (Supply and fixing of Stainless Sink sink shall be paid separately). All joints shall be made water tight in perfect line level and slope as desired. Only plan area shall be measured for payment. Wastage due to dimentional difference pattern and size shall be to the contractor's account. Filling and finishing of joints shall be done with cement and colour pigments	0.71	Sqm			
37	Granite Wash Basin Counter: Providing and fixing polished granite for washbasin counter consisting of 20 mm thick Granite for counter top over 40 mm thick Kadappa stone slab,25 to 30 mm thick and 180 mm high facial patti in polished granite with nosing including making chases in walls and finishing neat with cement mortar 1:2, providing opening in granite and kadappa for washbasin, drain and taps and making moulding and edge polishing all complete as directed by Engineer-in –Charge.All exposed edges of Kadappaand Granite to be polished to the satisfaction of the Engineer as per the design (Supply and fixing of washbasin and taps shall be parately). All joints shall be made water tight in perfect line level and slope as desired. Only plan area shall be measured for payment. Wastage due to dimentional difference pattern and size shall be to the contractor's account. Filling and finishing of joints shall be done withcement and colour pigments.	3.30	EA			
38	Urinal Separations: Providing fixing and installing wall mounted Urinal seperations 900 mm deep and 1200 mm high made of water resistant material wall mounted Approved make greenlam, parryware, jaquar etc. The job includes supply and provision of all hardware required for installation.	3	EA			
39	P&F CPJet Spray-12 mm dia: Providing and fixing CP jet spray size 12mm dia. of approved make with ISI mark as directed.	7	EA			
40	Mirrior-550 mm dia round shaped: Providing and fixing 550 mm dia round shaped mirror above wash basin, 8mm thick mirror with %" beveling all four sides of make Saint Gobain, Modi, AIS, HNG fixed with either mirror screws or SS studs approved and colour including all material, tools, tackles etc complete. area of finished glass shall be considered for payment.	7	EA			
41	Wash Basin: Providing & Fixing glazed wash basin confirming to IS 2556 (Part IV) of approved make including providing wash basin, C.I brackets, fixed to the wall with rawl plug bolts & screws and painted in two coats of whitezinc paint over a coat of red oxide primer,with 15mm C.P. pillar tap as per IS 1795 (1 No.) of approved make, plug & C.P chain, 50mm dia. mosquito proof gratings, 32mm dia. C.P. waste pipe, brass stop cock as per IS 781 of bottle trap with C.P pipe pieces upto wall or floor level plus 40mm lead, waste pipe embedded floor from 32mm CP waste extension pipe to the CI waste shaft on the outside wall, complete with brass union and plumbers wiped soldered joints as directed with necessary cleaning eyes including cutting holes and chases in the wall and makinggood the same in CM (1:4) etc. complete. over counter wash basin (provision of counter shall be paid seperately)	7	EA			

	-			-	-
42	European WC: Providing and fixing approved off white vitreous china European water closet comprising of the following for complete installation. a. European water closet off white Wall Hung including PVC 'P' trap with seat cover CP brass hinges, rubber bushes (1 No.) b.6 Ltrs dual type conceled type PVC flush cistern with adjustable flow rate, push button plate, flush pipe & bend all complete. Hindware concealo or Parryware Linea make. c.15mm dia.CP heavy approved quality 2-way bib tap with wall flanges(1Nod. 15mm dia. Approved quality health faucet with flexible tube & wall hook (1 No.). e. 15mm dia. Approved quality angle valve (1 No.) f. Total of all with making necessary inlet/outlet connection all complete. Make: Jaquar ARS WHT 39951UFSM, Wall Hung WC with UF soft close slim seat cover, Hinges, Accessories set	7	EA		
43	C.P Toilet paper holder 200x150 mm: Providing and fixing C.P. open type toilet paper holder 200 x 150mm, including fixing the same with C.P. screws complete. of approved make.	7	EA		
44	P&F Robe hooks: Providing and fixing robe hooks (double) including fixing the same with CP screws complete.	7	EA		
45					
	P&F SS Sink-Single bowl, without drain board: Providing and fixing stainless steel sink (19 gauge) including 40mm dia. Waste coupling, waste flexible pipe up to nahani trap, and makinginlet/outlet connections all complete as per specifications and directions of the Engineer-in-Charge.of Nirali, parryware or equivalentsingle bowl, without drain board	1.00	EA		
46	Nahani Trap: Providing and fixing PVC. heavy approved Nahani Traps with minimum 40mm seal including fixing the same with the solvent cement joints complete to the satisfaction and direction of the Engineer-in-Charge.	11	EA		
47	CPVC Pipe- 15 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm dia SDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at all levels. Fittings up to 50mm dia SDR.11, ASTM CTS and above specials such as tees, elbows, couplers, bends, enlargersetc.,m with CPVC brass threaded combination / transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbow where connection with metal is to be made including necessary scaffolding, drilling holes, chasing walls and making the same good in cement martor 1:1 restore the same original condition neatly as directed by the Engineer in-charge. Joints to be made with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72415 mm dia CPVCPipe	40	М		
48	CPVC Pipe- 20 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at all levels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC CORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection with metal is to be made including necessary scaffolding,drilling holes,chasing walls and making the same good in cement martor 1:1 restore the same original condition neatly as directed by the Engineerin-charge.Joints to be made with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72420 mm Dia CPVC Pipe.	45	М		
49	CPVC Pipe- 25 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes ,chasing walls and making the same good in cement martor 1:1 restore thesame original condition neatly as directed by the Engineerin-charge.Joints to be made with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72425 mm Dia CPVC Pipe.	38	М		

50 CPVC Pige- 32 mm dia: 28 M 51 Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVCCOR20N schedule 40 fittings. 28 M 51 CPVC Pige-40 mm dia: 28 M 51 CPVC Pige-40 mm dia: 51
Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyving/ Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC COR2ON Schedule 40 fittings. The fittings and specials such as testeablows, couplers, bends, enlargerster, m with CPVC brass threaded Combination / transition specials such as male adapters, brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding, drilling, fishing, jointing, testing and commissioning of approved make Chlorinated Polyviny Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia complex to a provide make Chlorinated Polyviny Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVC ConzON schedule 40 fittings. The fittings and specials such as teselbows, couplers, bends, enlargerster, m with CPVC brass threaded Combination / transition specials such as male adapters brass threaded fittings. The fittings and specials such as special such as the set optical such as the set optical such as male adapters. The STM SCPP Tee, DSTM Endage SCPP Te
and above 50mm dia CPVC schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc., m with CPVC brass threaded Combination/ transition specials such as male adapters, brass, enlargersetc., m with CPVC brass threaded Combination/ transition specials such as male adapters, brass, enlargersetc., m with CPVC brass threaded Combination/ transition specials such as male adapters, brass, enlargerset. 28 M 51 CPVC Pipe. 40 mm dia: 50 mm dia SDR.11, ASTM CTS, and above 50mm dia SDR.11, ASTM CTS and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia sa per ASTM D-2846 and above 50mm dia SDR.11, ASTM CTS and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia SDR.11, ASTM CTS and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia sa per ASTM D-2846 and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia sa per ASTM D-2846 and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia sa per ASTM D-2846 and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia sa per ASTM D-2846 and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia as per ASTM D-2846 and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia sa per ASTM D-2846 and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia sa per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia 15 M 52 CPVC Pipe-50 mm dia: Supplying, installing, fixing, jointing, testing and commissionin
The fittings and specials such as teeselbows, couplers, bends, enlargersetc., m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tebbowetc, where connection withmetal is to be made including necessary scaffolding,drilling holes with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72432 mm Dia CPVC Pipe. 28 M 51 CPVC Pipe. 40 mm dia: Supplying, Installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC CoR20N schedule 40 ASTM F-4931 / 72432 mm Dia CPVC CPR20N schedule 40 ASTM F-873F PT ebowetc, where connection withmetal is to be made including necessary scaffolding,drilling holes chass male adapters, brass FPT Tee,Brass FPT ebowetc, where connection withmetal is to be made including necessary scaffolding,drilling holes chass male adapters brass threaded female adapters, brass FPT reb, Brass FPT ebowetc, where connection withmetal is to be made including necessary scaffolding,drilling holes chass male adapters brass threaded female adapters, brass FPT reb, Brass FPT ebowetc, where connection withmetal is to be made including necessary scaffolding,drilling holes chass male adapters brass threaded female adapters, brass FPT reb, Brass FPT ebowetc, where connection withmetal is to be made including necessary scaffolding,drilling holes chass male adapters brass threaded female adapters, brass FPT reb, Brass FPT ebowetc, where connection withmetal is to be made including necessary scaffolding,drilling holes chass male adapters horas scaffolding, drilling holes chass male adapters horas scaffolding, drilling holes chass male adapters horas scaffolding, fixing, jointing, testing and commissioning of approved make Chlorinated Polyv
bit in the integrade of emails adapters, brass FPT Tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of emails adapters, brass FPT Tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of emails adapters, brass FPT Tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of emails adapters, brass FPT Tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of emails adapters, brass FPT Tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of emails adapters, brass FPT tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of emails adapters, brass FPT tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of emails adapters, brass FPT tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of emails adapters, brass FPT tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of emails adapters, brass FPT tee, Brass FPT tee, Brass FPT tee, Brass FPT tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes integrade of the scaffold integrade integrade of the
chasing walls and making the same good in cement martor 1:1 restore thesame original condition neatly as directed by the Engineerin-chargeJoints to be made with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72432 mm Dia Image: CPVC Pipe. 51 CPVC Pipe. CPVC Pipe. CPVC Pipe. Image: CPVC Pipe. <t< td=""></t<>
with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72432 mm Dia Image: CPVC Pipe. 51 CPVC Pipe-40 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at allievels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc., m with CPVC brass threaded combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes with CPVC Solvent cement martor 1:1 restore thesame original condition neatly as directed by the Engineerin-charge. Joints to be made with CPVC Solvent cement up to 50mm dia sper ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia 15 M 52 CPVC Pipe. 52 The Fittings and specials such as teeselbows, couplers, hends, enlargersetc., m with CPVC brass threaded Combination fragerset control to 50mm diaSDR.11, ASTM CTS, and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia 10 M
CPVC Pipe. CPVC Pipe. Image: CPVC Pipe. 40 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CT5, and above 50mm dia CPVC schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5 and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc., m with CPVC brass threaded Combination/ transition specials such as male adapters, brass FPT Tee,Brass FPT Elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes 15 M 52 CPVC Pipe. CPVC Pipe. 50 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CT5, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5 and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CT5, and above 50mm dia CPVC Schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM C
51 CPVC Pipe- 40 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC coR2ON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetcm with CPVC brass threaded female adapters, brass FPT Tee,Brass FPT elbowetcwhere connection withmetal is to be made including necessary scaffolding.drilling holes 15 M 52 CPVC Pipe- 50 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia 15 M 52 CPVC Pipe. CPVC Pipe. 50mm dia CPVC Schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS, and above 50mm dia SDR.11, ASTM CTS, and above 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia 15 M 52 CPVC Pipe. CPVC Pipe. 50 50 50 50 50 50 50 50 50 50 50 10 M 50 50 50 50 50 10 M 50 50 50 50 50 50 50 50 50 50 50 50 </td
CPVC Pipe- 40 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc., m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tebe,Brass FPT tebewetc., where connection withmetal is to be made including necessary scaffolding,drilling holes , chasing walls and making the same good in cement martor 1:1 restore thesame original condition neatly as directed by the Engineerin-charge.Joints to be made with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia 15 M 52 CPVC Pipe. CPVC Pipe. 50 mm dia: 10 M 52 The fittings and specials such as teeselbows, couplers, bends, enlargersetc., m with CPVC brass threaded Combination/ transition specials such as male adapters, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc., m with CPVC brass threaded Combination/ transition specials such as male adapters, brass FPT Tee,Brass FPT tee,B
Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc., m with CPVC brass threaded Combination/transition specials such as male adapters brass threaded female adapters, brass FPT Tee,
Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc., m with CPVC brass threaded Combination/transition specials such as male adapters brass threaded female adapters, brass FPT Tee,
and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes ,chasing walls and making the same good in cement martor 1:1 restore thesame original condition neatly as directed by the Engineerin-charge.Joints to be made with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia CPVC Pipe. 52 CPVC Pipe. 52 CPVC Pipe. 52 CPVC Pipe. 54 CPVC Pipe. 50 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes 10 M
The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes , chasing walls and making the same good in cement martor 1:1 restore thesame original condition neatly as directed by the Engineerin-charge.Joints to be made with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia CPVC Pipe. 15 M 52 CPVC Pipe- 50 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC cschedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes 10 M
brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding,drilling holes , chasing walls and making the same good in cement martor 1:1 restore thesame original condition neatly as directed by the Engineerin-charge.Joints to be made with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia CPVC Pipe. 52 52 52 52 52 52 52 52 52 52
in chasing walls and making the same good in cement martor 1:1 restore thesame original condition neatly as directed by the Engineerin-charge.Joints to be made with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia CPVC Pipe. Image: CPVC Pipe. 52 CPVC Pipe- 50 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC coschedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT Teelbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes 10 M
with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72440 mm Dia CPVC Pipe. CPVC Pipe. CPVC Pipe- 50 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes
CPVC Pipe. Image: CPVC Pipe- 50 mm dia: 52 CPVC Pipe- 50 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes 10 M
52 52 CPVC Pipe- 50 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes 10 M
CPVC Pipe- 50 mm dia: Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes 10 M
Supplying, installing, fixing, jointing, testing and commissioning of approved make Chlorinated Polyvinyl Chloride pipes (CPVC) up to 50mm diaSDR.11, ASTM CTS, and above 50mm dia CPVC schedule 40 ASTM IPS at allevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes
and above 50mm dia CPVC schedule 40 ASTM IPS at alllevels. Fittings up to 50mm dia SDR.11, ASTM CTS and above 50mm dia CPVCCORZON schedule 40 fittings. The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT elbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes
The fittings and specials such as teeselbows, couplers, bends, enlargersetc.,m with CPVC brass threaded Combination/ transition specials such as male adapters brass threaded female adapters, brass FPT Tee,Brass FPT telbowetc.,where connection withmetal is to be made including necessary scaffolding,drilling holes
brass threaded female adapters, brass FPT Tee, Brass FPT elbowetc., where connection withmetal is to be made including necessary scaffolding, drilling holes
, chasing walls and making the same good in cement martor 1:1 restore thesame original condition neatly as directed by the Engineerin-charge. Joints to be made
with CPVC solvent cement up to 50mm dia as per ASTM D-2846 and above 50mm dia primer P-70, and solvent conforming to ASTM F-4931 / 72450 mm Dia
CPVC Pipe.
53 P&F stone ware gully traps of 9"x9" size: 3 EA
Providing stone ware gully traps of 9"x9" size .
54 PVC Ball Valve-12 mm dia:
Providing brass connecting rod with PVC ball valve etc. and of 1st quality and of ISI approved make Ball cocks 12mm Dia.
55 PVC Ball valve-19 mm dia:
Providing and fixing brass connecting rod with PVC ball valve etc. and of 1st quality and of ISI approved make Ball cocks 19mm Dia.
56 PVC Ball valve-25 mm dia:
Providing and fixing brass connecting rod with PVC ball valve etc. and of 1st quality and of ISI approved make Ball cocks 25mm Dia.
57 PVC Ball valve-50 mm dia: Providing and fixing brass connecting rod with PVC ball valve etc. and of 1st quality and of ISI approved make Ball cocks 50mm Dia.
58 Salt glazed stoneware pipes-150 mm dia:
Providing & Laying salt glazed stoneware pipes including providing all the materials and cement jointing but excluding excavation and backfilling including 50mm 5 M
thk.M100 bedding below joints for 150mm Dia.
SP C.I Manhole cover-225mmx300mm:
Providing & replacing the broken manhole covers heavy duty CI,ISI marked with frame including finishing the top masonry with cement mortar as directed 225mm 7 EA
X 300mmManhole covers should be Local Municipal Corporation approved.
60 C.I Manhole cover-600mmx900mm:
Providing & replacing the broken manhole covers heavy duty CI,ISI marked with frame including finishing the top masonry with cement mortar as directed 600mm 5 EA
X 900mmManhole covers should be Local Municipal Corporation approved.
61 Bottle trap: 7 EA
Providing and fixing 31 mm dia CP Bottle trap
62 Pillar cock - Pressamatic type: 7 EA
Providing and fixing Pillar cock -Pressamatic type.
63 12 mm dia CP Bib cock-Concealed:
Providing and fixing CP concealed bib cock size 12mm dia. Of jaquar make


64	Angle Cock:			1	
04	Providing and fixing Angle cock-jaquar make.	12	EA		
65	12 mm dia CP Stop cock-Concealed:				
05	Providing and fixing CP concealed stop cock size 12mm dia. Of jaquar make.	3	EA		
66	20 mm dia CP Stop cock-Concealed:				
00	Providing and fixing CP concealed stop cock size 20 mm dia. Of jaquar Make	3	EA		
67	50 mm dia CP Stop cock-Concealed:				
67	Providing and fixing CP concealed stop cock size 50 mm dia. Of jaquar make	1	EA		
68	Providing and fixing CP concealed stop cock size so min dia. Of Jaquar make				
00	Providing and fixing PVC soap dispenser of standard size .	5	EA		
69	Providing and fixing PVC soap disperser of standard size . PVC Pipe for Down take-100mm dia:				
69	Providing and fixing of PVC pipe for down take for 100 mm dia.	20.00	М		
70	Providing and fixing of PVC pipe for down take for 100 min dia. PVC Pipe for Down take-150mm dia:				
70	Providing and fixing of PVC pipe for down take for 150 mm dia.	20.00	М		
71	Providing and fixing of PVC pipe for down take for 150 min dia. PVC Pipe-100 mm:				
/1					
	Providing and fixing PVC pipe of approved make with necessary bends, unions, tees, clamps etc. complete as per specifications and as directed by Engineer	18.00	М		
	Incharge. The rates shall be inclusive of providing chase for concealed piping whereever required and making the surface complete as per spec. and directed by EIC				
72	PVC Pipe-150 mm:				
12	Providing and fixing PVC rain water pipes confirming to IS with IS bendsclamps etc, as directed150 mm dia	8.00	М		
73	HDPE Pipe-140 mm Dia:				
/3		5.00	М		
74	Providing ,Cutting and fixing HDPE pipe inserts- 140 mm dia				
74	HDPE Pipe-200 mm Dia:	7.00	М		
75	Providing ,Cutting and fixing HDPE pipe inserts- 200 mm dia				
75	PVC Pipe Heavy Duty-75 mm:	20.00	М		
70	Providing ,cutting and laying PVC pipes- Heavy Duty- 75 mm dia				
76	PVC Pipe Heavy Duty-100 mm:	10.00	М		
	Providing ,cutting and laying PVC pipes- Heavy Duty- 100 mm dia				
77	PVC Pipe Heavy Duty-150 mm:	12.00	М		
70	Providing ,cutting and laying PVC pipes- Heavy Duty- 150 mm dia				
78	PVC Pipe Heavy Duty-200 mm:	15.00	М		
79	Providing ,cutting and laying PVC pipes- Heavy Duty- 200 mm dia				
79	S&E Tubular hand Railing-One SS Rail:				
	Supplying, fabricating and erecting Tubular Handrailing of 32 mm dia. NBlight class, SS pipes 304 mat finish /brush steel finish consisting of one SS rail and				
	connecting with wall with all necessary SS bends, SS tee joints, SS fixtures, SS fittings, anchor bolts 6 mm dia and embeded in wall, etc. The assembly should be	9.00	M		
	standy and with smooth surfaces at joints/ junctions. All SS sections, pipes etc to be supported with documents for the quality. Note: Material to be provided by				
	the contractor."				
80	S&E Tubular hand Railing- Double SS Rail:				
	S S RailingSupplying, fabricating and erecting Tubular Handrailing of 32 mm dia. NB light class, SS pipes 304 mat finish/brush steel finish consisting of double ss rail				
	with top ss rail 1 Mtr above floor level and pipe post including its own connecting plate at bottom spaced at notmore than 2 Mtrs with all necessary ss bends, ss	18.00	М		
	tee joints, ss fixturesss fittings, anchor bolts including 6mm thick and embeded in ground,75mmhigh toe guard at bottom etc. as directed by Engineer. Note:				
	Material to be provided by the contractor."				
		1	1		

	-			•	
81	Anodized Aluminium Frame: Provision of anodized Aluminium Frame: Providing and fixing aluminium doors, sliding windows, ventilators glazings as per architectural drawings, with extruded standard or non standard architectural aluminum profiles of grade - 63400 WP Alloy of Indal / Hindalco /Mahavir conforming to IS:733 and IS:1285, electro color anodised with min. anodic coating of grade AC20. The fabricated units shall be fixed to RCC/ Masonryetc. openings by drilling holes, inserting rawl plugs and fixed with Chrome Plated M.S. screws incldg necessary filing up of gaps between the aluminium profile and masonry work at top, bottom and sides with reqd. silicone weather sealant. Aluminum sections used shall be smooth in surface finish. All the joints of frames and shutters shall be mitred and jointed mechanically with heavy duty aluminium cleat angle and C.P. M.S Screws. Appropriate profiles of EPDM Gaskets (suitable for 4-10 mm th glass, as reqd) shall be provided between the aluminium and glass to make the glazing airtight. The glass item shall be paid separately, however, the cost of cutting of glass, stacking, carrying to heights and fixing at appropriate locations to be included in this item.	16.50	sqm		
82	Toughened Glass for window: Providing and fixing minimum 4 - 6 mm toughened glass of st gobain, ASAIor equivalent to be fixed in windows.	45.00	sqm		
83	Toughened Glass for Door/Partition: Providing and fixing minimum 8-10 mm toughened glass of st gobain, ASAI or equivalent to be fixed in doors or partition.	90.00	sqm		
84	Aluminium framed glazed windows-Operable: Aluminium framed glazed windows: Providing and fixing extruded Aluminiumbuilt up standard tubular sections/ appropriate Z and other sections of Jindal, Hindalco or equivalent make conforming to IS: 733 and IS: 1285, fixed with rawl plugs and screws or with fixing clips or with expansion hold fastners including filling the gaps between opening and aluminium frame with silicon sealant or polysulphide sealant as directednecessary filling up of gaps at junctions, at top, bottom and sides withrequired PVC/ Neoprene felt, etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/ panelling, C P brass/ stainless steel screws, colour glass of st gobain or equivalent all complete as per architectural drawings and the directionsof Engineer. Glazing shall be toughened glass of minimum 6 mm thickness.Vendor shall prepare and submit shop drawings for owner's approval.A. anodised transparent or dyed to required shade according to IS: 1868. (Minimum coating of grade AC 15), i) Operable windows with Z sections	25.00	Sqm		
85	Aluminium framed glazed 2 track sliding: Aluminium framed glazed windows: Providing and fixing extruded Aluminiumbuilt up standard tubular sections/ appropriate Z and other sections of Jindal, Hindalco or equivalent make conforming to IS: 733 and IS: 1285, fixed with rawl plugs and screws or with fixing clips or with expansion hold fastners including filling the gaps between opening and aluminium frame with silicon sealant or polysulphide sealant as directednecessary filling up of gaps at junctions, at top, bottom and sides withrequired PVC/ Neoprene felt, etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/ panelling, C P brass/ stainless steel screws, colour glass of st gobainor equivalent all complete as per architectural drawings and the directionsof Engineer. Glazing shall be toughened glass of minimum 6 mm thickness. Vendor shall prepare and submit shop drawings for owner's approval. A. anodised transparent or dyed to required shade according toIS: 1868. (Minimum coating of grade AC 15), Sliding windows with min 2 tracks	5	Sqm		
86	Aluminium framed glazed Fixed Window: Aluminium framed glazed windows: Providing and fixing extruded Aluminiumbuilt up standard tubular sections/ appropriate Z and other sections of Jindal, Hindalco or equivalent make conforming to IS: 733 and IS: 1285, fixed with rawl plugs and screws or with fixing clips or with expansion hold fastners including filling the gaps between opening and aluminium frame with silicon sealant or polysulphide sealant as directednecessary filling up of gaps at junctions, at top, bottom and sides withrequired PVC/ Neoprene felt, etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/ panelling, C P brass/ stainless steel screws, colour glass of st gobainor equivalent all complete as per architectural drawings and the directionsof Engineer. Glazing shall be toughened glass of minimum 6 mm thickness.Vendor shall prepare and submit shop drawings for owner's Approval.A. anodised transparent or dyed to required shade according to IS: 1868. (Minimum coating of grade AC 15), -Fixed window	42	Sqm		

87	Aluminium framed glazed Glass louvered : Aluminium framed glazed windows: Providing and fixing extruded Aluminiumbuilt up standard tubular sections/ appropriate Z and other sections of Jindal, Hindalco or equivalent make conforming to IS: 733 and IS: 1285, fixed with rawl plugs and screws or with fixing clips or with expansion hold fastners including filling the gaps between opening and aluminium frame with silicon sealant or polysulphide sealant as directednecessary filling up of gaps at junctions, at top, bottom and sides withrequired PVC/ Neoprene felt, etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/ panelling, C P brass/ stainless steel screws, colour glass of st gobainor equivalent all complete as per architectural drawings and the directionsof Engineer. Glazing shall be toughened glass of minimum 6 mm thickness.Vendor shall prepare and submit shop drawings for owner's Approval. A. anodised transparent or dyed to required shade according toIS: 1868. (Minimum coating of grade AC 15), Glass Louvered window (including providing 100mm wide 6mm frosted glass)	4.32	Sqm		
88	Flush Door with TW frame: Providing and fixing solid core flush door with TW frame in Single / Double leaf 35 mm thk. upto 950 mm wide Marine type of exterior grade as per detailed drawings, approved marine plywood facing on both sides without glazing and venetians, with core of block board all necessary T.W. lipping of door thickness, C.P., Brass and S.S. ball bearing Hingesminimum 4 nos per leaf, fixtures and fastenings, door handles, door lockand laminate finish to the satisfaction of Architect. Laminate shall be 1mm thick on both sides, in one piece without joints or broken edges of make Signature, Greenlam, Century or equivalent. The hardware except door hinges shall be paid seperately.	11.03	Sqm		
89	WIRING:SHORT POINT(GroupA): Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required Group A	50	Point		
90	WIRING:SHORT POINT(GroupB): Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as requiredGroup B	25	Point		
91	WIRING:SHORT POINT(GroupC): Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required-Group C	15	Point		
92	Cu conducter-3X 1.5 Sqmm: Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel / PVC conduit as required. 3 X 1.5 Sqmm	100	М		
93	Cu conducter-3X 2.5 Sqmm: Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel / PVC conduit as required. 3X 2.5 Sqmm	800	М		
94	Cu conducter-3X 4 Sqmm: Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel / PVC conduit as required. 3X 4 Sqmm	250	М		
	Cu conducter-3X6 Sqmm: Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel / PVC conduit as required. 3X 6 Sqmm	310	м		
96	WIRING 4x10+2x10 sq mm: WIRING 4x10+2x10 sq mm Supply and drawing of following sizes of PVC insulated stranded copper conductor wires of 1100 Volts grade in existing conduit, pipe including connection/termination etc as required.(e) 4x10+2x10 sq mm	80	М		
	PVC CONDUIT: (25 mm): Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 25 mm	300	М		
98	S.P 5/6 amps, one way modular switch: Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amps switch	20	EA		

947 8-1/2 supply: and function for low structure study (societ and the sustaing modular plate & surfy) hours including connections but excluding modular plate etc. as low	Supplying and hinds [Software modular solutify (socket on the existing modular plate & solutify box including connections but excluding modular plate etc. as 15 EA 103 Jain V/G amage modular solutify (socket on the existing modular plate & solutify box including connections but excluding modular plate etc. as 20 EA 103 Jain V/G amage modular solutify (socket on the existing modular plate & solutify box including connections but excluding modular plate etc. as 155 EA 104 Jain V/G amage modular solutify (socket on the existing modular plate & solutify box including connections but excluding modular plate etc. as 155 EA 105 SMAREGUATOR Solutify and modular solutify (socket on the existing modular plate solutify box including connections but excluding modular plate etc. as 155 EA 105 SMAREGUATOR Solutify and solutify box into plate plate plate plate plate solutify box into plate solutify into plate solutify box into plate solutify box into plate solutify into plate solutify into plate solutify into plate solutify box into plate solutify box into plate solutify box into plate solutify into plate so	0.7			1	1	1	1
exercised 12/28 amp setted Image:	equival. 31/3 a min.imageimage3 Jun J S amin, powel as solar in the following modular switch locked on the existing modular plate & switch box including connections but excluding modular plate etc. as20EA10 G J Jun J S amin, powel as solar in the following modular switch locked on the existing modular plate & switch box including connections but excluding modular plate etc. as20EA10 G J Jun J S amin, powel as statich as the existing modular plate & switch box including connections but excluding modular plate etc. as15EA10 G J S Amin S Control CULTS EAA switch as solar to switch							
101 Bit S - Starp, moduler socket outlet: Supply and finite following modular solate values: 20 EA EA 102 Spin S - Starp, moduler solate values: Spin S - Starp, moduler solate values: 20 EA EA 103 Spin S - Starp, moduler solate values: Spin S - Starp, mod	101 Bis 75 cmm, modular socket socket 201 FA EA Supplying and fining flohoing modular socket socket 201 FA 201 FA IS 6 pm 37, 15 mm, modular socket socket 201 FA FA FA			15	EA			
Specify and fining following modular switch yoak to the existing modular plate & which how including connections but excluding modular plate etc. as 20 EA EA 10 Specify and spice and executed in the following modular switch yoak to table in the existing modular plate & which how including connections but excluding modular plate etc. as 10 EA Image: Constraint of the existing modular plate & which how including connections but excluding modular plate etc. as 10 EA Image: Constraint of the existing modular plate & which how including connections but excluding modular plate etc. as 10 EA Image: Constraint of the existing modular plate & which how including connections but excluding modular plate etc. as 100 EA Image: Constraint of the existing modular plate & which how including connections but excluding modular plate etc. as 100 EA Image: Constraint of the existing modular plate & which how including connections but excluding modular plate etc. as 100 EA Image: Constraint of the existing modular plate & which how including connections but excluding modular plate etc. as 100 EA Image: Constraint of the existing modular plate & which how including connections but excluding modular plate etc. as 100 EA Image: Constraint of the existing modular plate & which how including connections but excluding modular plate etc. as 100 EA Image: Constraint of the existing modular plate & which how including connections but excluding modular plate etc. as 100 EA Imag	Supplying and fring following modular subtety socket on the existing modular plate & witch box including connections but excluding modular plate etc. as 20 EA EA Image: A proprime and fring following modular socket soute: Supplying and fring following modular width' socket on the existing modular plate & witch box including connections but excluding modular plate etc. as 15 EA Image: A proprime and fring following modular width' socket on the existing modular plate & witch box including connections but excluding modular plate etc. as 155 SET Image: A proprime and fring following modular socket socket Image: A proprime and fring following modular width' socket on the existing modular plate socket so		required. 15/16 amp switch					
Image: Part of the manufacture of the mathematical and themathematical and the mathematical and the math	enclose required. Jpin 5/2 improvement backet white Supporting and funct following modular switch y conclusion we stating modular plate & switch box including connections but excluding modular plate etc. as required. Jpin 5/2 improvement to the stating modular plate & switch box including connections but excluding modular plate etc. as the switch & subcet outlet isImage: Support and funct following modular switch y conclusion we negative the switch & subcet outlet is for ULTS [6, 4].Image: Support and funct following modular switch is concert subcet outlet isImage: Support and funct following modular plate as the switch is concert subcet outlet is for ULTS [6, 4].Image: Support and funct following modular plate as the switch is concert subcet outlet is for ULTS [6, 4].Image: Support and funct following modular plate as the switch is concert subcet outlet is for ULTS [6, 4].Image: Support and funct following modular plate as the switch is concert subcet outlet is for ULTS [6, 4].Image: Support and funct following modular plate as the switch is concert subcet outlet is for ULTS [6, 4].Image: Support and funct following modular plate as the switch is concert subcet outlet is following plate as the switch is concert subcet outlet is following plate as the switch is concert subcet outlet is following plate as the switch is following poles in the existing MCB.Image: Support and funct following plate as the switch is following poles in the existing MCB.Image: Support and funct following plate as the switch is following poles in the existing MCB.Image: Support and funct following plate as the switch is following poles in the existing MCB.Image: Support and funct following plate as the switch is following poles in the existing MCB.Image: Support and funct following plate as the switch is following poles in the existing MCB.Image: Support and funct following pl	100	3 pin 5/6 amps, modular socket outlet:					
10 pi 3/16 arrow, modular voices outlet: 15 EA EA Supply rand fing following modular voices outlet 55 SET SET 0 SWDTENESS CONCETOURTS TO SET SOLUTION TO SET SOLUTI	101 6 pii 15/16 amps, modular socket outlet: 15 EA 202 Supplicing and fings (bower) modular socket outlet: 15 EA 203 SUPPLICES 55 SET 203 SUPPLICES 55 SET 203 SUPPLICES 55 SET SET 203 SUPPLICES 55 SET SET 203 SUPPLICES Supplicing and scale society (SG) Supplicing and scale society (SG) <td></td> <td>Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as</td> <td>20</td> <td>EA</td> <td></td> <td></td> <td></td>		Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as	20	EA			
Supply and fung following modular workdy socket on the existing modular plate 8, witch box including connections but excluding modular plate etc.as 15 EA WHXEND SOCKET OULTS (6, A) SSET SSET SSET MAX Product Socket outes (100 UPS) in a box, with providing & fuing 2 nos. 2/3 pin 6 A withels & socket outles() But switch & socket stabuld be a SSET SSET SSET SSET MAX Product Socket Outes (100 UPS) in a box, with providing & fuing 2 nos. 2/3 pin 6 A withels & socket outles() But switch & socket stabulat be a SSET SSET SSET SSET MAX Product Socket Outes (100 UPS) in a box, with providing & fuing 2 nos. 2/3 pin 6 A withels & socket outles() But switch & socket stabulat be a SSET SSET SSET SSET MAX Socket Outers (SSCALE OPMCB): Supply, instabular, stating & connections integrating and socket outles with SP/TPN MCB (10 KA motor duty) mounded on a sheet steel enclosure including termination, earting and connections (10 Supply and fuing 0 SUP) (7m SUP MCB (10 KA motor duty) mounded on a sheet steel enclosure including termination, earting is a negating 2.02/15 wolt, "C curve, minitature circuit breaker subble for inductive load of following poles in the existing MCB 15 EA EA MAX Solege pole: Supply and fuing following poles in the state steel and complex with sole of steel deer following poles in the existing MCB 15 EA EA EA MAX Solege pole: Supply and fuing following pole integrating and complex with sole of steel deer following poles in the existing MCB 15 EA	Supplying and fining following modular yolder south to existing modular plate 8 with how including connections, but excluding modular plate etc. sn. 15 EA Col Col 102 SWITCHED SOCKTOUTETS (GA): A set of 2 Not 8 with the socie collet (FOI UPS) in a box, with providing & fining 2 not. 2/3 pin 6 A with the 8 socket outlets (B ut with the 8 socket studets flut with 1 socket studets flut with 1 socket studets flut with		required. 3 pin 5/6 amp socket outlet					
enciginate put 13/2 a mp socket outlet Image: Control 13/2 a mp socket outlet Im	required. 6 pin 13/16 amp societe outlet: Image: Control outle	101	6 pin 15/16 amps, modular socket outlet:					
Indexing C pin 12/16 amp socket could: Image: Control C pin 12/16 amp socket could:<	Image: Interpret in StyTe amposite cutet Image:		Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as	15	EA			
101 SWMERCH0 SOCKT OUTCTS (6.4): A set of 24 No.6 A workted sockted outlex (FG MPS jin a box, with providing & fining 2 nos. 2/3 pin G A switches & socket outlets(& dut switch & socket should be a deferrent position or a required). 55 SET Set A set of 24 No.6 A workted socket outlex (FG MPS jin a box, with providing & fining 2 nos. 2/3 pin G A switches & socket outlets(& dut switch & socket should be a deferrent position or a required). 20 EAA EAA Image: Socket outlets() EAA 101 MOUSTRAL SOCKET OUTCTS (52/3AD DEVCE): Supply, installin, usting & consistioning of ridiatorial type plug and socket outlet with SP/TPM MCB (10 KA motor duty) mounted on a sheet statel enclosure including termination, entring & consistioning etc. as required. (b) Supply and fising of 25/32 Amp DP MCB (5 cretes) of approved make in MS enclosure including termination, entring & consistioning etc. as required. Single pole 300 EAA EAA Image: Socket outlets()	102 SWITCH OUT SOCKET OUTLETS (A): As set of 2 Nos. 6 A witched southets IFCR UIPS (in a box, with providing & fixing 2 nos. 2/3 pin 6 A switched & socket outlets (But switch& socket should be at 55 SET 103 RAN SECULATOR: Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as regureds. 20 EA 104 MUDSTRAL SOCKET OUTLETS (SZ)2A DMPG): Supply: installion, testing & commissioning of industrial type plag and socket outlet with SP/TPN MCB (10 KA motor duty) mounted on a skeet steel endosure including termination, testing & commissioning etc. as required. Single pole 30 EA 105 MCS-Single pole: Supply: installion, testing & commissioning etc. as required. Single pole and neutral Bio complete with commetions, testing and commissioning etc. as required. Single pole and neutral Bio complete with commetions, testing and commissioning etc. as required. Single pole and neutral Bio complete with commetions, testing and commissioning etc. as required. Single pole and neutral Bio complete with commetions, testing and fixed Single type pole. 5 EA 105 MCS-Single pole and fixed Single type revised TBAN MCB distribution board of stel sheet for 415 volts on surface/ recess complete with toometions, testing and commissioning and fixing for single prevised TBAN MCB distribution board of stel sheet for 415 volts on surface/ recess complete with loose kire boar, testing and commetions for all accomplete and specific structs, duly prevised tBAN MCB distribution board of stel sheet for 415 volts on surface/ recess complete with comeetions. Head Single DBAN MCB distribution board of stel							
A et of 2 Nos. 6 A switched socket outlets (DBU UPS) in a box, with providing & fining 2 nos. 2/3 pin 6 A switches & socket outlets (B ut switch & socket should be at [55] SET	A set of 7 Nos. 6 A watched oucle quicks (FOR UF) in a box, with providing & fixing 2 nos. 7/a pin 6 A witches & socket outlets (But witche & socket should be at 0.55 SET Image: Set of 7 Nos. 6 A witched oucle to the set of 700 UF) in a box, with providing & fixing 2 nos. 7/a pin 6 A witches & socket outlets (FOR UF) in a box, with providing & fixing 2 nos. 7/a pin 6 A witched oucle context box including connections but eacluding modular pilate switch box including connections box including c	102						
deferent position or a required Control Control <td>deferrent position or a required. Image: Control of the second of th</td> <td>102</td> <td></td> <td>55</td> <td>SET</td> <td></td> <td></td> <td></td>	deferrent position or a required. Image: Control of the second of th	102		55	SET			
103 FAN REGULATOR: 20 EA 104 FAN REGULATOR: 20 EA 105 FAN REGULATOR: 20 EA 104 MOUSTRAL SOCKET OUTETS (25/32A DMCB): 300 EA 104 MOUSTRAL SOCKET OUTETS (25/32A DMCB): 300 EA 104 MOUSTRAL SOCKET OUTETS (25/32A DMCB): 300 EA 105 MCB-Single pole: 300 EA 106 MCB-Single pole: 300 EA 107 MCB-Single pole: 300 EA 108 MCB-Single pole: 300 EA 109 MCB-Single pole: 300 EA 100 MCB-Single pole: 300 EA 101 MCB-Single pole: 300 EA 102 MCB-Single pole: 300 EA 103 MCB-Single pole: 300 EA 104 MCB-Single pole: 300 EA 105 BCB-Single: 20 EA EA 106 MCB-Single pole: 300 MCB EA EA EA <td>103 PAM EGULATOR: Supplying and hing to module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate 20 EA EA 104 PAM EGULATOR: Supplying and hing to module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate moduling translation, esting a commissioning of industrial type plag and socket outlet with SP/TPN MCB (DI XA motor duty) mounted on a sheet steel enclosure including translation, esting and commissioning etc. as required. Single pole Bo emplete with connections, testing and commissioning etc. as required. Single pole and neural Sopplying and hing to samps tails and commissioning etc. as required. Single pole and neural Bo emplete with connections, testing and commissioning etc. as required. Single pole and neural Sopplying and hing for samps tails and commissioning etc. as required. Single pole and neural Sopplying and hing for samps tails apprating. 240/415 volts, "C curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB Sopplying and hing following rule play and single pole and neural Sopplying and hing following rule (Surve play further plate and neutral). EA EA EA 105 MCB single pole Sopplying and hing following rule (Surve plate). Hingle pole and neural Sopplying and hing following rule (Surve plate). Hingle pole and neural Sopplying and hingle following rule (Surve Plate). Hingle pole and neural Sopplying and hingle following rule (Surve Plate). Hingle pole and neural Sopplying and hingle following rule (Surve Plate). Hingle pole and neural Sopplying and fining following rule play for surve plate and rule rule (Surve Plate and rule rule (Surve Plate and rule rule (Surve Plate</td> <td></td> <td></td> <td>00</td> <td>021</td> <td></td> <td></td> <td></td>	103 PAM EGULATOR: Supplying and hing to module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate 20 EA EA 104 PAM EGULATOR: Supplying and hing to module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate moduling translation, esting a commissioning of industrial type plag and socket outlet with SP/TPN MCB (DI XA motor duty) mounted on a sheet steel enclosure including translation, esting and commissioning etc. as required. Single pole Bo emplete with connections, testing and commissioning etc. as required. Single pole and neural Sopplying and hing to samps tails and commissioning etc. as required. Single pole and neural Bo emplete with connections, testing and commissioning etc. as required. Single pole and neural Sopplying and hing for samps tails and commissioning etc. as required. Single pole and neural Sopplying and hing for samps tails apprating. 240/415 volts, "C curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB Sopplying and hing following rule play and single pole and neural Sopplying and hing following rule (Surve play further plate and neutral). EA EA EA 105 MCB single pole Sopplying and hing following rule (Surve plate). Hingle pole and neural Sopplying and hing following rule (Surve plate). Hingle pole and neural Sopplying and hingle following rule (Surve Plate). Hingle pole and neural Sopplying and hingle following rule (Surve Plate). Hingle pole and neural Sopplying and hingle following rule (Surve Plate). Hingle pole and neural Sopplying and fining following rule play for surve plate and rule rule (Surve Plate and rule rule (Surve Plate and rule rule (Surve Plate			00	021			
Supplying and faing two module stepped type electronic fain regulator on the existing modular plate switch box including connections but excluding modular plate 20 EA EA Image: Connection of the existing accommission of fail output plate and socket output with SPTPN MCB (DX A motor duty) mounted on a sheet steel enclosure including termination, earting term	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate 20 EA EA EA 104 NDUSTRIAL SOCKET OUTLETS (25/22A DPMCB): Supplying stallation, testing a Commissioning of indistrial type plag and socket outlet with SP/TPN MCB (10 KA motor duty) mounted on a sheet steel enclosure including training et as required. (b) Supply and fixing of 25/32 Amp DP MCB (Centes) of approved make in MS enclosure 300 EA EA EA 105 MCS-Single pole: Supplying and fixing 5 amps to 32 amps rating. 240/415 voits, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning et.as a required. Single pole and neutral 50 EA EA EA 107 GB MCS affee pole and neutral: Supplying and fixing 5 amps to 32 amps rating. 240/415 voits, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning et.as arequired. Single pole and neutral DB complete with connections affect arequired. Single pole and neutral DB complete with connections affect arequired following rating, four pole, (three phase and neutral). 415 voits, in the existing MCB DB complete with conse wire box; terninal connections for all noming and using dividual; dividual witable size FEX PC insulated copre and existing with box; three doposite supplying and fixing 6 following tains of CurVice staffect arequired. The existing MCB DB complete with conse wire box; terninal connections (sin all noming and insuble box FEX PCC). Unsulated copre consect co							
etc.a regureds Image: Control of the control of th	et. as requireds. Image: Instrume in the instrume instru			20	F A			
104 NDUSTRIAL SOCKET OUTLETS [25/32 A DPMCB]: Supply: Installation, testing & commissioning of industrial type plug and socket outlet with SP/TPN MCB (10 KA motor dury) mounted on a sheet steel enclosure including testing & commissioning of industrial type plug and socket outlet with SP/TPN MCB (10 KA motor dury) mounted on a sheet steel enclosure including testing and commissioning etc. as required. (10) Supply and fising of 25/32 Amp DP MCB (Cseries) of approved make in MS enclosuser 400 EA 105 MCS-Single pole: Supplying and fixing 5 amps to 32 amps rating. 240/415 volts, "C" curve, ministure circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole and neutral 15 EA EA 107 68 MCS 4 Pole: Supplying and fixing f amps to 32 amps rating. 240/415 volts, "C" curve, ministure circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole and neutral 55 EA EA 107 68 MCS 4 Pole: Supplying and fixing following rating. (Fuur pole, (three phase and neutral), 415 volts, in the existing MCB DB complete with loas wite box, terminal connections, testing and commissioning etc. as required. Single pole and neutral 5 EA 108 TP64 MCG distribution board of stel baset for 415 volts on surface/ reass conductor up to terminal blocks, time decoperating and commission diget circuits, and trained single and poles, time decoperating and the following way prewined TFAN MCB distributo hoo accord there to a stel and complete w	104 NDUSTRIAL SOCKET OUTLETS (25/22A DPMCB): 30 EA 105 MCCS-Single pole: 30 EA 105 MCCS-Single pole: 30 EA 106 MCCS-Single pole: 400 EA 106 MCCS-Single pole: 400 EA 107 MCCS-Single pole: 400 EA 108 MCCS-Single pole: 400 EA 109 MCCS-Single pole: 400 EA 106 MCS-Single pole and neutral 500 EA 107 63 ACE 4 Pole: 500 EA 108 MCS-Single pole and neutral 500 EA 109 Singly/ing and fixing 5 amps to 32 amps rating, 240/415 wolts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 15 EA 107 63 ACE 4 Pole: 50 EA 50 EA 108 TPRA MCB distribution board-dway (413): 500 complete with connections, testing and outgoing circuits, duily previned with suitable set PRLS PVC insultated copper conductor up terminal blocks, timed copper bus 50 EA 109 SwgO(Hying & finding of following wintex (410 distribution boa			20	EA			
Index Starby Control (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Index number of the second		etc. as requireds					
including termination, earthing etc as required. (b) Supply and fising of 25/32 Amp DP MCB (C series) of approved make in MS encloser Image: Comparison of Comparison	including termination, earthing etc as required. (b) Supply and fising of 25/32 Amp DP MC8 (C series) of approved make in MS encloser Image: Content of the	104	INDUSTRIAL SOCKET OUTLETS (25/32A DPMCB):					
105 MCB-Single pole: 3 amps to 3 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 40 EA 106 MCB-Single pole: 40 EA 40 EA 107 MCB-Single pole and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 15 EA 107 G5 MCB-Folie: Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 15 EA 108 Type APole: Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 5 EA 108 TPR MCB distribution board-fow q/4181; Supplying and fixing following rating, four pole. (three phase and neutral incometions, be string and outgoing circuits, duly prewired with suitable size FRLS PVC insolated copper conductor up to terminal blocks, timed toget pole sint the existing MCB is applying and fixing following and y rewired with suitable size FRLS PVC insolated copper conductor up to terminal blocks, timed copper bus bar, rewired in line (ming and outgoing circuits, duly prewired with suitable size FRLS PVC insolated copper conductor up to terminal blocks, timed copper bus bar with 4 a 18, Double door 30 M 109 SWG G J Wire: Supply (mi	105 MCB-Single pole: 40 EA 105 MCB-Single pole: 40 EA 106 MCB-Single pole: 40 EA 106 MCB-Single pole: 40 EA 106 MCB-Single pole: 40 EA 107 MCB-Single pole: 40 EA 108 mMCB-Single pole: 5 EA 109 Bornplete with connections, testing and commissioning etc. as required. Single pole and neutral 5 EA 107 GMCB 4 Pole: Supplying and fixing 5 amps MCB four pole. 5 EA 108 TPRA MCB distribution board-6way (4+18): Supplying and fixing following way rewrised TR&M KD distribution board of steel sheet for 415 volts on surface/ recess complete with connections, testing and outgoing circuits, duly prevised with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bis bar, neutral link, EAth bar, din bar, detachable gland plate, interconnections, powder painted including EAThing etc. as required. Nume Alter Signe pole: 5 EA 109 SWG 61 Wire: Supplying 8 fixing of following sizes of Cu/Gi strip/wire clamped to walls, cable trays etc for equipment/System earthing complete as required including inter connection between length at joints, all fixing accessories, and providing masonry enclosure with cover plate having locking arrangement an		Supply, installation, testing & commissioning of industrial type plug and socket outlet with SP/TPN MCB (10 KA motor duty) mounted on a sheet steel enclosure	30	EA			
105 MCB-Single pole: 3 amps to 3 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 40 EA 106 MCB-Single pole: 40 EA 40 EA 107 MCB-Single pole and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 15 EA 107 G5 MCB-Folie: Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 15 EA 108 Type APole: Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 5 EA 108 TPR MCB distribution board-fow q/4181; Supplying and fixing following rating, four pole. (three phase and neutral incometions, be string and outgoing circuits, duly prewired with suitable size FRLS PVC insolated copper conductor up to terminal blocks, timed toget pole sint the existing MCB is applying and fixing following and y rewired with suitable size FRLS PVC insolated copper conductor up to terminal blocks, timed copper bus bar, rewired in line (ming and outgoing circuits, duly prewired with suitable size FRLS PVC insolated copper conductor up to terminal blocks, timed copper bus bar with 4 a 18, Double door 30 M 109 SWG G J Wire: Supply (mi	105 MCB-Single pole: 40 EA 105 MCB-Single pole: 40 EA 106 MCB-Single pole: 40 EA 106 MCB-Single pole: 40 EA 106 MCB-Single pole: 40 EA 107 MCB-Single pole: 40 EA 108 mMCB-Single pole: 5 EA 109 Bornplete with connections, testing and commissioning etc. as required. Single pole and neutral 5 EA 107 GMCB 4 Pole: Supplying and fixing 5 amps MCB four pole. 5 EA 108 TPRA MCB distribution board-6way (4+18): Supplying and fixing following way rewrised TR&M KD distribution board of steel sheet for 415 volts on surface/ recess complete with connections, testing and outgoing circuits, duly prevised with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bis bar, neutral link, EAth bar, din bar, detachable gland plate, interconnections, powder painted including EAThing etc. as required. Nume Alter Signe pole: 5 EA 109 SWG 61 Wire: Supplying 8 fixing of following sizes of Cu/Gi strip/wire clamped to walls, cable trays etc for equipment/System earthing complete as required including inter connection between length at joints, all fixing accessories, and providing masonry enclosure with cover plate having locking arrangement an		including termination, earthing etc as required. (b) Supply and fising of 25/32 Amp DP MCB (C series) of approved make in MS enclouser					
Supplying and fining 5 amps to 32 amps rating. 240/41S volts. "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 40 EA EA MCB-Single pole and neutral: Supplying and fining 5 amps to 32 amps rating. 240/41S volts. "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 115 EA EA Image: Comparison of the comparison of	Image: Supplying and fixing 5 ampts to 32 ampts rating. 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 40 EA EA 106 MCB-Single pole and neutral: Supplying and fixing 5 ampts to 32 ampts rating. 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 115 EA EA 107 63 MCB 4 Pole: Supplying and fixing following rating, four pole, (three phase and neutral). 415 volts, in the existing MCB DB complete with connections, testing and commissioning etc. as required. 51 supplying and fixing following way previved TREN MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connectors for all incoming and obuging circuits, duity previved this suble size FREN PVC insulated cooper conductor up to terminal blocks, time dopen bits, fixing of following size of Cu/Gl strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter connection between length at joints, all fixing accessories, and providing masonry enclosure with cover plate having to CRB or prevised TREN PVC insulates (Surface/ celling/Wall mounted) and fans complete as required including inter watering pipe etc. with charcoal/ coke and salts required. 30 MA EA EA EA 109 SWG 61. Wire: Supply, Ising & King of following sizes of Cu/Gl strip/wire (amped to walls, cable trays etc for equipment/ System earthing complete as required including inter connection between length at joints, all fixing accessories, and providing masonry enclosure with cover plate having to CKB mass and transce metatind as re	405						
DB omplete with connections, testing and commissioning etc. as required. Single poleImage: Connections, testing and commissioning etc. as required.Image: Connections, testing and connections, testing and commissioning etc. as required.Image: Connections, testing and connections, testing and commissioning etc. as required.Image: Connections, testing and contexp (concettions, dup previned TP&M MCB distribution board of stel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connections, dup previned TP&M MCB distribution board of stel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connections, dup previned TP&M MCB distribution board of stel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connections, dup previned TP&M MCB distribution board of stel sheet for 415 volts on surface/ recess complete as required loculing inter connections dup previned TP&M MCB distribution board of stel sheet for 415 volts on surface/ recess complete as required loculing inter connections.Image: Connections dup previned TP&M MCB distribution board of stel sheet for 415 volts on surface/ recess complete as required loculing inter connections.Image: Connections dup previned TP&M MCB distribution board of stel sheet for 415 volts on surface/ recess connections.Image: Connections dup previned TP&M MCB distribution board of stel sheet for 415 volts on surface/ recess connections.<	DB on plete with connections, testing and commissioning etc. as required. Single pole Image: Single pole and neutral: Image: Single pole and neutra: Image: Single pole and neutra:			10	_ ^			
106 MCC-Single pole and neutral: Supplying and fixing 5 samps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 15 EA 107 B3 MCS 4 Pole: Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, in the existing MCB DB complete with connections, testing and commissioning etc. as required. Samps MCB four pole. 5 EA 108 TP8 MCG distribution board-Gway (4+18): 5 EA 5 EA 108 Supplying and fixing following way previred TP8M MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal blocks, tinned copper bous bar, neutral link, EArth bar, din bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required (B4 without bCB/ NCCB/ topic/Wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter supplying and fixing of following sizes of Cu/Cl strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter more time by etc. S methods, clamps etc and other fixing hardware material as required for proper installation.3 SWG G I wire: 30 M 108 FIPA MCG AL Wret : Supplying and fixing of following sizes of Cu/Cl strip/wire clamped to walls, cable trays etc. for equipment/ System earthing complete as required including inter more top as a strain and thing bardware material as required for proper installation.3 SWG G I wire: 30 M 101	106 MCB-Single pole and neutral: 15 EA 107 Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 15 EA 108 SMCB 4 Pole: 5 EA 109 SMCB 4 Pole: 5 EA 108 TPRN MCB distribution board 6-way (4+18): 5 EA 108 TPRN MCB inflowing rating, four pole, (three phase and neutral), 415 volts, in the existing MCB DB complete with connections, testing and commissioning etc. as required. May previred TRAN MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly previred TRAN MCB distribution board of steel sheet for 415 volts on surface/ recess complete with MCB/RCCB/ 5 EA 109 B SWG 6.1 Wire: 5 EA 30 M 110 GI Pipe earthing: 30 M 2 EA 1111 Supply, sing fing a fing a commissioning of clowing sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing locking arrangement and value fing pipe 45. with charca0/ coke and salt as required. 30 M 112 LY BWATE Dowall light: 14 18 watt LED wall light: 18 18 watt LED wall light: 70 EA<			40	EA			
Supplying and fixing 5 ampts to 32 ampts to 32 ampts rating, 240/415 witts, "C" curve, minitature incruit breaker suitable for inductive load of following poles in the existing MCB15EA63 MCG 4 Pole: Supplying and fixing following rating, four pole, (three phase and neutral), 415 witts, in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole and neutral15EA10763 MCG 4 Pole: Supplying and fixing following rating, four pole, (three phase and neutral), 415 witts, in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole and neutral55EA108 PSN MCG distribution board-Gway (4+18): Supplying and fixing following way prewired TP&N MCB distribution board of steles heet for 415 witts onts on surface/ recess complete with looses wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, time dcopper bus bar, neutral link, EArth bar, din bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required including inter connection between length at joints, all fixing accessories addles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I30M108 BVGG 61 Wire: Supply, Rating of following sizes of Cu/Gi strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including intr connection.8 SWG G.I30M109 BPGe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and water in pipe etc. with charceal/ coce ad salt as required.Commesi	supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB 15 EA 107 5 MCB 4 Pole: Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole and neutral 55 EA 108 TP&N MCB distribution board-6way (4+18): Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, on surface/ recess complete with loose wire box, terminal connectros for all incoming and outgoing circuits, 4ult prewired with suitable size FRIS PVC insulated coper conductor up to terminal blocks, time doce poper bus bar, neutral link, EArth bar, din bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required. (But without MCB/RCCB/ isolator) 6 way (4+18), Double door 30 M 109 8 SWG G. Wire: Connection between length at joints, all fixing accessories and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and sait as required. 30 M M 111 Ls 9 Watt ED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and fans complete with down rods, chain hanger, lamps, power factor improvement capacitors, balasts etc and all necessary accessories complete as required. b) 1x 8 Watt ED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and all necessary accessorie							
DB complete with connections, testing and commissioning etc. as required. Single pole and neutral C C C C DB complete with connections, testing and commissioning etc. as required. Single pole and neutral Single pole and neutral </td <td>DB complete with connections, testing and commissioning etc. as required. Single pole and neutral Constrained Constrained<</td> <td>106</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	DB complete with connections, testing and commissioning etc. as required. Single pole and neutral Constrained Constrained<	106						
107 63 MCB 4 Pole: Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 amps MCB four pole. 5 EA 108 TP&N MCB distribution board-6way (4+18): Supplying and fixing following way prewired TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, neutral link, EArth bar, din bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required.(But without MCB/ RCCB/ isolator) 6 way (4 + 18), Double door 5 EA 109 8 XWG G.i Wire: Supply, laying & fixing of following sizes of Cu/Gi strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter onnection between length at joints, all fixing accessories addles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.J 30 M 101 GI Pipe earthing: Earthing with G.i. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and vatering pipe etc. with charcoal/ coke and sat as required. 2 EA EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories model type 31081 4 feet long Fixture of philips surface mounted type , complete as re	107 S3 MC8 4 Pole: Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 amps MCB four pole. 5 EA 108 TP&N MCB distribution board-dway (4+18): Supplying and fixing following way prewired VH3 bit board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal boar, neutral link, EArth bar, die bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required. (But without MCB/ RCCB/ Isolator) 6 way (4+18), Double door 5 EA 109 8 SWG G I Wire: Supplying of following sizes of Cu/Gi strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter connections between length at joints, all fixing accessories sadles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I 30 M 101 GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charca0/ coke and sait as required. Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and flans complete with down model type 310814 feet long Fixture of philips surface mounted type, . 70 EA 112 12 14 WeitED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall		Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB	15	EA			
supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 amps. MCG distribution board-6wq (418): Supplying and fixing following way prewired TP8 MCB distribution board of stel sheet for 415 volts on surface/ recess complete with loose wire box, terminal torme connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper boar solution to way (418).EAEA8 SWG 61 Wire: Supplying & fixing of following sizes of Cu/Gi strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter wareing pipe etc. with charcoal/ coke and sat as required.30MM0 B Pipe earthing: Earthing with 6.1. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and sat as required.20EAEA111 1 K B Watt LED wall light: supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories somple tex. with cole is prequired.50EAEAEA112 1 x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories somple tex. with cole is prequired.50EAEAEA	Supplying and fixing following rating, four pole. (three phase and neutral), 415 volts, in the existing MCB DB complete with connections, testing and commissioning et. as required. 63 amps MCB four pole. 5 EA Image: Commissioning et. as required. 63 amps MCB four pole. 108 TPRA MCB distribution board-6way (4198): Supplying and fixing following way prewired TPRA MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal block, tinned copper bus bar, neutral link, EATH har, din bar, detachable gland plate, interconnections, powder painted including EATHing etc. as required. (But without MCB/RCCB/ isolator) 6 way (4 + 18). Double door 5 EA EA EA 108 SSWG G. Wire: Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter connection between length at joints, all fixing accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charceal / coke and salt as required. 30 M M 10 61 Pipe earthing: Earthing with G. Le arth pipe 4.5 metr long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charceal / coke and salt as required. 30 M M 10 11 11 38 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wal		DB complete with connections, testing and commissioning etc. as required. Single pole and neutral					
commissioning etc. as required. 63 amps MCB four pole.commissioning etc. as required. 63 amps MCB four pole.108TPRN MCB distribution board-dway (4+18): supplying and fixing following way prewired TPRN MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus lsolator) 6 way (4 + 18), Double door5EAEA1098 SWG G.I Wire: connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I Wire30MM110GI Pipe earthing: carting pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.2EA111 1x 18 Watt LED wall light Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down model type 31081 4 feet long Fixture of philips surface mounted type ,5EA112 1x 9 Watt LED wall light Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories sories complete as required. b) 1x 9 Watt LED wall light Supply, storing, fixing, assembling, testing and commissioning of following light fixtu	commissioning etc. as required. 63 amps MCB four pole. Image: Commissioning etc. as required. 63 amps MCB four pole. 108 TP&N MCB distribution board-dway (4+18): Supplying and fixing following way previned TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewined with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, neutral link, EArth bar, dictachable gland plate, interconnections, powder painted including EArthing etc. as required.(But without MCB/RCCB/ Isolator) 6 way (4 + 18), Double door 5 EA 109 8 SWG G.I Wire: Supplyi, laying & fixing of following sizes of Cu/Gi strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter connection between length at joints, all fixing accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA 110 GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and fans complete with down rode, typa 31081 4 feet long Fixture of philips surface mounted type, 5 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, as	107	63 MCB 4 Pole:					
108 TP&N MCB distribution board-6way (4+18): Supplying and fixing following way prewired TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal blocks, tinned copper bus bar, neutral link, EArth bar, din bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required. (But without MCB/ RCCB/ Isolator) 6 way (4 + 18), Double door 5 EA EA 109 8 SWG G1 Wire: Supply, lang & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter connection between length at joints, all fixing accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 30 M 2 EA 111 1X 18 Watt ED wall light: Supply, toring, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt ED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA EA 112 1X 9 Watt ED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 18 Watt ED wall light to supply storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/c	108 TP&N MCB distribution board-6way (4+18): Supplying and fixing following way prewired TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal bocks, time docoper bus bar, neutral link, EArth bar, din bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required.(But without MCB/RCCB/ isolator) 6 way (4 + 18), Double door 5 EA 109 8 SWG 6.1 Wire: Supply, laying & Kining of following sizes of Cu/Gi strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I 30 M 110 G IPice earthing: Earthing with 6.1. earth pice 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 20 EA 111 11 IS Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and fans complete with down model type 31081 4 feet long Fixture of philips surface mounted type , 70 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and all necessary accessories complete as required. 70 EA 113 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing an		Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, in the existing MCB DB complete with connections, testing and	5	EA			
Number Number Supplying and fixing following way prewined TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal locks, tinned copper bus bar, neutral link, EArth bar, din bar, die tand, duly prewined WH suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus sufface/ recess complete as required. (But without MCB/ RCCB/ loss of any (4 + 18), Double door 5 EA 109 8 SWG G.I Wire: Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation. 8 SWG G.I 30 M 101 GI PIPe earthing: Earth birs 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and vatering pipe etc. with charcoal/ coke and salt as required. 2 EA EA 111 X18 Watt LED wall light: Supply, Jaying & fixing, of following light fixtures (Recessed/ surface/celling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballast etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and lancessary accessories 5 EA EA EA 111 X18 Watt LED wall light: Surface mounted type, 31081 2/feet long Fixture of philips surface mounted t	In Part Machine Construction of Construction Constru		commissioning etc. as required. 63 amps MCB four pole.					
Supplying and fixing following way prewired TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal bor, neutral link, EAT the arc diabate, detachable gland plate, interconnections, powder painted including EAT thing etc. as required. (But without MCB/ RCCB/ isolator) 6 way (4 + 18), Double doorEAEAEA1098 SWG GI Wire: supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter connection be tween length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I.AMM11001 Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.2EAEA1111x 18 Watt LED wall light: model type 31081 4 feet long Fixture of philips surface mounted type,To supply, soring, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and lancessary accessories surgited as required.5EAEA	Supplying and fixing following way prewired TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, neutral link, EATH bar, din bar, detachable gland plate, interconnections, powder painted including EAThing etc. as required.(But without MCB/RCCB/ isolator) 6 way (4 + 18), Double door 5 EA EA 109 8 SWG G1 Wire: connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required including inter connection between length at joints, all fixing accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 30 M 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down model type 31081 4 feet long Fixture of philips surface mounted type , in the surface mounted type , in the surface mounted type , in the surface mounted type . 5 EA EA Each Each Each 111 112 113 NB Watt LED wall light: Surface mounted type , in the surface mounted type . 5 EA EA EA	108	TP&N MCB distribution board-6way (4+18):					
connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, neutral link, EArth bar, din bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required.(But without MCB/ RCCB/ Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.IEAEA100BFW G Divere: Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter wire30MM110GPipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.2EAEA111La SWA LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and fans complete with down model type 31081 4 feet long Fixture of philips surface mounted type ,70EAEAEA112La WMAT LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and all necessary accessories somplete as required. b) 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type ,5EAEAEA	connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus 5 EA isolator of way (4 + 18), Double door SWG GJ Wire: SWG GJ Wire: 30 M 100 8 SWG GJ Wire: Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I. M M 110 GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and order trays etc for equipment/ System earthing complete with down order pipe etc. with charcoal/ coke and salt as required. 2 EA 111 GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and rode cover plate having locking arrangement and rode cover plate having pipe etc. with charcoal/ coke and salt as required. 2 EA EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/celling/Wall mounted) and fans complete with down rode type 31081 4 feet long Fixture of philips surface mounted type . 5 EA EA							
bar, neutral link, EArth bar, din bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required. (But without MCB/RCCB/ Isolator) 6 way (4 + 18), Double doorImage: Connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation. 8 SWG G.IMM1008 SWG G.I wire: supply, laying & fixing of following sizes of Cu/Gi strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter wire30MM110GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.2EAEA111X 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down model type 31081 4 fee tong Fixture of philips surface mounted type ,70EAEA1121x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories sories complete as required. b) 1x 18 Watt LED wall light model type 31081 4 fee tong Fixture of philips surface mounted type ,5EAEA	bar, neutral link, EArth bar, din bar, detachable gland plate, interconnections, powder painted including EArthing etc. as required. (But without MCB/RCCB/ Image: Constraint of Con			5	FΔ			
Isolator) 6 way (4 + 18), Double doorIsolatory 6 way (4 + 18), Double doorIsolatory 6 way (4 + 18), Double door1098 SWG G.I Wire: Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter wire30MM110GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.2EA111Is 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down model type 31081 4 feet long Fixture of philips surface mounted type ,70EA112Is 9Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type ,5EAEA	Isolator) 6 way (4 + 18), Double door Image: Comparison of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter 30 M M 109 8 SWG G.I Wire: 30 M M Image: Comparison of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter 30 M M Image: Comparison of Cu/GI strip/wire clamped to walls, cable trays etc and other fixing hardware material as required for proper installation.8 SWG G.I M Image: Comparison of Cu/GI strip/wire clamped to walls, cable trays etc and other fixing hardware material as required for proper installation.8 SWG G.I M Image: Comparison of Cu/GI strip/wire clamped to walls, cable trays etc and other fixing hardware material as required for proper installation.8 SWG G.I M Image: Comparison of Cu/GI strip/wire clamped to walls, cable trays etc and other fixing hardware material as required for proper installation.8 SWG G.I M Image: Comparison of Cu/GI strip/wire clamped to walls, cable trays etc and other fixing hardware material as required for proper installation.8 SWG G.I M Image: Comparison of Cu/GI strip/wire clamped to walls, cable trays etc and other fixing hardware material as required for proper installation.8 SWG G.I M Image: Comparison of Cu/GI strip/wire clamped to walls, cable trays etc and all accessories, and providing masonry enclosure with cover plate having locking arrangement and comparison ing of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down comparison comparison ing of fol			5				
109 8 SWG G.I Wire: Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter wire 30 M 30 M 110 GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down model type 31081 4 feet long Fixture of philips surface mounted type , 70 EA EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete as required. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA EA	109 8 SWG G.I Wire: 30 M 30 M 300 M 30 M M M M 109 8 SWG G.I Wire: 30 M							
Supply, laying & fixing of following sizes of Cu/Gl strip/wire clamped to walls, cable trays etc for equipment/System earthing complete as required including inter connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I 30 M M 110 GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/surface/ceiling/Wall mounted) and fans complete with down model type 31081 4 feet long Fixture of philips surface mounted type , 70 EA EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/surface/ceiling/Wall mounted) and fans complete with down model type 31081 4 feet long Fixture of philips surface mounted type , 70 EA EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light 5 EA	Note: Supply, laying & fixing of following sizes of Cu/Gl strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter- connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I. 30 M M M 100 Gi Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA EA M 111 Ix 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 Zfeet long Fixture of philips surface mounted type , 5 EA EA 1112 Philips Out door type BVP161 30 watt							
connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I 30 M 110 GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down model type 31081 4 feet long Fixture of philips surface mounted type , 70 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories model type 31081 4 feet long Fixture of philips surface mounted type , 5 EA	connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I 30 M S0 M 110 GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete as required. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete as required. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories model type 31081 4 feet long Fixture of philips surface mounted type , 5 EA EA 111 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type , 5 EA EA 113 Philips Out door type BVP161 30 watt LED : I I I I I I I I I I							
connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I a </td <td>connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I Image: Connection between length at joints, all fixing accessories, and providing material as required for proper installation.8 SWG G.I 100 GI Pige earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: 70 EA Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 18 Watt LED wall light 70 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories or complete as required. b) 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type , 5 EA 112 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type , 5 EA<td></td><td>Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter</td><td>30</td><td>м</td><td></td><td></td><td></td></td>	connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I Image: Connection between length at joints, all fixing accessories, and providing material as required for proper installation.8 SWG G.I 100 GI Pige earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: 70 EA Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 18 Watt LED wall light 70 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories or complete as required. b) 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type , 5 EA 112 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type , 5 EA <td></td> <td>Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter</td> <td>30</td> <td>м</td> <td></td> <td></td> <td></td>		Supply, laying & fixing of following sizes of Cu/GI strip/wire clamped to walls, cable trays etc for equipment/ System earthing complete as required including inter	30	м			
In SI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/coke and salt as required. 2 EA EA Image: Complete the complete	110 GI Pipe earthing: Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/coke and salt as required. 2 EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type , 5 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type , 5 EA EA 113 Philips Out door type BVP161 30 watt LED : 5 EA 5 EA 5		connection between length at joints, all fixing accessories saddles, clamps etc and other fixing hardware material as required for proper installation.8 SWG G.I	30	IVI			
Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/coke and salt as required.2EA111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: model type 31081 4 feet long Fixture of philips surface mounted type ,70EAEA112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type ,5EAEA	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: 70 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA 113 Philips Out door type BVP161 30 watt LED : I I I I		Wire					
Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/coke and salt as required.2EA111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: model type 31081 4 feet long Fixture of philips surface mounted type ,70EAEA112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type ,5EAEA	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. 2 EA EA 111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down nodel type 31081 4 feet long Fixture of philips surface mounted type , 70 EA EA EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories arequired. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories arequired. b) 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories arequired. b) 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type , 5 EA EA 112 1x 9 Watt LED wall light : Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories arequired. b) 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type , 5 EA EA EA EA 113 Philips Out door type BVP161 30 watt LED :	110	GI Pipe earthing:					
watering pipe etc. with charcoal/ coke and salt as required. Image: Complex of the complex of t	watering pipe etc. with charcoal/ coke and salt as required. Image: Complete as required. Ima	-		2	EA			
111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light model type 31081 4 feet long Fixture of philips surface mounted type , 70 EA EA Image: Complete as required. b) 1x 9 Watt LED wall light 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type , 5 EA Image: Complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type ,	111 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light model type 31081 4 feet long Fixture of philips surface mounted type , 70 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/surface/ceiling/Wall mounted) and all necessary accessories of supplete as required. b) 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type , 55 EA EA 113 Philips Out door type BVP161 30 watt LED : 55 EA 55 EA 55							
1X 18 Watt LED Wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light model type 31081 4 feet long Fixture of philips surface mounted type , 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories for philips surface mounted type , 5 EA	1x 18 Wart LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light model type 31081 4 feet long Fixture of philips surface mounted type , 70 EA 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 18 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type , 5 EA 113 Philips Out door type BVP161 30 watt LED : Image: Supply and testing and commission ing of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories are quired. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type , 5 EA Image: Supply and testing and commission ing of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories are quired. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type , 5 EA Image: Supply addition testing and commission ing of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories arequired. b) 1x 9 Watt LED wall light model type 31081 2feet long Fi	111						
rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light model type 31081 4 feet long Fixture of philips surface mounted type , 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA	rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light model type 31081 4 feet long Fixture of philips surface mounted type , 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA 113 Philips Out door type BVP161 30 watt LED : 114 Philips Out door type BVP161 30 watt LED :							
rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light model type 31081 4 feet long Fixture of philips surface mounted type , 112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/surface/ceiling/Wall mounted) and all necessary accessories 5 EA	In angers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light Image: Complete as required. b) 1x 18 Watt LED wall light In 12 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/surface/ceiling/Wall mounted) and all necessary accessories 5 EA 113 Philips Out door type BVP161 30 watt LED : Image: Complete as required. b) 1x 9 Watt LED wall light Image: Complete as required. b) 1x 9 Watt LED wall light model type 31081 2 feet long Fixture of philips surface mounted type ,		Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and fans complete with down	70	FA			
112 1x 9 Watt LED wall light: Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA EA	Instrumentation Instrumentation <thi< td=""><td></td><td>rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light</td><td>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</td><td></td><td></td><td> </td><td></td></thi<>		rods, chain hangers, lamps, power factor improvement capacitors, ballasts etc and all necessary accessories complete as required. b) 1x 18 Watt LED wall light	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type ,	Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type , 113 Philips Out door type BVP161 30 watt LED :		model type 31081 4 feet long Fixture of philips surface mounted type ,					
Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/ surface/ceiling/Wall mounted) and all necessary accessories 5 EA complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type ,	Supply, storing, fixing, assembling, testing and commissioning of following light fixtures (Recessed/surface/ceiling/Wall mounted) and all necessary accessories complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type , 113 Philips Out door type BVP161 30 watt LED :	112	1 x 9 Watt LED wall light					
complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type ,	complete as required. b) 1x 9 Watt LED wall light model type 31081 2feet long Fixture of philips surface mounted type , 113 Philips Out door type BVP161 30 watt LED :	112		F	E ^			
	113 Philips Out door type BVP161 30 watt LED :			5	EA			
		113						
Supplying and Fixing of Flood light of philips Out door type BVP161 30 watt LED street light fittings of Philips including fixing clamp ,accessories like clamps, bolt, 15 EA				15	EA			
	nut etc with testing and commissioning in all respect.		nut etc with testing and commissioningin all respect.					

114	Exhaust fan of 250 mm dia PVC body at 1400 RPM : Supplying and fixing of 250 mm dia exhaust fan with louvers and bird screen of PVC body in existing opening with 900 rpm (Approved make) of 250 mm dia .	7	EA		
115	Exhaust fan of 305 mm dia heavy duty M.S body at 1400 RPM : Supplying and fixing of 305 mm dia exhaust fan with louvers and bird screen of MS body in existing opening with 1400 rpm (Approved make) of 305 mm dia	2	EA		
116	Providing and Fixing fan hook: Providing and fixing of Fan Hook in existing Slab including cutting cement concrete and making good the same.	20	EA		
117	Electrical main panel: Providing and fixing Electrical LT Pannel box with necessary arrangment of LIGHT & AC LOAD MCB, CUPPER BUS BAR, 100AMP CHANGER, 100AMP MCCB, KIT KAT FUSE 63AMP with metal encloser & RYB indicator.	2	SET		
118	P&F Wall tile: Providing and fixing 12 mm thk dado tile of NITCO/ Kajaria / Johnson approved quality, pattern and shade on wall, fixed using 1:1 cement sand mortar and filling up joints with tile grout of ROFF or equivalent, cutting of tiles to required size, cleaning, curing, etc. Complete.	117.65	Sqm		
119	White cement putty: Providing and Applying white cement putty @ 3.0 kg/10sqm Birla or JK make on surface of wall, column and beam etc. i/c hacking and sand papering the existing finished surface for making the surface smooth complete as per direction of EIC.	520	Sqm		
	Total Price with All - Inclusive				





ANNEXURE II Approved Make of Materials

	-	iitary and al Items
S.No	Material Description	Make
1	Cement (OPC- 43 grade / PPC)	Ultratech/ Birla Uttam/ Binani/ Gujrat Ambuja/ ACC / JK Super/ Nuvoco/ Konark/JSW
		NOTE: OPC cement should be used for qty. of cement more than 100 bags at single location.
2	White Cement	Birla/ JK
		TATA/ SAIL/ RINL/ IISCO/Kamdhenu/ SCAN/VIZAG/Jindal
3	Structural Steel	NOTE: For Locations where required quantity is more than 10 tonnes at single location and can be brought in one lot, only TATA/ SAIL/ RINL/ IISCO make is to be used.
4	Reinforcement Steel	TATATiscon/SAIL/RNIL/IISCO/SCAN/Kamdhenu/ VIZAG/Jindal NOTE: For Locations where required quantity is more than 10 tonnes at single location and can be brought in one lot, only
		Tisco/SAIL/RINL/IISCO make is to be used.
5	Acid Resistant Tiles	Corromandel, Palicon
6	Floatglass/ Mirror	Modi guard/ Saint Gobain/AIS/HNG
7	Plastic paint / Apex paint / Enamel Paint/ Primer	Premium quality of Asian/ Berger/ Nerolac/ Dulux
8	Premium acylic smooth paint / Cement Paint / Primer	Asian Paints / Nerolac/Dulux/Berger
9	Interlocking Tiles	KK / ACME / Dalal / HPI / Recycled
10	Aluminum	Hindalco / Jindal / Nalco/ Alom
11	PVC Water Tank (white 3 layer)	Sintex / Supreme
12	Wash Basin, IWC, EWC etc.	Parryware / Hindware / Somany/Cera/Jaquar
13	Kitchen Sink	Neelkanth/Jindal/Parryware/Nirali
14	PVC Pipes and Fittings	Supreme/Finolex/Astral
15	CI Soil Pipes / Waste / Rainwater Pipes	S.I.F , R.I.F
16	CP Brass Bib Cock, Stop Cock etc.	Hindware/Parryware/Cera/Jaquar
17	GI Pipe	Jindal/Hisar/TATA
18	GI Fittings	Unik
19	PVC/U-PVC/C-PVC pipes and fittings	Astral/Supreme/Finolex



20	Laminates	Century/Greenlam/Signature/Merino
21	Flush doors	Duro/National/Kitply/Century
22	Board / Ply	National/Kitply/Durian/ Greenlam/Century/Austin
23	MDF Board - Exterior / Interior Grade	Nuwud, Duratuff, Bajaj Echotech, Action Tesa
24	Particle Board	Bajaj, Action tesa, Novapan
	Door Closer / Floor Spring	Everite , Doorking, Dorset, Godrej
25		(Ozone, Dorma) (For Distt. Offices and other Major buildings like Corporate, Scada, KPM, Cenpeid)
26	Door Locks and Handles	Godrej , Hettich, Dorset
27	Adhesive	Fevicol, Vamicol
28	Melamine Polish	Asian Paints, MRF, Touchwood, Wemblay
	Fire Retardent Paint (For all frame	
29	works)	Viper FR.881 or Approved Equivalent
30	Textured Paint	Unitex, Dulux, Asian
31	Wood for Framing	Jammu Kail, Marandi, African Hard Wood, Sal,
32	Veneered Ply	United Veneers, Donear, Duro, Greenlam
33	Glazed / Vitrified Tiles	Kajaria, Somany, Marbonite, Nitco
34	PTMT Fittings	Prayag India
35	Exhaust Fan	Crompton Greaves, Bajaj, Usha, Havells
36	Monoblock Pump Sets	Kirloskar, Crompton Greaves
37	Submersible Pump	KSB, Kirloskar, Crompton
38	Brass Bib Cock / Stop Cock	Benson, Pace
39	Brass Ferrule, Gunmetal Valves	DRP
40	Starter for Submersible	L&T or compatible equivalent make
41	GI corrugared Sheets	Jindal, Tisco, SAIL, TATA, Bhusan
42	AC Corrugated Sheet	Everest, Charminar, Visakha
43	Profile sheet	Jindal, TATA, SAIL, Essar, JSW, Bhusan
44	Epoxy paint	Pidilite, Asian
45	Toughened glass	Saint Gobain/ASAI
	Electric	al items
S. No	Material Description	Make
1	M.S. Conduit Pipe (ISI Marked-ERW)	BEC / SENCO(CALCUTTA) /AKG/ Polycab
2	M.S. Conduit Accessories	SHARMA/RAMA/PEI/AKG/Polycab
3. a)	PVC Insulated Copper Stranded	NATIONAL / SKYLINE / FINOLEX / BATRA-
	Conductor 1.1 KV Grade Cable	HENALY / RR KABEL
b)	PVC Insulated PVC Sheathed Aluminum /Copper Conductor armored L.T Cable (1.1 KV)	GLOSTER / UNIVERSAL / ICC / INCAB / POLYCAB / HAVELLS

	TPCC	DL
4	Moulded Plate Switch Socket with Switch Boxes & accessories / As per Item : Telephone/Music / Sockets	MK / HAVELLS / North West/Anchor Roma
5	Lugs/Ferrules	DOWELLS/JAINSON
6	Brass Compression Gland (Heavy Duty)	COMMEX/GRIPWELL
7	MCCB Thermal Magnetic O/C,S/C, E/F	SIEMENS / L&T / ABB
	(Variable type)	/Schneider/Legrand/Havells
8	RCCB / MCB (10 KA)	HAGER / MDS (Legrand) / MERLIN GERIN
9	Distributions Board (Double Door &	HAGER / MDS (Legrand) / MERLIN
	Metal Clad Socket Outlet)	GERIN/L&T/Siemens
10	Telephone Cable	DELTON / NATIONAL / SKYLINE / FINOLEX /
		HAVELLS
11	Telephone Tag Block with Boxes	KRONE/POUYET
12	Cable Trays	BHARATI / SLOTCO / STEEL WAYS / RICO STEEL
13	Selector Switch	L&T / SIEMENS / BCH / SALZER
14	L.T. Switch by M.V. Switch Boards	TRICOLITE / ELECTRO CONTROL SYSTEM /
	(Powder Coated)	MADHU ELECTRICAL./ ACE Electricals / KMG
		ATOZ (NOIDA)/RISHA control
15	PVC Conduit (ISI)	BEC / POLYPACK / PRECISION /
		AKG/Polycab/Finolex/Supreme
16	Measuring Meters	DUCATI / ENERCON / L&T / AE
17	Control Fuses	SIEMENS / GE/ L&T
18	CT'S (Cast Resin)	AEI / KAPPA / PRAGATI / C & S
19	MCCB'S	SIEMENS / L&T / SCHNEIDER / LEGRAND (MDS)
20	GICU. Strip & Earthing Material	BHARATI / INDIANA
21	Ceiling Fan (High Breeze)	CROMPTON / GEC/Bajaj/Usha
22	Braket Fan	ALMONARD / CROMPTON / GEC /USHA
23	G.I. Pipe & Accessories (ISI)	TATA/JINDAL/PRAKASH/HISSAR
24	Light Fixture	PHILIPS / DECON / WIPRO/Bajaj/Crompton, OR
		APPROVED MAKE/ As per specs if mentioned in
		BOQ
25	Smoke/Heat Defector	APOLLO/EST (EDWARD), TATA HONEWELL
26	Fire Alarm Panel with SMF Battery & Battery Charger	MCE / MINIMAX /STYLUSS / AGNI SURAKSHA
27	Response Indicator	APOLLO /EDWARDS /TAT HONEYWELL / AGNI
28	Speaker/Hooter	PHILIPS/EDWARD/TAT HONEYWELL / AGNI
29	M.S. Conduit ISI	BEC / SENCO
30	Conduit Accessories Heavy Duty (ISI)	SHARMA /PIE EQUIVALENT
31	FRLS PVC Insulated Copper Wire 1.1 KV	NATIONAL/FINOLEX BATRA HANELY/
	Grade (ISI)	RR KABLES/Havells/KEI/Polycab
32	Manual Call Station	APOLLO/EDWARD/TAT HONEYWELL / AGNI
33	Exhaust fans	CROMPTON / Newtec / Alsthom/Havells
34	Ceiling Rose, Piano type Switches/ Sockets & lamp holders	ANCHOR
35	Changeover Switch / Main switch	L & T / SCHNEIDER / ABB / Siemens

ANNEXURE VII

TPCØDL	TP CENTRAL ODISHA DISTRIBU	JTION LIMITED
IFCODL	WORK INSTRUCTION /OPERATING GUIDELINES	
Doc. Title	GENERAL CONDITIONS OF CONTRACT- SERVICE ORDERS	
Rev. No	0	Page 1 of 98

	CONTENTS
CLAUSE NO.	
1.0	
2.0	ETHICS
3.0	
3.1	Issue/Award of Contract
3.2	Contract Commencement Date
3.3	Contract Completion Date
3.4	Contract Period/Time
3.5	Contract Execution Completion Date
3.6	Contract Execution Period/Time
3.7	Contract Price /Value
3.8	Contract Document
3.9	Contract Language
3.10	Reverse Auction
4.0	SCOPE OF WORK
4.1	Indemnity
4.2	Display of notice boards at work site
4.3	Disposal of waste at site
4.4	Deployment of workforce
4.5	Damage of Properties
4.6	Issuance of material
4.7	Company's right to use works
4.8	Rights of TPCODL to vary the scope work
4.9	Technical Evaluation
5.0	PRICES/RATES/TAXES
5.1	Changes in statutory Tax Structure
6.0	TERMS OF PAYMENT
6.1	Pre-requisites for payment
6.2	Bills and invoices
6.3	Payment and statutory deductions
6.3.1	Statutory deductions

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 2 of 98

	CONTENTS
CLAUSE NO.	DESCRIPTION
6.4	Guidelines for raising running/final bills
6.5	Quantity Variation
6.6	Full and Final Payment
7.0	MODE OF PAYMENT
8.0	SECURITY CUM PERFORMANCE DEPOSIT
9.0	STATUTORY COMPLIANCE
9.1	Compliance to Various Acts
9.2	SA 8000
9.3	Affirmative Action
9.4	Compliance to Labour Laws
9.5	Compliance to C&D Waste Management Rules & Environment (Protection) Amendment Rules
10.0	QUALITY
10.1	Knowledge of Requirements
10.2	Adherence to Rules & Regulations
10.3	Specifications and Standards
11.0	SAFETY
12.0	GUARANTEE
12.1	Guarantee of Performance
12.2	Guarantee period
12.3	Failure in Guarantee period(GP)
12.4	Cost of repairs on failure in GP
12.5	Guarantee Period for Goods Outsourced
12.6	Latent Defect
13.0	LIQUIDATED DAMAGES
13.1	LD Waiver Request
13.2	Material Recovery
14.0	ASSIGNMENT OR SUBCONTRACTING
15.0	UNLAWFUL ACTIVITIES
16.0	CONFIDENTIALITY
16.1	Documents
16.2	Geographical Data
16.3	Associate's Processes

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 3 of 98

	CONTENTS
CLAUSE NO.	DESCRIPTION
16.4	Exclusions
16.5	Violation
17.0	INTELLECTUAL PROPERTY RIGHTS
18.0	INDEMNITY
19.0	LIABILITY & LIMITATIONS
19.1	Liability
19.2	Limitation of Liability
20.0	FORCE MAJEURE
21.0	SUSPENSION OF CONTRACT
21.1	Suspension for Convenience
21.2	Suspension for Breach of Contract Conditions
21.3	Compensation in lieu of Suspension
22.0	TERMINATION OF CONTRACTS
22.1	Termination for default/breach of contract
22.2	Termination for convenience of associate
22.3	Termination for convenience of TPCODL
23.0	Dispute resolution and arbitration
24.0	Governing laws and jurisdiction
25.0	ATTRIBUTES OF GCC
25.1	Cancellation
25.2	Severability
25.3	Order of Priority
26.0	INSURANCE
27.0	ERRORS AND OMISSIONS
28.0	TRANSFER OF TITLES
29.0	SUGGESTIONS & FEEDBACK
30.0	CONTACT POINTS
31.0	LIST OF ANNEXURES

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 4 of 98

1.0 ORGANIZATIONAL VALUES

The Tata Group has always been a value driven organization. These values continue to direct the Group's growth and businesses. The six core Tata Values underpinning the way we do business are:

Integrity - We must conduct our business fairly, with honesty and transparency. Everything we do must stand the test of public scrutiny.

Understanding - We must be caring, respectful, compassionate and humanitarian towards our colleagues and customers around the world and always work for the benefit of India.

Excellence - We must constantly strive to achieve the highest possible standards in our day to day work and in the quality of goods and services we provide.

Unity - We must work cohesively with our colleagues across the group and with our customers and partners around the world to build strong relationships based on tolerance, understanding and mutual co-operation.

Responsibility - We must continue to be responsible and sensitive to the countries, communities and environments in which we work, always ensuring that what comes from the people goes back to the people many times over.

Agility - We must work in a speedy and responsive manner and be proactive and innovative in our approach.

2.0 ETHICS

In our effort towards Excellence and in Management of Business Ethics at TPCODL, an Ethics Management Team is constituted.

The main objective of the Ethics Management Team is to:

- 1. Record, address and allay the issues and concerns on ethics raised by different stakeholders like employees, consumers, vendors, Associates etc. by initiating immediate corrective actions.
- 2. Ensure proper communication of the ethics policies and guidelines through prominent displays at all offices of TPCODL and through printed declarations in all concerned documents where external stakeholders are involved.
- 3. Ensure proper framework of policies as preventive measures against any ethics violation recorded by them.
- 4. Prepare and submit MIS of all issues and concerns, corrective and preventive actions on monthly basis to the top management for their information.

All members of Team TPCODL, Associates and Stakeholders are requested to register any grievance on ethics violation to Mr. Rajeev Kharyal, Chief Ethics Counselor.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 5 of 98

3.0 CONTRACT PARAMETERS

3.1 Issue/ Award of Contract

TPCODL awards the contract to the Associate in writing in the form of Purchase order (PO) or a Rate Contract (RC), hereafter referred as Contract, through in any or all of following modes-physical handover / post / e-mail / web document / fax with all the attachments/enclosures which shall be part of the contract document

On receipt of the contract, the associate shall return to TPCODL copy of the contract document duly signed by legally authorized representative of associate, within two days of Effective Date of Contract for contracts having contract execution time less than 30 days and within five days for all other contracts.

3.2 Contract Commencement Date

The date of issue/ award of contract shall be the Effective Date of Contract or Contract Commencement date.

3.3 Contract Completion Date

The date of expiry of Guarantee Period shall be deemed as the Contract Completion Date.

3.4 Contract Period/Time

The period from Contract Commencement Date to Contract Completion Date shall be deemed as the Contract Period/Time.

3.5 Contract Execution Completion Date

The stipulated date for completing the execution of all items in the schedule of quantities (Supply, Service and or both as applicable) shall be deemed as the Contract Execution Completion Date.

3.6 Contract Execution Period/Time

The Period from Contract Commencement Date to Contract Execution Completion Date shall be the Contract Execution Period/Time. Timely Completion of Works/Timely Delivery of Materials is the essence of the contract. The period from effective date of contract to the date stipulated for completion of delivery of all items/completion of all the works/services, as per schedule of quantities of the contract is defined as contract execution completion time. The Delivery of Materials /The Completion of Works, as applicable, should be achieved in all respects as per schedules of quantities and all the terms and conditions of the contract, in the contract execution time.

Any revision/amendment in the originally stipulated contract execution time has to be approved by authorized representative of TPCODL.

3.7 Contract Price /Value

The total all inclusive price/value mentioned in the PO/RC of the contract document is the Contract Price/Value and is based on the quantity, unit rates and prices quoted and awarded and shall be subject to adjustment based on actual quantities supplied/actual measurement of

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 6 of 98

work done and accepted and certified by the authorised representative of the company unless otherwise specified in schedule of quantities or in contract documents.

3.8 Contract Document

The Contract Document shall mean and include but not limited to the following:

- NIT/Tender Enquiry, QR, Instruction to Bidders, Special Condition of Contract (SCC) of tender, GCC, Technical & Commercial Specifications including relevant annexure and attachments).
- Bids & Proposals Received from Associate including relevant annexure/attachments.
- Letter of Intent (LOI/RC/PO) with agreed deviations from the tender/bid documents.
- All the Inspection and Test reports, Detailed Engineering Drawings.
- Material Dispatch Clearance Certificate (MDCC).
- Minutes of Meeting (MoM)

3.9 Contract Language

All documents, instructions, catalogues, brochures, pamphlets, design data, norms and calculations, drawings, operation, maintenance and safety manuals, reports, labels, on deliveries and any other data shall be in English Language.

The Contract documents and all correspondence between the TPCODL, Third Parties associated with the contract, and the Associate shall be in English language.

However, all signboards required indicating "Danger" and/or security at site and otherwise statutory required shall be in English, Hindi, and local languages.

3.10 Reverse Auction

TPCODL reserves the right to conduct the reverse auction (instead of public opening of price bids) for the products / services being asked for in the tender. The terms and conditions for such reverse auction events shall be as per the Acceptance Form attached in Annexure I. The bidders along with the tender document shall mandatorily submit a duly signed copy of the Acceptance Form as mentioned in the Annexure I as a token of acceptance for the same.

4.0 SCOPE OF WORK

All the activities that are to be undertaken by the Associate to realize the contractual deliverables in completeness form Scope of Work. Following clauses list, but not limited to, major requirements of the scope of work.

The associate shall satisfy himself fully with the details and undertake fully the works as listed in schedule of quantities and conditions, under which the same to be performed. Associate may visit site to equip themselves with all the information required for the execution of work. Unless otherwise stated in the contract, the scope of work shall also include, but not limited to, the following.

The associate shall deliver equipment/material at site/stores, carry out erection, testing and commissioning and put into satisfactory operation as defined in contract. Unloading at site,

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 7 of 98

storage, preservation, security and handling of the items at work places till completion of contract is also in scope of work.

The associate shall obtain statutory clearances for the works executed by him.

The associate shall provide comprehensive insurance for entire works for contract value and third party liability insurance to cover all risks till completion of contract.

All transport / lifting/ unloading/ storage/preservation of items at site shall be arranged by the Associate at no extra cost to TPCODL. All these activities shall be performed in line with original equipment manufacturers' recommendations and/or as per best engineering practices, with due consent of TPCODL Engineer-in-charge.

<u>Completeness</u>: Any supplies and services which might have not been specifically mentioned in the Contract but are necessary for the scope mentioned in Special Terms & Conditions and/or completeness of the works at the highest possible level, including any royalties, licence fees & compensation to be paid, whether incurred by the associates or by a third party for the work covered in the scope, regardless of when incurred, shall be supplied/provided by the associate without any extra cost and within the time schedule for efficient , smooth and satisfactory operation and maintenance of the works at the highest possible level under Indian conditions (but according to international standards for facility of this type), unless expressly excluded from the scope of supplies and services in this Contract.

TPCODL have the right, during the performance of the Contract, to change the scope and/or technical character of the Project and/or of the supplies and services stipulated in the Contract by submitting a request in writing to the Associate. The Associate shall, within fifteen days of receipt of such request from the TPCODL, provide Purchaser with a reasonably detailed estimate of the cost of the change outlined in the request.

In the event, TPCODL requests a change, the Contract price and time shall be adjusted upwards or downwards, as the case may be and shall be mutually agreed to. The associate shall not be entitled to any extension of time unless such changes adversely affect the time schedule.

The Associate shall not proceed with the changes as requested till adjustment of contract price and time schedule where so applicable in terms of or otherwise directed by the TPCODL.

4.1 Indemnity

Associates shall undertake to fully indemnify TPCODL (also referred to as the Company in the GCC) against all kinds of liabilities or damages, of whatsoever nature, including compensation arising from any accident to the person or property of those in Associate's employment or to any other person or properties including those of TPCODL, arising due to reasons attributable to any, act, omission of the Associate the Associates, for the entire period of contract including period of guarantee.

Within 7 days of award of work, the Associates shall submit Indemnity Bond in the format as per Annexure-D to Order Issuing Authority.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 8 of 98

In case of Labour /Erection/ Services Contracts having value more than Rs 2 Cr per Annum, Associates shall submit Indemnity Bond on Rs 100/- Non Judicial Stamp Paper in the format as per Annexure- D to Order Issuing Authority.

4.2 Display of Notice Boards at Work Sites

The Associate shall put up display notice board at each project site where the works are in progress indicating the information given below:

- Name of the Project.
- Estimated Cost of Project.
- Date of Commencement.
- Expected date of completion.
- Name of Associate and his telephone number.
- Name of Engineer-in-Charge and his telephone number.

4.3 Disposal of Waste at Site

Significant quantities of waste are generated during the execution of project and an integrated approach for effective handling, storage, transportation and disposal of the same shall be adopted. This would ensure the minimization of environmental and social impact in order to combat the climate change.

The associates shall follow the below criteria for disposal of waste at site during the execution of project.

- Associate shall ensure that the detailed project plan include the waste management, segregation of all designated waste material (Recyclable/Non-Recyclable), collecting, storing, disposing and transferring the same to pre-arranged facility/destination in timely and safe manner as per environmental legislations during the execution of project. The project plan shall also include the innovative construction practice to eliminate or minimize waste, protect surface/ground water, control dust and other emissions to air and control noise during the execution of project. The copy of same shall be given to EIC before the commencement of project.
- The purchase policy of BA shall encourage the procurement of material with recycled and minimum packaging of goods during delivery. Associate shall provide the appropriate means for site to site transportation of materials to avoid damage and litter generation.
- Associate shall educate and inform to its project team about the requirement and responsibilities for waste minimization and disposal in general and provide training of practices that support this. Waste management should be treated like a safety program.
- In the event that area of contaminated or biological hazard is identified, Associate shall ensure that plant, equipment, personnel and any activity associated with the work is carried out in consultation with EIC of TPCODL.
- Associate shall ensure that the residents living near the site are kept informed about proposed working schedule and shall informed timings and duration of any abnormal noise full activity that is likely to happen.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 9 of 98

 Associate shall ensure the regular maintenance and monitoring of vehicles and equipment for efficient fuel use so that emissions and noise are within acceptable limits to avoid air pollution.

4.4 Deployment of Work Force

Associate shall deploy adequate labour, as considered necessary by TPCODL for execution of the contract including Sundays and Holidays whenever required to do so with no extra cost to TPCODL. However, prior permission shall be taken from the site Engineer to carry out the work beyond normal working hours or on Sundays and Holidays. Female employees shall not be deployed beyond normal working hours/days and no child labour shall ever be deployed. Associate shall depute full time qualified and experienced engineers to supervise the work at site. All such staff shall be maintained from commencement to completion of all works to the entire satisfaction of the Engineer-in-Charge. Associate's employees deployed for the works under this contract will not be considered in Company's employment at any time. Associate shall continue to be responsible for all such employees, their safety, all types of statutory compliances related thereto and in any other manner whatsoever. The company will stand indemnified by the Associate in respect of all the above. At the same time Company upon noticing any breach or default on any statutory compliances, may at their sole discretion, decide to act in a manner as deemed fit at the risks and costs of the Associate.

TPCODL shall have the right to instruct the Associate to change the Sub-Associates or skilled /unskilled workers in case the conduct, the workmanship or speed of the work is not satisfactory.

Associates shall submit duly signed undertaking regarding engagement of competent staff / employee commensurate to the nature of job to Engineer–in–charge in the format attached as Annexure – G.

4.5 Damages of Properties

The Associates shall take necessary steps to ensure that the equipment and installations of the Company, Third parties, including other utility services like water supply pipelines; open drains telephone cables etc. are not damaged during execution of the works. The Associates shall be responsible for all such damages and shall have to repair/ replace and/or compensate for the entire claims in respect of such damages at its own cost.

4.6 Issuance of Materials

The material issued to the Associate shall be in the custody of the Associates who shall be fully responsible for the same. After completion of the works, the Associates will reconcile the material. Any cost of material which is short or damaged/lost will be deducted from Associate bill/ deposits.

4.7 Company's Right To Use Works

If Taking Over Certificate is delayed for any reason, for which TPCODL's decision shall be final and binding upon the Associate, the Company shall be entitled to use the works or portion thereof without affecting Associate's responsibility and liability to complete the balance works as

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 10 of 98

per company's directives from time to time, though Associate shall be afforded reasonable opportunity by the company to enable Associates to complete all balance works required for issuance of 'Taking Over Certificate' by the company.

4.8 Rights of TPCODL to vary the scope work

TPCODL shall have the right, during the performance of the Contract, to change the scope and/or technical character of the Project and/or of the supplies and services stipulated in the Contract by communicating the intent to do so in writing to the Associate. On receipt of such communication the Associate shall, within the time frame specified in the contract shall provide TPCODL with a reasonably detailed estimate of the cost of the change in scope outlined in the TPCODL communication. The change in the Contract price and time shall be revised upwards or downwards, as the case may be, and shall be mutually agreed to. The Associate shall not be entitled to any extension of time unless such changes adversely affect the time schedule.

The Associate shall not proceed with the changes in the scope of work till such time revision of Contract price and time schedule are approved and communicated to the associate by TPCODL.

Any change in the Scope of Work and/or Terms & Conditions of the order shall be intimated by TPCODL through an amendment to the contract. The amendment shall be treated valid only if signed by the authorized signatory of the original contract.

4.9 Technical Evaluation

TPCODL reserves the right to assign scores to different parameters including but not limited to the following while evaluating the bids. TPCODL reserves the right to change the parameters and score without prior information to the associates:

S. No.	Evaluation Parameter	Max. Score
Α	For bidders already Registered with TPCODL	100
A.1.	No violation of statutory compliances in last 1 year. Deduction of 2 marks for each instance of violation in last 1 year. Safety	20
A.I.	Deduction of 2 marks for each instance of safety violation in last 1 year. Deduction of 5 marks for each reported Non-Fatal Accident in last 1 year In case of any reported fatal accident: <i>ZERO MARKS</i>	20
A.2.	Timely Execution of Contracts Total Achieved Score = {30 – 3 x (Avg. percentage LD deductions in last 2 years)}	30
A.3.	Legal Issues with TPCODL Zero instances of Arbitration procedures / Court Cases / PBG forfeitures in last 2 years: 30 marks else 'Zero' marks	30
В	Bidders new to TPCODL	100
B.1.	Visits Client Site Visit where the bidder is providing similar services. The visits as above shall be arranged by the bidder. However all costs towards conveyance, lodging, boarding etc. shall be borne by TPCODL. The	30

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0 Page 11 of 98	

S. No.	Evaluation Parameter	Max. Score
	score assigned by TPCODL based on the above visits shall be final and binding on the bidder (Vendor Evaluation form attached as annex L).	
	Safety Score achieved against BA Safety Management System Questionnaire	20
B.2.	 Private Organizations with an annual turnover of >= 500 cr. PO copies or Completion Certificates will be admissible. Each reference: 10 marks 	30
В.3.	Blacklisting Information Not blacklisted by any reputed organization/utility in last 2 years: 20 marks else 'Zero' marks	20

 Bidder shall be considered as technically qualified if they are able to achieve a technical score of >70 marks on the above parameters. 'A' or 'B'.

 The bidder must have the PF and ESI registration. In case it is not there (provided the bidder is not exempted from the PF and ESI), bidder shall not be evaluated on the above parameters and will be considered as disqualified.

5.0 PRICES/RATES/TAXES

The Prices and Rates are inclusive of cost of materials supplied as per contract terms and for which MDCC is issued by TPCODL and to the extent required for completion of works, cost of service executed as per schedule of quantities, cost of testing as per contract terms, cost of documentations including all relevant test certificates and other supportive documents to be furnished as per contract terms. The rates shall remain firm till actual completion of contract.

The Prices/Rates are inclusive of all taxes, levies, cesses and duties, particularly Goods and Services Tax as applicable. All government levy / taxes shall be paid only when the invoice is submitted according to the relevant act.

The prices shall remain unchanged irrespective of TPCODL making changes in quantum in all or any of the schedules of items of contract.

5.1 Changes in Statutory Tax Structure

If rate of any or all of the statutory taxes and duties applicable to the contract changes, such changes shall be incorporated by default if the changes occur within the contract execution time and shall be applicable if the contract is executed by the Associate within the Contract Execution Time.

For execution of contracts beyond contract execution time, where the delay is not attributable to TPCODL no upward revision in tax /duties shall be considered irrespective of changes in the statutory tax structure either within the contract execution time or beyond. However, in such cases, benefits due to any downward revisions in statutory tax rates shall be passed on to TPCODL.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 12 of 98

6.0 TERMS OF PAYMENT

6.1 Pre-Requisites for Payment

- Associate should have completed execution of that part of contract, for which payment is sought, to the satisfaction of TPCODL's Engineer-in-Charge responsible for the contract and obtained certification for execution of the work.
- Associate has taken C-3 Form
- Associate has undertaken joint measurement of the work executed along with TPCODL's Engineer-in-charge.
- Associate's bills/invoices submitted have been certified by Engineer-In-Charge.

6.2 Bills & Invoices

Unless specified otherwise in the special conditions of contract, Associate shall raise not more than one invoice/contract per month for the services rendered in the prescribed Tax Format and the invoice shall be submitted within 15 days of the following month at Invoice Desk, TPCODL Bhubaneswar.

All Bills shall be supported by joint measurement of work done, quality test report and a copy of wage sheet, if applicable (showing proof of having disbursed wages as per applicable law) and a copy of statement substantiating that statutory payments having been affected.

Bills/ invoices shall mention Associate's 'Sales, Service, WCT Tax Registration Number, PAN number as applicable.

Final bill submission after completion of project or execution of job must be within 30 days from the actual date of completion/execution of work awarded.

6.3 Payment & Statutory Deductions

Payment shall be released within 30 days from the submission of the bills. The associate shall submit "No Demand Certificate" in the format as per Annexure-D at the time of receipt of full and final payment. In case any non-compliance to contract conditions comes to TPCODL's notice, TPCODL will be entitled to deduct 30% of estimated wages plus 20% of wages as TPCODL's overheads. Associates would be obliged to provide the copy of monthly wage sheet in any case, failing which no payment shall be made. TPCODL at their sole discretion may deposit the PF etc. with statutory authorities. TPCODL will deduct the amounts of TDS as per statutory requirement under the income tax act and the DVAT Act and certificates (wherever applicable) will be issued to associate accordingly

In case of non-submission of PAN No TDS @ 20% shall be deducted from all payable amounts for which no TDS certificate shall be issued. TDS once deducted as above shall not be revised in any condition.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 13 of 98

6.3.1 Statutory Deductions

TPCODL will deduct the amounts of TDS, TCS as per statutory requirement under the income tax act, the Goods and Services tax act, BOCW Act, or any other applicable tax act and certificates (wherever applicable) will be issued to associate accordingly.

For consumption of TPCODL's Water and Electricity by Associate for execution of Contract, Associate shall pay 0.5% & 1.0% respectively of contract value and it shall be deducted from the running bills.

The Engineer-in-Charge as stated in the Order shall be responsible for certification of the work executed and the bills. Bills (including original) shall be submitted in triplicate at Bill Inward Receipt Desk (BIRD) located at Third Floor, IDCO Towers, Janpath, Bhubaneswar..

6.4 Guidelines for Raising Running/ Final Bills

Contract Value Up to 5 Lakhs	One Final Bill
Contract Value More than 5 lakhs	Monthly Running Bill & One Final Bill

All Bills shall be processed only when all bank Guarantees are in place and before payments of Final Bill Associate have to furnish No Demand Certificate, as applicable.

6.5 Quantity Variation

Payment will be made on the basis of actual quantity of supplies/actual measurement of works accepted by TPCODL and not on the basis of contract quantity.

6.6 Full and Final Payment

Full & Final Payment in all contracts shall be made subject to the associate submitting "No Demand Certificate", in the format as per Annexure-C.

7.0 MODE OF PAYMENT

Payment shall be made through Cheque or RTGS whichever of the two modes chosen by the Associate, in favour of Associate's Bank Account on TPCODL records, on whose name Contract has been issued. Those Associates opting for the RTGS mode shall submit the details of Bank Account and other details as per annexure J. Further, for any payments made, TPCODL is not responsible for any consequences/disputes Associate have among the owners channel partners, sub-Associates and all such dispute/concerns shall be settled solely by the Associate.

In case of service contracts, mostly the quantities of items indicated are estimated and preliminary. However, payments shall be made on the basis of actual quantity of work carried out and measured jointly by the Company and the Associate. Associates shall be responsible to organize joint measurements of works with TPCODL Engineer-in-Charge before raising any bill of work done. In the event Associate fails to do so, TPCODL at their sole discretion, may take measurements of work done and proceed as deemed fit and in such an event Associate's right to lodge any subsequent claim shall stand forfeited.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 14 of 98

8.0 SECURITY CUM PERFORMANCE DEPOSIT

Associates shall submit within 15 days from the effective date of issue of PO/RC, Security cum Performance Bank Guarantee (SPBG) in the format as per Annexure B of this document from banks acceptable to TPCODL for:

(a) 5% of the PO value if purchase order value is more than Rs 5 Crores.

(b) 10% of the PO value if purchase order value is less than Rs 5 Crores.

This shall remain valid till the end of the Guarantee Period of contract, plus one month.

(c) 5% of the RC value in case of Rate Contract. This shall remain valid till the Guarantee period plus one month.

- For PO/RC values less than Rs. 5 lacs, Associate may request for deduction of amount equivalent to SPBG value from their first invoice. Such amount shall be withheld by TPCODL while processing the invoice and shall be released after completion of Guarantee Period plus one month.
- For PO/RC values less than Rs. 3 lacs, the clause (8.0) for Security cum Performance Bank Guarantee (SPBG) shall not be applicable.
- In case of RC (Rate Contract) after the expiry of RC validity, Associate shall have to submit SPBG. However, the Associate has the option to re-submit the SPBG as per actual RO (Release Order) value issued against the RC, valid for Guarantee Period plus one month. The Guarantee Period shall be considered as per the last RO issued against the said RC. The original SPBG as submitted against the RC shall be released on submission of the new SPBG to TPCODL. Alternatively, Associate may extend the validity of original SPBG only till the requisite period, i.e. guarantee period plus one month.

9.0 STATUTORY COMPLIANCE

9.1 Compliance to Various Acts

Associate should ensure adherence to the Anti-Lobbying, Debarment, Drug-Free, Child Labour, Factories Act and Shop and Establishment Workplace Certification, Registration details under GST, Sales Tax and Works Contract Tax Act.

Associate shall bear the entire responsibility, liability and risk relating to coverage of its workforce under different statutory regulations including Workman's Compensation Act, ESI Act, Factories Act, 1948, the Contract Labour (Regulation and abolition) Act 1970, and any other relevant regulations as the case may be. Associate shall also be solely responsible for the payment of all benefits such as Provident Fund, ESI, Bonus, Leave compensation and other benefits as may be applicable under applicable labour laws, etc. as per the various statutory regulations and shall keep TPCODL indemnified in this regard against any such claim and provide documentary evidences of the same to TPCODL. TPCODL shall be entitled to, if necessary, make such payment and recover the amount from Associate.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 15 of 98

Associate should ensure adherence to all applicable laws, rules and regulation applicable under this contract from time to time. In case of violation any risk, costs etc. shall be in associates account and keep TPCODL indemnified always till completion of contracts.

9.2 SA 8000

TPCODL expects its Associates to follow guidelines of SA 8000:2014 on the following aspects

- 1. Child Labour
- 2. Forced or Compulsory Labour
- 3. Health & Safety
- 4. Freedom of Association & Right to Collective Bargaining
- 5. Discrimination
- 6. Disciplinary Practices
- 7. Working Hours
- 8. Remuneration
- 9. Management System

9.3 Affirmative Action

TPCODL appreciate and welcome the engagement/employment of persons from SC/ST community or any other deprived section of society by their business associates.

Relaxation in Contract Clauses under Affirmative Action for SC/ ST Business Associates**

TPCODL believes that inclusive growth is the key to sustainable development, and to promote the same Policy on Affirmative Action for Scheduled Caste & Scheduled Tribe Communities has been adopted across the company.

Under the same pre-text, and to promote entrepreneurship among SC/ST community TPCODL has taken initiative by proposing relaxations in contract clauses as per below:

S.No.	Initiative	for SC/ ST BA's	Guideline Document
1	Tender Fees	100% waiver for SC/ST community	All Open Tenders
2	Earnest Money Deposit	50 % relaxation of estimated EMD value	All limited and Open Tenders
3	Performance Bank Guarantee	50% relaxation in PBG for order value above 50 lacs else 25% relaxation	All limited and Open tenders
4	Turnover	25% relaxation in company turnover under qualifying requirement criteria	All Open Tenders

**Classification of BA s under SC/ST shall be governed under following guidelines:

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 16 of 98

- Proprietorship/ Single Ownership Firm: Proprietor of the firm should be from SC/ST community. Governing document shall be duly audited latest balance sheet bearing name of all the partners.
- Partnership Firm: Only such firms shall qualify which have SC/ST partners holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Partnership Deed and duly audited latest balance sheet bearing name of all the partners.
- Private limited company: Only such firms shall qualify which have SC/ST directors holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Memorandum of Understanding (MoU) and/or Article of Association (AoA).

Certification from SC/ST commission shall be required for deciding upon SC/ST status of a person.

9.4 Compliance to Labour Laws

Bidder needs to ensure compliance to applicable labour laws including timely disbursement of wages. In case wages are not disbursed as per the stipulated timelines, then TPCODL shall pay the wages to BA employees on behalf of BA. Apart from deducting the amount of wages paid, TPCODL shall deduct an additional service charge equivalent to 25% of the wages paid from the payment due to BA.

9.5 Compliance to Construction and Demolition Waste Management Rules & Environment (Protection) Amendment Rules

BA is liable to follow the Construction and Demolition Waste Management Rules- 2016, Environment (Protection) Amendment Rules- 2018 and Guidelines on dust mitigation measures in handling construction material and C&D wastes issued by CPCB.

Following are some main points of above Rules/Guidelines for Construction work, cable laying jobs etc.

- 1. Barricading to be provided at site to cover complete area.
- 2. Construction material and waste should be inside the closed area made by using barricading.
- 3. Water sprinkling/fine spray from nozzles to be done to suppress the dust.
- 4. The board of Dust mitigation measures shall be displayed at site for public viewing with required details.
- 5. Loose sand or soil and construction material that causes dust shall be covered.
- 6. Transport material that are easily wind borne need to be covered by a sheet made of either jute, tarpaulin, plastic or any other effective material.
- 7. All areas for storing C&D waste/construction material to be demarcated and preferably barricaded particularly those materials that have potential to be dust borne.
- 8. Grinding and cutting of building materials in open area shall be prohibited.
- 9. Construction material and waste should be stored only within earmarked area and road side storage of construction material and waste shall be prohibited.
- 10. No uncovered vehicles carrying construction material and waste shall be permitted.
- 11. Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures to be notified at the site.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 17 of 98

10.0 QUALITY

10.1 Knowledge of Requirements

The Associate shall be deemed to have carefully examined and to have knowledge of the equipment, the general and other conditions, specifications, schedules, drawings, etc. forming part of the Contract and also to have satisfied himself as to the nature and character of the work to be executed and the type of the equipment and duties required including wherever necessary of the site conditions and relevant matters and details. Any information thus procured or otherwise obtained from TPCODL/Consultants shall not in any way relieve the Associate from his responsibility and executing the works in accordance with the terms of contract.

10.2 Adherence to Rules & Regulations

The Associate shall procure and/or fabricate/erect all materials and equipment in accordance with all requirements of Central and State enactment, rules and regulations governing such work in India and at site. This shall not be construed as relieving the Associate from complying with any requirement of TPCODL as enumerated in the Contract which may be more rigid than and not contrary to the above mentioned rules, nor providing such construction as may be required by the above mentioned rules and regulations. In case of variance of the Technical Specification from the laws, ordinance, rules and regulations governing the work, the Associate shall immediately notify the same to the TPCODL. It is the sole responsibility of the Associate, however, to determine that such variance exists. Wherever required by rules and regulations, the Associate shall also obtain the statutory authorities' approval for the plant, machinery and equipment to be supplied by the Associate.

10.3 Specifications and Standards

The Associate shall follow all codes and standards referred in the Contract Document. Codes and standards of other may be followed by the Associate with the prior written approval of TPCODL, provided materials, supplies and equipment according to the standard are equal to or better than the corresponding standards specified in the Contract.

Brand names mentioned in the Contract documents are for the purpose of establishing the type and quality of products to be used. The Associate shall not change the brand name and qualities of the bought out items without the prior written approval of the TPCODL. All such products and equipment shall be used or installed in strict accordance with original manufacturer's recommendations, unless otherwise directed by the TPCODL. In any circumstances the codes, specimen and standards prescribed by any government agency should not be violated.

11.0 SAFETY

All Associates shall strictly abide by the guidelines provided in TPCODL's Contractor Safety Management System (CSMS) as applicable at all stages during the contract period. Associate shall execute the contracts ensuring the following in and as order of priority:

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 18 of 98

- Safety of Human Beings.
- Safety of Equipment/Assets.
- Timely Completion of Contract.

Safety related requirements as mentioned in our Contractor Safety Management System is attached as annexure K and is an integral part of this GCC. TPCODL may revise this CSMS document as a when required and the revised version shall be applicable on all contracts – current or future.

12.0 GUARANTEE

12.1 Guarantee of Performance

Associates shall stand guarantee that the equipment and material supplied/service or work rendered under the contract is free from design, manufacturing, material, construction, erection & installation and workmanship & quality defects and is capable of its due, rated and intended quality performance, as an integrated product delivered under the contract or a specific period termed as Guarantee Period(as elaborated elsewhere in this clause) The Associate should also guarantee that the equipment/material is new and unused except for the usage required for the tests and checks required as part of quality assurance.

12.2 Guarantee Period

The Guarantee Period will be equipment/service/work specific and shall be as specified in the Standard Specifications of TPCODL for the equipment/material/service/work and where standard specifications are not part of contract documents or guarantee period is not specified in the standard specifications,, the guarantee period shall be as per the Special Terms and Conditions of the Contract. In case of no mention of the guarantee period in standard specifications or SCC Guarantee Period will be 12 Months from the Date of Commissioning or 24 months from the date of delivery of final lot of supplies made, whichever is earlier.

12.3 Failure in Guarantee Period (GP)

If the equipment and material supplied/service or work rendered under the contract fails to perform its due, rated & intended quality performance, during the Guarantee period, the associate is liable to undertake repair/rectify/replace the equipment and material supplied/service or work rendered under the contract within time frame specified in the SCC or elsewhere in the contract documents at associate's cost to make the equipment and material supplied/service or work rendered under the contract of performing its due, rated and intended quality performance. If Associate fails to repair/rectify/replace the equipment or material supplied/service or work rendered under the contract, failed in Guarantee Period, TPCODL will be at liberty to get the same done at Associate's risks and costs and recover all such expenses plus the TPCODL's own charges (@ 20% of expenses incurred), from the Associate or from the "Security cum Performance Deposit" as the case may be.

If during the Warranty/ Guarantee period some parts of the supplies are replaced owing to the defects/ damages under the Warranty, the Warranty period for such replaced parts shall be until the expiry of twelve months from the date of such replacement or renewal or until the end of original Guarantee period, whichever is later.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 19 of 98

Any repairs during the Guarantee Period shall be carried out by the Associate within 30 days of reporting the issue to Associate by TPCODL. However, if replacement of the Equipment is required, Associate shall notify the same to TPCODL within 7 days of reporting the issue by TPCODL. Thereafter, the total time for supply of new equipment/ material shall be equal to the original delivery period of that equipment/ material as specified in the Contract. In case the Associate is not able to rectify/ replace the faulty equipment/ material within the stipulated timelines as mentioned above, penalty shall be levied as per the Liquidated Damages clause mentioned in this document. The penalty amount shall be recovered from the payment due to the vendor or by encashment of the SPBG as the case may be.

12.4 Cost of repairs on failure in GP

The cost of repairs/rectification /replacement, apart from the actual cost of repairs/rectification/replacement is also inclusive of all associate costs of required transportation, site inspection /mobilization/dismantling and re-installation costs as applicable. The Associate has to ensure that the interruption in the usage of intended purpose of the equipment is minimized to the maximum extent In lieu of the time taken for repairs/rectification/replacement.

12.5 Guarantee period for Goods Outsourced

If the Associate outsources partly equipment/materials/services from third party as mutually agreed upon at the pre award stage of contract, TPCODL shall have the benefit of any additional guarantee period if provided by the third party for the part supplied/executed by them.

12.6 Latent Defect

Hidden defects in manufacturing or design of the product supplied and which could not be identified by the tests conducted but later manifested during operation of the equipment are termed as latent defects. Associates shall further be responsible for 'free replacement' for another period of THREE years from the end of the guarantee period for any 'Latent Defects' if noticed and reported by the Company.

13.0 LIQUIDATED DAMAGES

a) For Services which are of standalone use, multiple in quantities and having a single final completion schedule, Liquidated damages shall be levied without prejudice to any of the other contractual rights of TPCODL, as described below:

For delay of each week and part thereof from the completion schedule specified in the contract, 1% of contract value corresponding to unexecuted work, provided full execution is done within 130% of the original contract time. If full contractual service/work rendered is not completed within 130% of contract time for execution, TPCODL has the right to levy LD on the entire contract value, subject to a maximum of 10% of the total contract value.

b) For services having phased completion schedule(milestone) as per contract terms, standalone use and multiple in quantities, Liquidated damages shall be levied without prejudice to any of the other contractual rights of TPCODL, as described below:

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 20 of 98

For the purpose of calculating and applying LD, each milestone shall be considered separately. For delay of each week and part thereof, from the execution of work schedule specified in the milestone, 1% of the contract value corresponding to the unexecuted work of the milestone, subject to a maximum of 10% of the total contract value of that milestone shall be levied. However, if full contractual service/work rendered is not completed within 130% of contract time for execution, TPCODL has the right to levy LD on the entire contract value, subject to a maximum of 10% of the total contract value. Deduction of LD shall be on landed cost i.e contract value inclusive of taxes and in pursuant statutory compliance GST would be applicable at the stipulated rate and the same shall be borne by Business Associate. In case of LD deduction, a GST invoice shall be issued by TPCODL as a proof of deduction/ recovery.

13.1 LD Waiver Request

Any request of LD waiver shall be submitted within thirty (30) days of deducting LD. Request submitted beyond the timeline shall not be entertained.

13.2 Material Recovery

In case of any recoveries for materials or services (for material free issued by TPCODL and not reconciled by BA or for services claimed and paid in excess at the time of running bills), the total cost which shall be recovered from the BA, shall be the gross amount of material or services (i.e. including taxes) plus applicable taxes as prevailing at the time of such recoveries.

14.0 ASSIGNMENT OR SUBCONTRACTING

Associates shall not assign/subcontract/outsource the schedule of activities of contract TPCODL enters with the associate, in part or full, without TPCODL's prior written approval. However outsourcing of materials/equipment/services by Associate to make the integrated product for which TPCODL's has placed the contract with the associate from suppliers, makes and agencies which have been mutually agreed upon during contract pre-award stage is permitted subject to following conditions.

In such cases where outsourcing is done by the Associate

- Shall ensure that outsourced suppliers comply with the technical and financial qualification requirements specified by TPCODL in the contract document
- Shall furnish all particulars about the proposed outsourcing agencies and the details of the goods/services/work outsourced to the Associate while seeking approval of TPCODL for inclusion for outsourcing. The Associate shall give approval or shall refuse approval in writing within thirty (30) days of receipt of such request. However the Associate shall not be entitled for any additional contract execution time whatsoever in lieu of the process for approval for outsourcing agencies, and shall be held responsible for any delay in the project execution time.
- Shall remain jointly and severally liable for any action, deficiency, and/or negligence on the part of his outsourcing agencies. The approval extended by the Associate to outsourcing agencies recommended by the Associate shall not discharge the later from his Contract obligations.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 21 of 98

Shall submit to the Associate unpriced copies of purchase orders with technical specifications included in the orders, placed on outsourcing agencies as soon as the respective orders have been placed by the Associate.

15.0 UNLAWFUL ACTIVITIES

The Associate shall have to ensure that none of its employees are engaged in any unlawful activities (whether covered under the scope of the present GCC or not) subversive of the TPCODL's interest failing which appropriate action (legal or otherwise) may be taken against the Associate by the TPCODL, in accordance with the terms of the present GCC.

16.0 CONFIDENTIALITY

Associate and its employees or representatives thereof shall strictly maintain the confidentiality of various information they come across while executing the contract as detailed below.

16.1 Documents

All maps, plans, drawings, specifications, schemes and other documents or information related to the Contract/Project and the subject matter contained therein and all other information given to the Associate by the TPCODL in connection with the performance of the contract shall be held confidential by the Associate and shall remain the property of the TPCODL and shall not be used or disclosed to third parties by the Associate for any purpose other than for which they have been supplied or prepared. The Associate may disclose to third parties, upon execution of confidentiality agreements, such part of the drawings, specifications or information if such disclosure is necessary for the performance of the Work provided such third parties agree in writing to keep such information confidential to the same extent and degree as provided herein, for the benefit of the TPCODL.

16.2 Geographical Data

Maps, layouts and photographs of the unit/plant including its surrounding regions showing vital installation for national security of country or those of TPCODL shall not be published or disclosed to the third parties or taken out of the country without prior written approval of the TPCODL and upon execution of confidentiality agreements satisfactory to the TPCODL with such third parties prior to disclosure.

16.3 Associate's Processes

Title to secret processes if any developed by the Associate on an exclusive basis and employed in the design of the equipment shall remain with the Associate. TPCODL shall hold in confidence such processes and shall not disclose such processes to the third parties without prior approval of the Associate and execution by such third parties of secrecy agreements satisfactory to the Associate prior to disclosure. Upon completion of contract, such processes shall become the property of the TPCODL. Title to technical specifications, drawings, flow sheets, norms, calculations, diagrams, interpretations of test results, schematics, layouts and such other information, which the Associate has supplied to the TPCODL under the Contract shall be passed on to the TPCODL. The TPCODL shall have the right to use these for

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 22 of 98

construction, erection, start-up, Trial Run, operation, maintenance, modifications and/or expansion of the works including for the manufacture of spare parts.

16.4 Exclusions

The provision of Clauses 16.1 to 16.3 shall not apply to information:

- Which at the time of disclosure are in the public domain which later on become part of public domain through no fault of the party concerned, or
- Which were in the possession of the party concerned prior to disclosure to him by the other party, or
- Which were received by the party concerned after the time of disclosure without restriction on disclosure or use, from a third party who did not acquire such information directly or indirectly from the other party or has no obligation of confidentiality for such information.

16.5 Violation

In case of violation of this clause, the Associate is liable to pay compensation and damages as may be determined by the competent authority of TPCODL.

17.0 INTELLECTUAL PROPERTY RIGHTS

If, in the course of performance of its functions and duties as envisaged by the scope of the present GCC, the Associate acquires or develops, any unique knowledge or information which would be covered, or, is likely to be covered within the definition of a trademark, copyright, patent, business secret, geographical indication or any other form of intellectual property right, it shall be obliged, under the terms of this present GCC, to share such knowledge or information with the TPCODL. All rights, with respect to, or arising from such intellectual property, as afore mentioned, shall solely vest in TPCODL.

Moreover, the Associate undertakes not to breach any intellectual property right vesting in a third party/parties, whether by breach of statutory provision, passing off, or otherwise. In the event of any such breach, the Associate shall be wholly liable to compensate, indemnify or make good any loss suffered by such third party/parties, or any compensation/damages arising from any legal proceeding/s, or otherwise. No liability of TPCODL shall arise in this respect, and any costs, damages, expenses, compensation payable by TPCODL in this regard to a third party/parties, arising from a legal proceeding/s or otherwise, shall be recoverable from the Associate.

18.0 INDEMNITY

The Associate shall at all times indemnify, keep indemnified and hold harmless the TPCODL and its officers, directors, employees, affiliates, agents, successors and assigns against all actions, claims, demands, costs, charges and expenses arising from or incurred by reason of any infringement of patent, trade mark, registered design, copy rights and/or industrial property rights by manufacture, sale or use of the equipment supplied by the Associate whether or not the TPCODL is held liable for by any court judgement. In this connection, the TPCODL shall pass on all claims made against him to the Associate for settlement.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 23 of 98

The Associate assumes responsibility for and shall indemnify and save harmless the TPCODL from all liability, claims, costs, expenses, taxes and assessments including penalties, punitive damages, attorney's fees and court costs which are or may be required to be paid by the TPCODL and its officers, directors, employees, affiliates, agents, successors and assigns arising from any breach of the Associate's obligations under the Contract or for which the Associate has assumed responsibilities under the Contract including those imposed under any local or national law or laws, or in respect to all salaries, wages or other compensation for all persons employed by the Associate or his Sub-Associates or suppliers in connection with the performance of any work covered by the Contract. The Associate shall execute, deliver and shall cause his Sub-Associate and suppliers to execute and deliver, such other further instruments and to comply with all the requirements of such laws and regulation as may be necessary there under to conform and effectuate the Contract and to protect the TPCODL.

The TPCODL shall not be held responsible for any accident or damages incurred or claims arising, due to the Associate's error there from prior to completion of work. The Associate shall be liable for such accidents and after completion of work for such accidents as the case may be due to negligence on his part to carry out Work in accordance with Indian laws and regulations and the specifications set forth herein.

19.0 LIABILITY & LIMITATIONS

19.1 Liability

Except for any specific liability which may be identified in the Contract and which may be payable hereunder, Associate shall not be liable for any special, incidental, indirect, or consequential Damages or any loss of business Contracts, revenues or other financial loss (or equivalents thereof no matter how claimed, computed or characterized) arising out of or in connection with the Performance of the Work or supply of Goods **unless caused by Associate's negligence, willful misconduct or breach of contract.**

If the Associate is a joint venture or consortium, all concerned parties shall be jointly and severally bound to the TPCODL for the fulfillment of the provisions of the Contract. The consortium or the joint venture shall designate one party as their leader, who will be the coordinator between the parties and TPCODL. The constituents & leader of the consortium or joint venture shall not be changed without the prior consent of TPCODL.

TPCODL shall have no liability or any special, incidental, indirect or consequential Damages for any loss of Business Contracts, revenues or other financial loss arising out of this Contract.

19.2 Limitation of Liability

The total liability of Associate against any contract shall be limited to the Total All Inclusive Contract Value.

20.0 FORCE MAJEURE

Force Majeure applies if the performance by either Party ("the Affected Party") of its obligations under Contract is materially and adversely affected.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 24 of 98

"Force Majeure" shall mean any event or circumstance or combination of events or circumstances referred below and their consequences that wholly or partly prevents or unavoidably delays any Party in the performance of its obligations under this Agreement, but only and to the extent that such events and circumstances are not within the reasonable control, directly or indirectly, of the Affected Party and could not have been avoided even if the Affected Party had taken reasonable care:

- Act of war (whether declared or undeclared), invasion, armed conflict or act of foreign enemy, embargo, blockade, revolution, riot, bombs, religious strife or civil commotion, etc.
- Politically motivated sabotage, or terrorism, etc.
- Action or Act of Government or Governmental agency for which remedy is beyond the control of the affected parties.
- Any act of God.

Note: Causes like power breakdown/ shortages/fire/strikes, accidents etc. do not fall under Force Majeure.

Time being the essence of the Contract, if either party is prevented from the performance of its obligations in whole or in part due to an event of Force Majeure, then provided Notice of happening of any event by the Affected Party is given to the other party within seven (7) days from the date of occurrence of such event, which DIRECTLY has impact on works and submitted details and quantum of resulting effect, but at the same time had made all possible efforts to mitigate and overcome effects thereof, the Affected Party's performance under this Contract shall be suspended until such event ceases and the Scheduled Completion shall be delayed accordingly.

If Force Majeure event(s) continue for a period of more than three months, the parties shall hold consultation to discuss the further course of action.

Neither party shall be considered to be in default or in breach of its obligation under the Contract to the extent that performance of such obligation by either party is prevented by any circumstances of Force Majeure which arise after effective date of Contract.

Neither party can claim any compensation from the other party on account of Force Majeure.

21.0 SUSPENSION OF CONTRACT

21.1 Suspension for Convenience

TPCODL may, at any time and at its sole option, suspend execution of all or any portions of the schedule of items of contract to be supplied/work to executed by Associate under the contract by providing to the Associate at least two business days written notice for contracts having contract completion period less than sixty days and at least seven business day notice for all other contracts.

Upon receipt of any such notice, the Associate shall respond as follows as applicable as per contract construction.

 Immediately discontinue further supply of material/goods specified in the suspension notice for supply contracts

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 25 of 98

- Immediately discontinue further service/work and supply of materials of those services/materials/work specified in the suspension notice for service /composite contract
- Promptly make every reasonable effort to obtain suspension, upon terms satisfactory to TPCODL, of all orders, outsourcing arrangements, and rental Contracts to the extent that they relate to performance of the portion of Work suspended by the notice.
- Protect and maintain the portion of the service/Work already completed, including the portion of the Work suspended hereunder, unless otherwise specifically stated in the notice.
- Continue delivering/carrying out the supply/service/work items as per contract conditions, which do not fall under purview of the suspension notice.

On receipt of resumption notice from TPCODL, the Associate shall resume execution of contract as specified in the resumption notice, within the time frame specified in the resumption notice.

21.2 Suspension for Breach of Contract conditions

TPCODL shall suspend execution of whole/or part thereof the contract till such time Associate complies with the conditions stipulated under section clause 22 for breach/default of contract conditions.

21.3 Compensation in lieu of Suspension

If the suspension of the contract in whole or in part is for convenience of TPCODL and not due to any breach of contract conditions by the associate, TPCODL at its discretion shall consider compensating all reasonable additional costs incurred by Associate in lieu of suspension of whole or part of contract, on representation of the Associate providing justified estimates of such additional costs and such estimates are found acceptable and approved by competent authority of TPCODL.

If the suspension of contract in whole or part thereof is due to breach of contract conditions (refer clause 24.3) by the Associate, Associate shall not be entitled for any compensation for any cost incurred in lieu of suspension of whole or part of contract and also shall be liable for compensating all the losses arising to TPCODL in lieu of suspension of contract. Resumption notice shall be subject to the Associate taking corrective action for the breach of contract conditions within the time frame and as per the terms specified in the suspension notice.

22.0 TERMINATION OF CONTRACTS

22.1 Termination for Default/Breach of Contract

The contract / PO shall be subject to termination by TPCODL in case of breach of the contract by the Associate which shall include but not be limited to the following:

- a. Withdrawal or intimation by the Associate of its intent to withdraw or surrender the execution / completion of the contracted work /PO or failure in ensuring adherence to any delivery schedules, in deviation of the contract/PO
- b. Refusal or neglect on the part of the Associate to supply material/equipment of quantity or quality as specified by TPCODL and within the timeframe as specified in the contract

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 26 of 98

document or refusal or neglect to execute the services/work in terms of the agreed standards of quantity or quality and/or within the timeframe specified in the contract/PO.

- c. Failure in any respect to perform any portion of the Work contracted with promptness, diligence, or in accordance with the terms of the contract.
- d. Failure to furnish guarantees as specified and /or failure to comply with the terms thereof.
- e. Failure to furnish such relevant documents or information within the time specified which may be necessary for due execution / completion of the works and documentation.
- f. Liquidation, bankruptcy either voluntary or involuntary OR entering into any composition or compromise with its creditors, or Insolvency.
- g. In case any reasonable information has been received by TPCODL that Associate has adopted/ or attempted to adopt any unethical conduct, action in award of the contract /PO or at any time thereafter.
- h. Failure to comply with applicable statutory provisions as contained in the contract or failure to comply with the applicable laws.
- i. Failure to comply with safety regulations/clauses stipulated in the contract or as may be generally instructed by TPCODL.

If the default or breach as specified under clause 22 (except sub clause g thereof) be committed by the Associate for the first time, TPCODL shall issue, along the with notice of default or breach, a warning notice instructing the associate to take remedial/corrective action within the time frame stipulated in the warning notice and not to repeat the same in future. The timeframe for corrective action by the associate shall be specific to the nature of breach of contract and the same shall not be objected to by the Associate. If the Associate fails to comply with the instructions in the warning notice or in taking corrective action to the satisfaction of TPCODL then TPCODL may terminate the entire or part of contract at its discretion by issuing termination notice without incurring any liability on this ground.

In case the contract is terminated for any breach of the nature specified in clause 24 g stated above, TPCODL shall have the right to terminate all the contracts TPCODL is having with the Associate by issuing termination notice which shall be without prejudice to the other rights of TPCODL available to it under law.

Without prejudice to its right to terminate for breach of contract, TPCODL may, without assigning any reason, terminate the Contract in whole or in part at any time at its discretion while the contract is in force by serving a written notice of two weeks to the Associate.

In the event of TPCODL having proceeded with termination of the contract the associate shall comply and proceed further in the following manner:

- a. Associate shall discontinue the supply, on the expiry of the said period of two weeks.
- b. Associate shall ensure that no further steps are being taken towards discharge of the obligations, terms and conditions as contained in the contract/PO. This shall include initiation of actions not limited to discontinuation of other allied and associated

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 27 of 98

arrangements which the associate might have entered into with third parties for due discharge of its obligations under the contract with TPCODL.

- c. The Associate shall perform thereafter such tasks as may be necessary to preserve and protect the terminated portion of the material/service/work in progress and the materials and equipment at TPCODL sites or in transit thereto. However the associate shall continue to fulfill its contractual obligations with regard to the part of contract not terminated.
- d. It shall be open for TPCODL to conduct a joint assessment with the associate of the material ,supplies, equipment ,works or in general as to the subject matter of the contract in regard to which the associate claims having completed its obligations before or during such termination.
- e. It shall be open to TPCODL to seek invocation of the performance bank guarantee or any other guarantee or other security deposit by whatever name called submitted by the associate, which shall not be objected to or protested against by the associate.

In case of termination of the contract the parties agree to be governed inter alia by the following:

- a. In case TPCODL exercises its right of termination as stated above the associate shall not dispute or object to the same.
- b. The Associate shall be entitled to receive and claim only such payments OR sums of money from TPCODL as may be found payable to it in regard to works executed by it under the terms of the contract and no other claim of any nature whatsoever shall be made by the Associate.
- c. All such provisions which the parties have agreed to survive and prevail even after termination of the contract shall remain effective despite the termination.

In the event of such termination, TPCODL may finish the Work by whatever method it may deem expedient, including the hiring of services and /or purchase of material equipment from such third parties as TPCODL may deem fit or may itself provide any labor or materials and perform any part of the Work. The associate undertakes to bear the incremental costs if any paid by TPCODL in such a case attributable to failure on the part of the associate. The Associate in such a case shall not be entitled to receive any further payments and any sums found payable to it may be adjusted by TPCODL against the amount recoverable from him on this ground. The same shall be without prejudice to other rights available to TPCODL under law against the associate.

Upon the termination of any of the contract due to occurrence of any circumstances provided in clauses stated above and constituting repeated breach or misconduct, TPCODL shall be entitled to bar the associates its agents, affiliates from undertaking any negotiation / tendering, bidding, participation activities concerning TPCODL for a period of two years from date of such termination. The same shall be without prejudice to other rights available to TPCODL.

22.2 Termination for convenience of Associate

Associate at its convenience may request for termination of contract, clearly assigning the reason for such request. TPCODL has full right to accept, reject or partially accept such request.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 28 of 98

This convenience will be available to associate only after one year from the contract effective date. For this purpose, associate will provide a notice period of 90 days to TPCODL, Associate will have to pay TPCODL a 'termination convenience fee' equivalent to 5% of unexecuted contract value.

22.3 Termination for Convenience of TPCODL

TPCODL at its sole discretion may terminate the contract by giving 30 days prior notice in writing or through email to the Associate. TPCODL shall pay the Associate for all the supplies/ services rendered till the actual date of contract termination against submission of invoice by the Associate to that effect.

23.0 DISPUTE RESOLUTION & ARBITRATION

In case of any dispute or difference the parties shall endeavour to resolve the same through conciliatory and amicable measures within 15 Days failing which the matter may be referred by either party for resolution by the sole arbitrator to be appointed mutually by both the parties. The arbitral proceedings shall be conducted in accordance with Arbitration and Conciliation Act 1996 and the place of arbitration shall be Bhubaneswar. The language to be used at proceedings shall be English and the award of the arbitrator shall be final and binding on the parties. The parties shall bear their respective costs of arbitration. The associate shall continue to discharge its obligations towards due performance of the works as per the terms of the contract during the arbitrator. Further, TPCODL shall continue making such payments as may be found due and payable to the associate for such works.

24.0 Governing laws and jurisdiction

The parties shall be subject to the jurisdiction of the courts of law in Bhubaneswar and any matter arising here from shall be subject to applicable law in force in India.

25.0 ATTRIBUTES OF GCC

25.1 Cancellation

The Company reserves the right to cancel, add, delete at its sole discretion, all or any terms of this GCC or any contract, order or terms agreed between the parties in pursuance without assigning any reasons and without any compensation to the Associates.

25.2 Severability

If any portion of this GCC is held to be void, invalid, or otherwise unenforceable, in whole or part, the remaining portions of this GCC shall remain in effect.

25.3 Order of Priority

In case of any discrepancies between the stipulations in General Conditions of the Contract (GCC) and Special Conditions of Contract (SCC), the GCC shall stand superseded by the SCC to the extent stipulated hereinabove while balance portion of respective clauses of GCC shall continue to be applicable.

26.0 INSURANCE

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 29 of 98

The Associate shall arrange accident insurance policy for his foreign experts/specialists/personnel deputed to Site and Associate's/his sub-Associates' manufacturing works as well as for his Indian engineers and supervisory staff. The Associate shall also take out for his Indian workmen, where applicable, a separate policy as required under Workmen's Compensation Act.

Associates shall be responsible to suitably insure their entire work-force (to the extent of at least meeting requirements under Workmen Compensation Act) Tools, Plant, Third party liability at the project site, All Risk comprehensive insurance for the entire works (insurance for free issue items will be in TPCODL scope) for total contract value or any other such risks during execution of works, till the works are handed over to the company, in consultation with TPCODL and shall submit copies of such insurances to the Engineer-in-Charge for review / acceptance before commencing the work. Engineer-in-charge must ensure compliance to insurance requirement by Associate before commencement of works. TPCODL shall stand fully indemnified in this respect.

27.0 ERRORS AND OMISSIONS

The Associate shall be responsible for all discrepancies, errors and omissions in the drawings, documents or other information submitted by him, irrespective of whether these have been approved, reviewed or otherwise accepted by the TPCODL or not. However any error in design/drawing arising out of any incorrect data/written information from TPCODL will not be considered as error and omissions on part of the Associate.

28.0 TRANSFER OF TITLES

The title of ownership and property to all equipment, installations, erections, constructions materials, drawings & documents shall pass to the TPCODL is after commissioning and complete handing over-taking over.

However, such passing of title of ownership and property to the TPCODL shall not in any way absolve, dilute or diminish the responsibility and obligations of the Associate under this Contract including loss or damages and all risks, which shall vest with the Associate.

The Associate shall take all corrective measures arising out of discrepancies, errors and omissions in drawings and other information within the time schedule and without extra cost to the TPCODL.

The Associate shall also be responsible for any delay and/or extra cost if any, in carrying out engineering, and site works by other agencies arising out of discrepancies, errors and omissions stated in as well as of any late revision/s of drawings and information submitted by the Associate.

29.0 SUGGESTIONS & FEEDBACK

We welcome all our Business Associates to write to us about their experience with TPCODL; be it our Company, our services or our people. Each and every concern, issue, query and suggestion from you will help us to become a better company to work with and shall help us develop a strong bonding of trust and a long term relationship with you.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 30 of 98

You may send your feedback by filling up our Business Associate Feedback Form enclosed herewith as *Annexure-I*. You can also log on to our website <u>www.tpcentralodisha.com</u> to provide your feedback according to the guidelines mentioned below:

30.0 CONTACT POINTS

In case Business Associate needs information with respect to payments or has any grievances, same may be lodged by log on to our website www.tpcentralodisha.com.

31.0 LIST OF ANNEXURES

S. No.	Subject	Annexure
1.	Performa for Bid Security Bank Guarantee	A
3.	Performa for Performance Bank Guarantee (CP cum EP)	В
4.	Performa for No Demand Certificate by Associate	С
5.	Performa for Indemnification on Statutory Compliance	D
6.	Performa For Application For Issuance of Consolidated TDS Certificate	E
7.	HR Service Level Agreement	F
8.	Under taking for competence of workmen	G
9.	Business Associate Feedback Form	Н
10.	Acceptance Form For Participation In Reverse Auction Event	I
11.	Form for RTGS Payment	J
12.	Contractor Safety Management System	К
13.	Vendor Appraisal Form	L
GEMERAL		

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 31 of 98

ANNEXURE-A

PROFORMA FOR BID SECURITY BANK GUARANTEE

TP Central Odisha Distribution Limited

Bhubaneswar

KNOW ALL men by these presents we (Name of the Bank) of (Name of the Country) having our registered office at (hereinafter called "the BANK) are bound unto TP Central Odisha Distribution Limited (TPCODL) in the sum of for which payment well and truly to be made to the TPCODL the Bank binds himself, his successors and assigns by these presents.

The CONDITIONS of this obligation are:

i) If the Bidder withdraws his Bid during the period of bid validity specified in the Proforma of Bid

or

ii) If the Bidder having been notified of the acceptance of his Bid by the TPCODL during the period of bid validity fails or refuses to furnish the Contract Performance Bank Guarantee, in accordance with the Instructions to Bidders.

We undertake to pay the TPCODL upto the above amount upon receipt of its first written demand, provided that in its demand the TPCODL will note that amount claimed by it is due to it owing to the occurrence of one or both conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force upto and including the date (No of days as mentioned in tender enquiry) days after the closing date of submission of bids as stated in the Invitation to Bid or as extended by you at any time prior to this date, notice of which extension to the Bank being hereby waived, and any demand in respect thereof should reach the Bank not later than the above date.

DATE	SIGNATURE OF THE BANK
WITNESS	SEAL
(Signature, Name & Address)	

(At least 2 witnesses)

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 32 of 98

ANNEXURE- B

PROFORMA FOR PERFORMANCE BANK GUARANTEE (CP cum EP)

(On Rs.100/- Stamp Paper)

Note:

(a) Format shall be followed in toto

(b) Claim period of one month must be kept up

(c) The guarantee to be accompanied by the covering letter from the bank confirming the signature to the guarantee

TP Central Odisha Distribution Limited

Bhubaneswar

CP cum EP BG No.....

Order/Contract No.....dated.....

- 1. You have entered into a Contract No with M/s. (hereinafter referred to as "the Vendor") for the supply erection 1 civil work of cum (hereinafter referred to as" the said Equipment") for the price and on the terms and conditions contained in the said contract.
- 2. In accordance with the terms of the said contract, "the Vendor" agreed to furnish you with an irrevocable, unconditional and acceptable bank guarantee for 10% of the value of contract and to be valid till the end of Guarantee period plus one month towards "Contract cum Equipment performance". For this purpose you have agreed to accept the guarantee.
- 4. You shall have the right to file / make your claim on us under the guarantee for a **further period of one month** from the date of expiry.
- 5. This guarantee shall not be revoked without express consent and shall not be affected by your granting time or any other indulgence to "the Vendor", which shall include but not be limited to, postponement from time to time of the exercise the same in you or any right which you may have against "the Vendor" and to exercise the same in any covenant contained or implied in the said contract or any other course or remedy or security available to you, and our Bank shall not be released from its obligations under this guarantee by your exercising

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 33 of 98

any of your rights with reference to matters aforesaid or any of them or by reasons of any other act or forbearance or other acts of omission or commission on your part or any other indulgence shown by you or by any other matter or thing whatsoever which under the law would, but for this provision have the effect of relieving our bank from its obligation under this guarantee.

- 6. We also agree that you shall be entitled at your option to enforce this guarantee against our bank as a principal debtor, in the first instance, notwithstanding any other security or guarantee that you may have in relation to "the Vendor's" liabilities in respect of the premises
- 7. This guarantee shall not be affected by any change in the constitution of our Bank or "the Vendor" or for any other reason whatsoever.
- 8. Any claim / extension under the guarantee can be lodge-able at outstation banks or at Bhubaneswar branch and claim will also be payable at Bhubaneswar Branch (to be confirmed by Bhubaneswar Branch by a letter to that effect in case BG is from the branch outside Bhubaneswar)
- Notwithstanding anything herein contained, our liability under this guarantee is limited to Rs.______ (Rupees_______ only and the guarantee will remain in force upto and including ______(Date) and shall be extended from time to time for such period or period as may be desired by "the Vendor".
- 10. Unless a demand or claim under this guarantee is received by us in writing within one months from_____ (expiry date) i.e. on or before ______ (claim period end date), we shall be discharged from all liabilities under this guarantee thereafter.

Dated at	this	day of	200
<u>Witness</u>	G		
7		Bank's rub	ber stamp
1.		Banks full a	address
CAR		Designatio	n of Signatory
2.		Bank officia	al number

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	Rev. No 0 Page 34 of 98	

ANNEXURE-C

PROFORMA FOR "NO DEMAND CERTIFICATE" BY ASSOCIATE

(On Company's Letter head or with Company Seal)

(To be submitted by the Associate to TPCODL Accounts Department at the time of receipt of full and final payment)

(Certificate No. CCP/002)

Name of the Project

Order/ Contract No.

Dated

Name of the Associate

Scheme No. / Job No.

We, M/s._____ (Associate) do hereby acknowledge and confirm that we have received the full and final payment due and payable to us from TPCODL, in respect of our aforesaid Order No ______ dated_____ including amendments, if any, issued by TPCODL to our entire satisfaction and we further confirm that we have no claim whatsoever pending with TPCODL under the said contract / W.O.

Notwithstanding any protest recorded by us in any correspondence, documents, measurement books and / or final bills etc., we waive all our rights to lodge any claim or protest in future under this contract.

We are issuing this "NO DEMAND CERTIFICATE" in favour of TPCODL, with full knowledge and with our free consent without any undue influence, misrepresentation, coercion etc.

Dated

Signature

Place

Name

Designation

(Company Seal)

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 35 of 98

ANNEXURE – D

PROFORMA FOR "INDEMNIFICATION ON STATUTORY COMPLIANCES"

(To be submitted by the successful Bidder within seven days of award of work)

(Certificate No. CCP/001)

Name of the Project

Letter of Award / Contract No.

Dated

Name of the Associate

Scheme No. / Job No.

By this confirmation we,

(Associate) are formally bound to M/s. TPCODL towards any sum which may be imposed, levied or hereinafter recovered by the Provident Fund Organization under the provisions of the Employees of the Provident Fund and Miscellaneous Provisions Act 1952 in respect of employees employed by us.

We well and truly bind ourselves and our heirs executors administrators and representatives jointly severely and respectively for the above payment only to be paid to M/s. TPCODL.

AND WHEREAS we, _ (Associate) is making compliance of the Employees Provident Fund and Miscellaneous Provisions Act 1952, have entered into the above written bond for the indemnity to M/s. TPCODL against all losses from the acts or default of the said Associate in respect of compliance of the Provident Fund Act.

Similarly we hereby confirm that we have complied with all statutory and local laws and nothing is outstanding with regard to Local Sales Tax, Labour Laws, Local Municipal dues, Electricity dues etc. We have entered into the above written bond for the indemnity to M/s. TPCODL against all losses from the acts or default of the said Associate in respect of compliance of the Local Sales Tax Laws, Local Laws, Labour Laws, Local Municipal Dues, Electricity dues etc.

NOW THE CONDITION, of the above written bond is as such that if the Associate during the period of this contract commits any default or fails to make payment of Contributions in respect of his employees to the Employees Provident Fund Organization, he shall indemnify the Principal Employer M/s. TPCODL from all and every loss and damage caused to them from any act, omissions or negligence of the said Associate in respect of compliances under the Employees Provident Fund and Miscellaneous Provisions Act, 1952.

IN WITNESS to the above written bond we have here to set our hands, with our free consent.

Place (Company Seal)

Dated

Signature Name Designation

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 36 of 98

ANNEXURE-E

PROFORMA FOR APPLICATION FOR ISSUANCE OF CONSOLIDATED TDS CERTIFICATE

To be printed on the letterhead

To,

TP Central Odisha Distribution Limited,

Bhubaneswar

Sub: Application for issuance of Consolidated TDS Certificate for the FY

Dear Sir,

I / we hereby request / authorize you to issue me / us a consolidate TDS Certificate for the financial year ______ against tax deducted at source by you from my / our payments / bills during the said year from time to time under Chapter XVII – B of the Income Tax Act, 1961.

For and on behalf of

Signature

Name

Address

Contact No. (Land Line)

(Mobile)

PAN #

Assessing authority

ATTACH THE COPY OF PAN CARD

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 37 of 98

ANNEXURE - F

SERVICE LEVEL AGREEMENT

(To be adhered to by Business Associates (BAs) in TPCODL on Human Resource Issues)

1.0 The following shall be adhered to by the Business Associates during his / its association with TPCODL:

Shall Abide by TPCODL Core Values:

- a) <u>Integrity</u> We must conduct our business fairly, with honesty and transparency. Everything we do must stand the test of public scrutiny.
- **b)** <u>Understanding</u> We must be caring, show respect, compassion and humanity to our colleagues and customers and always work for the benefit of the communities we serve.
- c) <u>Excellence</u> We must constantly strive to achieve the highest possible standards in our day to day work and in the quality of services we provide.
- **d)** <u>Unity</u> We must work cohesively with our colleagues across the group and with our customers and partners to build strong relationships based on tolerance, understanding and mutual co-operation.
- e) <u>Responsibility</u> We must continue to be responsible and sensitive to the communities and environments in which we work and always ensuring that what comes from the people; goes back to the people many times over.
- f) <u>Agility-</u> We must work in a speedy and responsive manner and be proactive and innovative in our approach.
- 2.0 The Business Associate / his manager / supervisor who is responsible for managing the project site / performance contract etc. in TPCODL would also ensure adherence of these values by his employees / persons deployed by him in connection with his works undertaken in TPCODL.

3.0 TPCODL is a signatory to the United Nation Global Compact as an integral part of its Governance principles / business. The Business Associates are required to:

- a) Support and respect the protection of human rights and make sure that they are not complicit in human right abuses.
- b) Respect freedom of association and effective recognition of the right to collective bargaining.
- c) Not to resort to any form of forced and compulsory labour.
- d) Shall ensure abolition of child labour in his area of work.
- e) There is no discrimination in respect of employment and occupation in respect of his employees.
- f) Support precautionary approach to environmental challenges.
- g) Promote greater environmental responsibility by himself and his employees in his areas of work.
- h) Deploy and defuse environmental friendly technologies while carrying out the works.
- i) Work against corruptions in all its form including extortion and bribery by himself and his employees.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0 Page 38 of 98	

4.0 The Business Associates are required to adhere to all applicable Labour Laws with special reference to the following:

- a) No person below the age of 18 years and no child labour will be engaged directly or indirectly for executing the work connected with the business of TPCODL.
- b) Minimum wages along with other statutory dues like PF, ESI, etc. as applicable to the workers shall be made within the prescribed period of 7th / 10th day of the following month.
- c) Deduction / deposit / record keeping and all other requirements under Employees PF Act 1952, Employees State Insurance Act 1948 and other applicable acts (if any) shall be adhered to.
- d) Only statutorily authorized deductions (if any) shall be made in accordance with the relevant statutes.
- e) All the provisions of Contract Labour (R&A) Act 1970 shall be complied with in respect of the workers engaged for TPCODL work. The work will be commenced only after completing necessary formalities for obtaining Labour License (if applicable).
- f) Necessary registers / records, filing of returns etc. shall be maintained for verification by Statutory / TPCODL authorities.
- g) Payment of wages shall be made only in presence of and with certification of authorized representative of TPCODL or shall be made in the form of cheque / bank transfer to the employee.
- h) During the period of contract, the Business Associate will arrange for deployment of his supervisor / manager for total supervision and control of the work and their manpower. All the activities related to their manpower e.g. attendance, leave, wage disbursement etc. will be done under the supervision & control of Business Associates, While adhering to the prescribed standard / norms of production / productivity & quality. During execution of the work, Business Associate shall engage only such qualified / skilled manpower as may be envisaged / required for ensuring level of production / service into the contract / work order.
- i) Clearances as follows shall be obtained from IR & Welfare Group:
 - a. Clearance for commencement (before start of the work).
 - b. No Objection Certificate (after completion / before final settlement).
 - c. Copies of PF / ESI Challans shall be deposited with IR & Welfare Group every month
- j) The Business Associate shall indemnify TPCODL from any liabilities under applicable Labour Statutes.
- k) The Business Associate shall ensure safety and health of his employees and shall also maintain hygienic working environment / condition in his area of work.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 39 of 98

- I) The Business Associate and his employee shall abide by Laws of Land and shall not violate any applicable provisions.
- m) The Business Associate appreciates with and acquiesces to the right of TPCODL as principal employer to fulfil any of his legal obligations, if he fails to do so under applicable labour laws and deduct the same from his running bills / final payments / enchasing security deposit / Bank Guarantee as the case may be. If there is any further shortfall TPCODL has the right to recover the same from the Business Associate.
- n) The Business Associate ensures that person employed by him adhere to the moral and legal conduct and shall not violate any standard conduct envisaged in the premise of TPCODL by all such as, Transparency, Safety, Discipline, Integrity etc. The Business Associate or his employees should refrain from corrupt practices, giving or taking bribe in connection with any TPCODL business.
- 5.0 The <u>'Statutory Compliance Enforcement System'</u> in TPCODL is detailed below for adherence by all concerned. Corporate IR & Welfare Group will be the process owner for implementation of the system with the help of concerned Engineer I/c or Officer I/c.
 - a) Statutory Compliance being a professed value in TPCODL Code of Conduct, the concerned Engineer / Officer in charges are requested to adhere to the provisions and advise respective Business Associates in their domain to comply in letter and spirit.
 - b) Immediately after issuance of letter of intent, the authorized representative of the Business Associate will report to Corporate IR & Welfare group for completion of statutory requirements.
 - c) Normally, the work will be started only after 'Clearance for Commencement of Work (CCW) is issued by IR & W group to the Business associate. However in exceptional exigencies in engineer I/c / Officer I/c may direct the Business Associate to start the work and inform IR & W group about the same. Statutory requirements in this case may be completed parallely.
 - d) First monthly bill will be released only after producing CCW to the finance department. Similarly closure of work and final settlement will be affected after issuance of no objection certificate from IR & W group.

6.0 <u>Requirements for 'Clearance for Commencement of Work' (CCW):</u>

- a) Submission of filled up Form 'A' for database (Annexure-1).
- b) Copy of PF Code allocation letter.
- c) Copy of ESI Code allocation letter.
- d) Submission of duly filled up Form IV CL(R&A) act (In case more than or equals to 20 workers during the period of contract).
- e) Submission of duly filled up Form VI A (Notice of Commencement).
- f) Copy of insurance cover note under WC Act 1923 (if applicable).
- g) Copy of Contract Agreement.
- h) Copy of indemnity bond (if applicable).

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 40 of 98

i) Affidavit with regard to payment of wages through cheque / bank transfer only.

7.0 Requirements during execution of work:

- a) Copy of receipt of application for license / license (if applicable).
- b) Copy of PF Challan (latest by 26th day of every Month).
- c) Copy of ESI Challan (latest by 26th day of every Month).
- d) Copy of Wage disbursement sheet / Bank statement.
- e) Filing / Maintenance of all statutory registers / reports / returns for inspection by Statutory/ TPCODL authorities.
- f) Certification of wage disbursement by authorized representative of TPCODL.
- g) Copy of 'Labour Welfare Fund' deposit certificate / Challan.
- h) Insuring safe working practices at the work place.

8.0 Requirements for 'No Objection Certificate' (NOC) for closure of work:

- a) Submission of duly filled up Form VI A (Notice of Completion).
- b) Copy of Half yearly / Annual return for ESI / PF / CL(R&A).
- c) Consolidated copy of wage sheet of last month indicating full & final settlement of all dues like retrenchment benefit, bonus, leave encashment etc. Copy of individual declaration by employees in Form X regarding termination of employment.
- d) Confirmation certificate regarding filling up of form for transfer / withdrawal of PF by the concerned workers.

In case any of the above are deviated / not complied with the Letter of Award/Order shall be liable to be withdrawn / cancelled.

Enclosure:

- 1) Form A
- 2) Form X
- 3) Form XI
- 4) Form VI A
- 5) Form XXIV

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0 Page 41 of 98	

FORM (A)

[To be submitted by the Business Associate to the Principal Employer within a week from LoA issuance]

A. Details of the Agency

1. 2.		lame of Agency : ature of work :
3.	Local Address with Ph. No.	-
	(With Father's name)	
4.	Permanent Address (Full)	
5.	PF code no. & Place	$= O^{\chi}$
6.	ESI Code no. & Place	S
7.	Name and address of	
	Sub-contractor (if any)	
<u>B.</u>	Details of Work	
8. 9.	Name of work (as specified in LOI/LOA LOI/LOA Nos. & Dates) :
10.	Period of contract (Specify Dates)	:
	[Including Extension period, if any]	:
11.	Work Area [Department / Location]	:
12.	Name / Cell no. of Officer I/c	:
13.	Maximum No. of workers and staff to b	e engaged on any day during the year.
≻s	supervisory Staff :	
۶V	Vorkers :	
14.	Do you have any other contract in TPC	ODL : Yes/No

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 42 of 98

If yes, furnish details:

15. Details of Workmen's compensation Policy, if applicable

Name	of	Insurance	Company
	Policy	No	Number of persons
covered F	Period of coverage:	From To	

If no, I hereby undertake the liability arising out of Workmen's Compensation Act and Rules made there under.

C. Details of workers to be engaged

No. of Workers

S. No.	Unskilled*	Semi-skilled*	Skilled*	Clerical / Supervisory

* Number to be indicated

I/We shall fulfil all obligations arising from and under all relevant law in force from time to time. I/We undertake to keep the TPCODL indemnified against any loss or liability arising out of failure of my / our abiding the relevant laws.

The name of my / our representatives is to enter the TPCODL Premises on my behalf.

Date:

(Signature of the Business Associate

or his Authorized Representative)

This Business Associate is / will be engaged in TPCODL.

(Signature and seal of

Officer I/c of the Work)

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0 Page 43 of 98	

Form X

<u>Undertaking</u>

	I		hereb	y undertake that	all the
	dues in respect of my employm	nent with M/s			for
	the period of		to		have
	been settled and final payments i	including retrenchme	nt benefit have be	een made to me ir	n full.
				2	
			C)`	
		(O,))
			2		_
		<u> </u>			
Date:					
		LV .			
	C,C)`			
	. QAu				
	S [*]				

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0 Page 44 of 98	

Form XI

<u>Undertaking</u>

M/s wor				vide
	ed			λ
I		_on behalf of		C)
M/s			hereby undertak	ke:
1.	that the dues in respect payable as per the provis		loyee(s) engaged by us for the te pertaining to	said contract,
	i. wages/ salary			
	ii. PF & ESI, Bhuba	aneswar Labour Fund	\mathcal{O}	
	iii. All other statutory	obligation		
	has been paid /settled	l in full and no amoun	t/ compliance is due/ pending.	
2.	payments, M/s		will settle the	same on its
3.	own and suc	ch liability	will be borne 	by M/s idemnify M/s
	own and suc	ch liability	will be borne	by M/s idemnify M/s
	own and suc That M/s TPCODL from any future	ch liability	will be borne 	by M/s idemnify M/s
3.	own and suc That M/s TPCODL from any future	ch liability	will be borne 	by M/s idemnify M/s
3. Dat	own and suc That M/s TPCODL from any future	ch liability	will be borne 	by M/s idemnify M/s
3. Dat	own and suc That M/s TPCODL from any future	ch liability	will be borne hereby in utory obligation in respect of sa	by M/s idemnify M/s

Doc. Title GENERAL CONDITIONS OF CONTRACT - SERVI		EORDERS
Rev. No	0	Page 45 of 98

FORM- VI A

Notice for Commencement /Completion of contract work

1/1/10 St. / M/0			
			(Name and
Address of the	· · ·	intimate that the	contract work
		(name of work) i	n establishment of
the		(name and address	s of the Principal
Employer)	for	which	License
No		dated	has
been issued to me	/us by the Licensing Office	· <u>S</u>	(name of the
Headquarters), ha	as been commenced	/ completed with	effect from
	date / on date.		
	COMP		
7	Signature of C	Contractor	
REP		With Off	ice Seal
GV			
spector			

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVIO	E ORDERS
Rev. No	0	Page 46 of 98

FORM XXIV

[See Rule 82(1)]

Return to be sent by the Contractor to the licensing Officer (in duplicate)

Half -Yearly Ending_____

- 1. Name and address of the Contractor
- 2. Name and address of the Establishment
- 3. Name and address of the Principal Employer
- 4. Duration of Contract: From ______to _____to
- 5. No. of days during the half year on which
 - (a) the establishment of the principal employer had worked
 - (b) the contractor's establishment had worked
- 6. Maximum No. of contract labour employed on any day during the half –year:

Men	Women	Children	Total
		Q	

- 7. (i) Daily hours of work and spread over
 - (ii) (a) whether weekly holiday observed and on what day
 - (b) if so, whether it was paid for
 - (iii) No. of man hours of overtime worked
- 8. No. of man days worked by

Men	Women	Children	Total

9. Amount of wages paid

Men	Women	Children	Total
~~			

10. Amount of deductions from wages, if any

Men	Women	Children	Total

Whether the following have been provided -

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICI	EORDERS
Rev. No	0	Page 47 of 98
(i) Canteen(ii) Rest room	: IS :	
(iii) Drinking w	vater :	
(iv) Crèches	:	$\boldsymbol{\wedge}$
(v) First Aid	:	C.
		Signature of contractor
Place		
Date		2
	RAN	

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 48 of 98

<u>ANNEXURE – G</u>

UNDERTAKING FOR COMPETENCE OF WORKMEN

Name of Associate :				
Tender No. :				~
Item :			28	
With reference to the tender me	entioned above, I/W	e	2	
hereby undertake that	the workmen/	employee(s)	engaged	by M/s
	for the job against	said tender sh	hall be compe	etent in all
respect, commensurate to the nat	ure of job.	o X		
Date:	()
	Au	uthorized Signato	ry	
ERI	Fo	or M/s		
GEN	Se	al		

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVIC	EORDERS
Rev. No	0	Page 49 of 98

ANNEXURE-H

BUSINESS ASSOCIATE FEEDBACK FORM

With an objective to improve our internal processes and systems, and serve you better, we solicit your valuable feedback & suggestions. It is estimated that it will take about 10 minutes to complete this survey. We assure you that your feedback shall be kept confidential. Please send the duly filled feedback form in the "TPCODL addressed - attached envelop"

You are associated with us as □ OEMs □ Service Contractor □ Material Suppliers □ Material & Manpower Supplier
You are associated with us for □ Less than 1 year □ More than 1 year but less than 3 years □ More than 3 years
Your office is located at ☐ Bhubaneswar ☐ Within 200 kms from Bhubaneswar Bhubaneswar
Your nearly turnover with TPCODL □ Less than 25 Lacs □ 25 Lacs to 1 Crore □ More than 1 Cr.
Additional information
Your Name
Your Designation
Your Organization
Contact Nos.
Email

We once again thank you for your participation in this survey. Please spare 10 minutes to give your feedback on following pages (Section A to E)

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0 Page 50 of 98		

<u>SECTION - A</u>

(Please $\sqrt{}$ mark in the relevant box and give your remarks / suggestions / information for our improvement.).

		1	2	3	4	5	
S. No.	Parameters	Do Not Agree	Slightly in Agreement	In Fair Agreement	Mostly in Agreement	Fully Agree	Remarks/ Suggestion
1	You receive all relevant queries / tenders from us in timely manner.						
2	We provide you enough lead time to respond to our queries / tenders.					0	
3	We provide you adequate support (drawings, documents, clarifications, briefing etc.) to enable you meet our requirements.			C	5	5	
4	All following elements of our contract / purchase order are rational :						
4.1	Scope of Work		\bigcirc				
4.2	Delivery / Execution Schedule	$\langle \langle \rangle$					
4.3	Payment Terms	5					
4.4	Liquidated Damages						
4.5	Performance Guarantee						
5	Our purchase orders / contracts are simple, specific & easy to understand						
6	TPCODL demonstrate willingness to be flexible in administration of Contract / Purchase Order						
7	We provide timely responses / clarifications to your queries						
C	TPCODL representative you						
8	interact / coordinate with is adequately empowered to support you in meeting contractual obligations						
9	TPCODL provide you all necessary infrastructure support for timely and quality completion of work (including AMC)						

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0 Page 51 of 98		

		1	2	3	4	5	
S. No.	Parameters	Do Not Agree	Slightly in Agreement	In Fair Agreement	Mostly in Agreement	Fully Agree	Remarks/ Suggestion
10	TPCODL Engineer-in-Charge timely certifies the jobs executed/ material supplied						S
11	TPCODL Engineer-in-Charge efficiently supervises the job execution for timely completion of job						R
12	BIRD (Bill Inward Receipt Desk) initiative has improved payment disbursement process				(0	
13	Our approach for Inspection and Quality Assurance effective to expedite project completion?				<u>{</u>)	
14	TPCODL never defaults on contractual terms			7)		
15	In TPCODL Contracts closure is done within set time limit			5			
16	Our material receiving procedures are well defined and efficiently deployed to reduce mutual inconvenience	X	(0)				
17	Bank Guarantees are released in time bound manner	$\mathbf{)}$					
18	Our processes related to payment / account settlement are effective.						
19	You get payments on time						
20	TPCODL Employees follow Ethical behavior						
Ċ	Ethical behavior						

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS			
Rev. No	0 Page 52 of 98			

SECTION - B

SECTION – B	(Please rate the following parameters on a scale of 1 to 5, where 1 - Minimum; 5
- Maximum)	

SN	Parameters	1	2	3	4	5	Remarks/ Suggestion
1	How do you rate courtesy/ empathy/ attitude level and warmth of TPCODL employees you interact with from following team?						S
1.1	Project Engineering						.0.1
1.2	District / Zones						
1.3	Projects/HOG (TS &P)					7	
1.4	Inspection & Quality Assurance				C		
1.5	Stores			<			
1.6	Metering & Billing			\mathbf{O}			
1.7	Accounts / Finance		,C	2			
1.8	Administration		0				
1.9	IT & Automation		\mathcal{O}^{*}				
2	How would you rate TPCODL in comparison to your other clients in terms of fairness of treatment and transparency with its Business Associates?						
3	How would you rate TPCODL in comparison to your other clients in terms of processes and systems to manage partnership with its Business Associates						
4	How would you rate TPCODL in comparison to your other clients in terms of building long term & mutually relations hip with its Business Associates						

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0 Page 53 of 98		

<u>SECTION – C</u>

Please $\sqrt{}$ mark in the relevant box and give your remarks / suggestions / information for our improvement.

S. No.	Parameters	Certainly NO	Probably NO	Probably YES	Certainly YES	Remarks/ Suggestion
1	Based on your experience with TPCODL, would you like to continue your relationship with TPCODL?					
2	If someone asks you about TPCODL, would you talk "positively" about TPCODL?			(-0	
3	Would you refer TPCODL name to others in your community, fraternity and society as a professional & dynamic organization?			5		

SECTION - D

If we ask you to rate us on a scale of 1 to 10, how will you rate TPCODL, that truly represents your overall satisfaction with us (please tick appropriate box) –

1 2 3	4 5	6	7 8	9	10
G					
SEP.Y					
GEN					

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0 Page 54 of 98		

<u>SECTION – E</u>

<u>Please $\sqrt{\text{mark in the relevant box and give your remarks / suggestions / information for our improvement.</u>}</u></u>$

Please spare your thoughts for TPCODL's improvement in particular areas of weaknesses, particularly relating to some great practices, attitudes that you have seen elsewhere in Indian and International Organizations, which you recommend TPCODL to adopt. Please give your valuable salient recommendations.

Please spare your thoughts for TPCODL's improvement in particular areas of major concerns for you. We also welcome your suggestions to adopt any best practices, altitudes that you have observed / experienced elsewhere in Indian/ International organization.

Recommendation	Please tick (\checkmark) your top 5 expectations out of the following 10 points listed below -
(Please list down improvement you expect from TPCODL)	Timely payment
1	Flexibility in Contracts/PO
	Clarity in PO,s & Contracts
2	Timely response to quarries
	Timely certification of works executed
3	Clarity in Specs, drawings, other docs etc.
	Adequate information provided on website for tender notification, parties qualified etc.
4	Timely receipt of material at site for execution
	Performance Guarantee/EMD released in time
5	Inspection & quality assurance support for timely job completion

We thank you for your time and courtesy!!



Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0	Page 55 of 98	

ANNEXURE - I

ACCEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION EVENT

(To be signed and stamped by the bidder prior to participation in the auction event)

In a bid to make our entire procurement process more fair and transparent, TPCODL intends to use the reverse auctions through SAP-SRM tool as an integral part of the entire tendering process. All the bidders who are found as technically qualified based on the tender requirements shall be eligible to participate in the reverse auction event.

The following terms and conditions are deemed as accepted by the bidder on participation in the bid event:

- 1. TPCODL shall provide the user id and password to the authorized representative of the bidder. (Authorization Letter in lieu of the same shall be submitted along with the signed and stamped Acceptance Form).
- 2. TPCODL will make every effort to make the bid process transparent. However, the award decision by TPCODL would be final and binding on the supplier.
- 3. The bidder agrees to non-disclosure of trade information regarding the purchase, identity of TPCODL, bid process, bid technology, bid documentation and bid details.
- 4. The bidder is advised to understand the auto bid process to safeguard themselves against any possibility of non-participation in the auction event.
- 5. In case of bidding through Internet medium, bidders are further advised to ensure availability of the entire infrastructure as required at their end to participate in the auction event. Inability to bid due to telephone line glitch, internet response issues, software or hardware hangs, power failure or any other reason shall not be the responsibility of TPCODL.
- 6. In case of intranet medium, TPCODL shall provide the infrastructure to bidders. Further, TPCODL has sole discretion to extend or restart the auction event in case of any glitches in infrastructure observed which has restricted the bidders to submit the bids to ensure fair & transparent competitive bidding. In case an auction event is restarted, the best bid as already available in the system shall become the start price for the new auction.
- 7. In case the bidder fails to participate in the auction event due any reason whatsoever, it shall be presumed that the bidder has no further discounts to offer and the initial bid as submitted by the bidder as a part of the tender shall be considered as the bidder's final no regret offer. Any offline price bids received from a bidder in lieu of non-participation in the auction event shall be outrightly rejected by TPCODL.
- 8. The bidder shall be prepared with competitive price quotes on the day of the bidding event.
- 9. The prices as quoted by the bidder during the auction event shall be inclusive of all the applicable taxes, duties and levies and shall be FOR at TPCODL site.
- 10. The prices submitted by a bidder during the auction event shall be binding on the bidder.
- 11. No requests for time extension of the auction event shall be considered by TPCODL.
- 12. The original price bids of the bidders shall be reduced on pro-rata basis against each line item based on the final all inclusive prices offered during conclusion of the auction event for arriving at Contract amount.

Signature & Seal of the Bidder

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 56 of 98

ANNEXURE - J

To,

DGM (Finance)

TP Central Odisha Distribution Limited Bhubaneswar

Sub: e-Payments through National Electronic Fund Transfer (NEFT) OR Real Time Gross Settlement System (RTGS)

Dear Sir,

We request and authorize you to affect e-payment through NEFT/RTGS to our Bank Account as per the details given below:-

:

:

:

Vendor Code

Title of Account in the Bank

Account Type

(Please mention here whether account is Savings/Current/Cash Credit)

Bank Account Number										
Name & Address of Bank	:									
Bank Contact Person's Names	:									
Bank Tele Numbers with STD Code	:									
Bank Branch MICR Code	:									
GENE	•	e enclos neque s e)			•	-		•		
Bank Branch IFSC Code	:									
		on ohto	in this	fror	n hro	nah	who	ara v		

(You can obtain this from branch where you have your account)

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0	Page 57 of 98	

:

2

:

2

Email Address of accounts person (to send payment information)

Name of the Authorized Signatory

Contact Person's Name Official Correspondence Address

We confirm that we will bear the charges, if any, levied by our bank for the credit of NEFT/RTGS amounts in our account. Any change in above furnished information shall be informed to TPCODL well in time at our own. Further, we kept TPCODL indemnified for any loss incurred due to wrong furnishing of above information.

Thanking you,

For _____

(Authorised Signatory)

(Signature with Rubber Stamp)

Certification from Bank:

We confirm that we are enabled for receiving NEFT/RTGS credits and we further confirm that the account number (specify Bank a/c no.) of (Please mention here name of the account holder), the signature of the authorised signatory and the MICR and IFSC Code of our branch mentioned above are correct.

This also is certified that the above information is correct as per Bank record

(Manager's/ Officers Signature under Bank Stamp)

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 58 of 98

ANNEXURE - VIII

CONTRACTOR SAFETY MANAGEMENT SYSTEM

1. OBJECTIVE

The objective of the Contractor Safety Management System is to lay down clear guidelines for all Business Associates (including their associates, staff and agents) which would facilitate them to observe all statutory rules and regulations, comply with applicable standards of Central Electricity Authority (Measures relating to safety and electric supply) Regulations, 2010 & (safety requirements for construction, operation and maintenance of electrical plants and electric lines) Regulations,2011, TPCODL Safety Manual and Guidelines and thus, ensure creation of safe working environment for all stakeholders of our network.

2. SCOPE

All contracts (minor and major) will be subject to the provisions of this document. **Minor Contracts**: Contracts which satisfy all the criteria listed under the head "Minor Contracts".

Major Contracts: Contracts which satisfy any two or more criteria listed under the head "Major Contracts"

Criteria	Minor Contracts	Major Contracts
Value of Contract	< Rs. 1500000/- (less than Rs. Fifteen Lac)	>= Rs. 1500000/- (Equal or more than Rs. Fifteen Lac)
Period	Period less than 1 year	Any period
Working on energized electrical equipment	No	Yes
Working on height (above 1.8 Mtrs from ground)	No	Yes
Work involving construction activity	No	Yes
Working with hazardous goods or chemicals	No	Yes
Work involving danger to general public	No	Yes

Note: Exceptions for major and minor contract are – in house software development, supply of material or equipment but no direct or indirect installation of the same material, administration contracts (courier, water supply, printing, security, transport, etc.), minor civil work like plastering at ground level or flooring, etc. The facility management (housekeeping) contract will always be treated as a minor contract.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0	Page 59 of 98	

3. INFORMATION REQUIRED AT TIME OF VENDOR REGISTRATION OR BEFORE COMMENCEMENT OF CONTRACT

- 3.1 Business Associate is required to fill the Safety Management System Questionnaire as per *annexure 1* and submit along with the vendor registration process / bid / tender document. The filled questionnaire will be scrutinized by Engineer In-charge / indenting group and recommend suitability of the BA with respect to safety requirements. The fulfilment of statutory requirements for vendor registration pertaining to labour laws etc. shall be done by BA Cell on being referred to it.
- 3.2 Business Associate is required to take suitable risk control measures mentioned against the identified Hazards and Risk document provided for all contracts as per *annexure* 2. The primary objective of this is to evaluate the understanding of the BA towards risk mitigation and employment of safe work procedures. BA is required to conduct the Hazard identification and Risk Assessment study as per the procedure and deploy more or other measures if deemed necessary.
- 3.3 Business Associate shall comply with **Statutory Requirements related to Safety** and **Occupational Health** and submit the "Safety Undertaking" as per *annexure 4.*

4. GENERAL SAFETY CONDITIONS REQUIRED TO BE FULFILLED BY BUSINESS ASSOCIATES

The requirements of the contractor safety management system applicable to the minor or major contracts related to various groups are as following –

- 4.1 Maintenance of Distribution Network Annexure 3.1
- 4.2 Distribution Projects Annexure 3.2
- 4.3 EHV Projects Annexure 3.3
- 4.4 Maintenance of Sub transmission network Annexure 3.4
- 4.5 Civil / Generation Projects Annexure 3.5
- 4.6 Meter Management Group (MMG), Revenue Recovery Group (RRG), Energy Auditing Group, AMI, MRG, etc. *Annex3.6*
- 4.7 Maintenance and Operation of Street Light. Annexure 3.7
- 1. Please note that hydra cranes used by any dept should be ACE Model No. FX 150 ACE SX 150, Escorts Model No. TRX 1550 or contemporary. Use of old generation hydra cranes like ACE 14XW or ACE 12 XW, etc are prohibited.

(Details as per Annexure attached)

Note: For minor contracts, the BA shall assign the duties of Safety Representative to the Work Supervisor. Work Supervisor will deliver all duties and responsibilities of Safety Supervisor as detailed in this document.

The Business Associate (BA) having major contract will appointing Safety supervisor, engineer / manager for the TPCODL work. The BA shall make all necessary arrangements for getting their workforce safety trained and competency checked from the DOSEC of TPCODL before deployment in the field. BA Cell shall recommend the suitability after competency checked by Engineer In-charge and SAFETY group (or his representative) of TPCODL. After getting the clearance from DOSEC, BA cell and receiving temporary I-card issued by TPCODL, Business Associate shall commence the working.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 60 of 98

Safety Representative of Business Associates will formally become the nodal point for safety concerns for TPCODL. BA shall not frequently transfer or terminate the services of any of the safety representatives appointed for TPCODL work site. BA needs to ensure that Safety representative is available at all points of time; failing which the work being carried out in the interim (period when Safety representative is not available) shall be treated as working under improper supervision and due penal provisions shall be initiated against the BA. BA will be required to provide all applicable infrastructure and power to ensure smooth working of the safety representative to maintain a sound safety management system. In all contracts safety representative will not be assigned any other activity at site apart from the works related to safety management. The duties are detailed in clause 5.5 of this document. TPCODL will be auditing the facilities provided to the BA's safety team time to time.

The Safety Representative of the BA shall be required to meet and follow the instructions of the Engineer In-charge and SAFETY Group of TPCODL. He shall be responsible for providing the MIS and/or any other relevant information, as and when desired, within the stipulated time frame as per the requirements of TPCODL. Any non-conformance to safety will lead to the negative marking or issue of safety violation challan/ tokens which shall affect the monthly evaluation and performance of BA.

All contracts where BA has to depute vehicle for their staff and equipment to move from one location to other, the BA shall ensure that vehicle complies all required statutory clearances and requirement as per The Motor Vehicle Act, 1988 as well as TPCODL Road Safety Policy and are in good & safe state of working.

5. QUALIFICATION AND EXPERIENCE OF THE SAFETY AND SITE PERSONNEL

Qualification and experience required for the safety and site personnel are as following:

- **5.1 Safety Supervisor:** It is mandatory that educational qualification of safety supervisor be ITI (of relevant trade) / Diploma (Any branch of engineering) and he has a working experience on electrical system / relevant field of work at least 5 yrs for ITI and 3 years for Diploma holder. Having formal experience of the safety systems will be an added advantage
- **5.2 Safety Engineer:** It is mandatory that educational qualification of safety engineer be at least Diploma (relevant branch) and he has working experience on electrical system of at least 3 yrs. Having the formal experience of the safety systems will be an added advantage.
- **5.3 Safety Manager:** The educational qualification of safety manager should be graduate engineer with working experience on electrical system / network of at least 3 yrs. OR Diploma in Industrial Safety with working experience of 05 years including at least 02 years on electrical network.

However, clause 5.1, 5.2 and 5.3 are not applicable for minor contracts. In such cases, BA shall assign the duties of Safety Representative to the Work Supervisor. Work Supervisor will deliver required duties of Safety Representative (as per clause 5.5) in addition to other duties without diluting the importance of safety.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0	Page 61 of 98	

5.4 Site Skilled Personnel: For all responsibility related to site activities and operations, the BA shall employ only qualified and skilled persons and shall comply the provisions of section 19 & 29 of Central Electricity Authority (Measures relating to safety and electric supply) Regulations, 2010. Persons holding valid approvals only by any Government approved agency or a competency assessment panel or a team set up by TPCODL shall be allowed to perform the High Risk / High Hazard activities (refer page 1). The skill / qualification required for the electrician and electrical supervisor are given in *annexure 5*. The contracts related to maintenance of Distribution Network, Distribution Projects, Extra High Voltage Projects, maintenance and operation of street lights, shall preferably have at least 20 per cent of ITI qualified electricians in the first year of the contract. This figure shall preferably be incremented by 15 per cent every subsequent year.

Note: For the competency assessment may please refer the work instructions. An employee shall have to necessarily undergo the competency assessment check once in every eighteen months.

5.5 Requirements from the Safety Representative(s) of the Business Associate:

- 5.5.1 Safety training of 2 hrs/employee/month and one day of safety induction training to all new employees joining the BA will be conducted by the BA as per Safety training modules of TPCODL.
- 5.5.2 Safety Talk / tool box talk before start of shift to BA employees.
- 5.5.3 Ensuring the availability & proper usage of the standard safety equipment (PPE)
- 5.5.4 Periodic inspection of PPE to ensure their serviceability and maintaining the 10% buffer stock of standard PPEs.
- 5.5.5 Ensuring the adherence to standard operating procedures of TPCODL as mentioned in TPCODL Safety standard and O & M and concerned function's manual.
- 5.5.6 Safety inspections / audits as per the process of TPCODL
- 5.5.7 Working in close coordination Safety Group of TPCODL.
- 5.5.8 Reporting of unsafe acts, unsafe conditions, near miss, incident or accident to Engineer In-Charge and Safety Group of TPCODL immediately after its occurrence.
- 5.5.9 Regular HIRA at site and comply the control measures as stated in the detailed HIRA as per the *annexure 2*. Also deployment of JSA based checklist shall be ensured.
- 5.5.10 Ensuring compliance with safety and other laws as may be applicable and providing for safety assurance.
- **5.6 Training and Syllabus:** The BA shall not deploy any person at work place / site or send newly recruited personnel directly to DOSEC for competency assessment without Safety Induction Training.

5.6.1 All new BA employees have to necessarily undergo one and half days Safety training and Competency assessment at training centre of BA cell. This training will be conducted once in a week. After the completion of Safety training & Competency assessment I-card will be issued to all competent BA employees

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 62 of 98

5.6.2 BA is expected to initially train and judge the capability of the workman at his own end before further recommending the workmen for Competency assessment. If any BA workman sent for competency assessment. In case any BA workman fails in the Competency test at DOSEC, it will be deemed that BA has not imparted sufficient training at his end and actual cost of training ₹ 7500/ BA employee/ failed attempt will be recovered.

5.6.3 The workers who have imparted Safety Training and issued I-Cards of TPCODL, are not deployed at TPCODL worksites/ voluntarily left the job by workers/ used somewhere else other than TPCODL by the BA, in that case Management reserves the rights to intervene and recover the actual cost of training i.e. ₹ 7500/BA employee. (*Exempted for attrition rate of BA workers less than or equal to 10% of total workforce deployed at TPCODL*)

5.7 It is desired that Safety representative of the BA to impart the general safety training to each employee of duration 2 hrs per month. The training will be organized at BA level and the record to be sent to engineer in-charge and SAFETY group of TPCODL every month. Please refer schedule and syllabus in *annexure 6*.

List of Personal Protective Equipment (PPE) and Maintenance schedule: BA shall commence the project or any work only when the required PPE are made available to the team of employees involved in the work. Each PPE of BA shall be checked / inspected by the safety representative / supervisor at zone before the work start or as prescribed in the list. Safety representative shall regularly check the healthiness of each PPE allocated to lineman. Suitable record shall be maintained at zone. Defective PPE shall be immediately replaced or within 24 hours by the BA. In no case linemen or any other official of BA may be allowed to work with defective PPE. It is preferred that BA ensures minimum stock of each PPE at zone for immediate replacement with defective one. The PPE shall be IS / BS / CE marked and exactly as per the standard or specification mentioned in the annexure 7. Working without PPE / nonstandard PPE shall be treated as safety violation and penalty as stated in section 6.0 of this document. If TPCODL finds that BA has not provided the adequate / appropriate PPE to their staff, TPCODL reserves the rights to stop the work and call the BA to provide appropriate PPEs at the risk. If the BA fails to provide the required PPEs at the risk then the same shall be provided by TPCODL at the actual cost of the PPE. The amount shall be charged to BA and same shall be first recovered from the current bill of BA or any future payment to be made to BA. In the event of any balance amount still left for recovery, the same shall be adjusted against retention amount or by invoking bank guarantee submitted by BA.

- 5.8 Safety Audit / Inspection & HIRA: The BA shall get the required safety inspection / audit conducted by his technical team comprising of safety representative as per the *annexure* 8. The safety representative will be required to conduct the HIRA (Hazard Identification and Risk Assessment) as per annexure 2 of the process and work undertaken at least two times in a year or every time if a new process / activity / machine is introduced or whenever an accident take place. The risk identified to be addressed suitably with
 - Engineering Control
 - Management Control, and
 - Personal Protective Equipment.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0	Page 63 of 98	

The safety representative of BA shall inform and educate for the identified risk and hazard control methods to employees, supervisor and engineer as well as the engineer in-charge and SAFETY group of TPCODL.

- **5.9 Safety Performance and Safety MIS:** The BA shall maintain good practice of safety all through the contract duration. Safety shall always be of paramount importance during the contract period. Safety performance will be monitored on yearly basis throughout the period and no relaxation will be given for bad performance. BA with good track record and excellent performance will be rewarded suitably as per clause 6.0 of this document. The BA has to provide monthly "Performance Report Safety" to engineer in-charge and SAFETY group TPCODL this shall be part of monthly bill along with training details. Performa of the report is enclosed as *annexure 9*.
- 5.10 Pre Employment Medical Check-up and Fitness of employees engaged for the critical works: The BA shall submit the health fitness certificate for all those workers involved in climbing the pole or working at height for following diseases:
 - 5.10.2 Epilepsy
 - 5.10.3 Colour blindness
 - 5.10.4 Deafness
 - 5.10.5 Vertigo & height phobia

Every year BA will give an undertaking stating that all the employees are fit to work and have not developed aforesaid diseases. The Record of such medical check-ups shall be submitted to BA Cell before issue of temporary identity card. The records shall be maintained at BA Cell. All such medical check-ups shall be repeated once in a year for all workers involved in climbing the pole or working on electrical network.

6. REWARD AND PUNITIVE MEASURES

6.1 To support the enforcement of good SHE & DM practices by the Business Associate and to eliminate repeated or continuing safety violations, use of appropriate reward and punitive measures shall be made. Each unsafe act or violation of the safety guidelines as described in the Safety Manual of the TPCODL will be audit criteria of this system. Broadly the measures identified are following:

- 6.1.1 Working without PPE/ Safety Gadgets
- 6.1.2 Working without proper tools and tackles, barricading, Poor condition of Crane / Hydra / Vehicle, using without certification / Licence, Incompetent driver/ Helper
- 6.1.3 Working without creation of effective safety zone
- 6.1.4 Improper Supervision at worksite, Lineman/ Supervisor working without competency
- 6.1.5 Working without adherence to PTW process or authorization/ not adherence to SOPs / W.I. of TPCODL.
- 6.1.6 Improper Working at height equal to or above 1.8 mtrs without taking proper fall protection measures/ Poor condition of Ladder

6.2 Measures of Reward and Punitive Measures

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 64 of 98

The Engineer In-Charge, NSO, SC, ASOs, CSI / SIs and SHE &DM group will conduct the surprise audits of the work / project and if any non-conformance is found the same will be booked and entered in the format "Safety Violation Record" *annexure 10*. The flow of the information is given below:

Safety Violation Escalation & Monitor	oring process
Action	Responsibility
Safety Violation form has been filled and counter foil	Engineer In-charge/ NSO / SC
sent to SAFETY team for information. The main form is	/ SAFETY Group /CSI/ ASO/
to be given to BA supervisor / Engineer in-charge.	Any authorised TPCODL
(Automatically generated if Site audit done through	official.
Mobile App.)	
Entry of the violation in the master record and sending	SAFETY Group
the information to concerned Manager, HoG, HoD,	
Head and Chief (O &S). (Automatically generated if	\mathcal{C}
Site audit done through Mobile App.).	0
↓	
Forwarding the information Centralized Account	Engineer In-charge
Payable (CAPS) for amount deduction from the current	
bill of the BA, <i>if any.</i>	
HoG (Safety – II) & HoG (Safety & Quality –	SAFETY Group
Commercial) and CAPS to generate the MIS of the	
violations and the amount deducted.	
\downarrow	
The pool of the amount generated after the deduction	SAFETY Group with approval
to be utilized in safety welfare of BA employees.	of CFO/Chief (O & S)
	/CEO&MD

The safety violations have been rated from 1 to 5 (figure 6.3) as per the gravity of the violation. If the same violation is repeated it may escalate into a higher penalty. If a particular Business Associate employee violates safety norms three times, he shall not be allowed to work in TPCODL for a period of one year from the date of the 3rd violation.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 65 of 98

6.3 Safety Violation Escalation Matrix 6.3.1

	Consequence of Safety Violation Observed (Not related to Incident/ Accident)			Violation	1		
S.No.	Safety Violation	1st	2nd	3rd 4th		Subsequent Violations	
1	Working without PPE (Helmet/Gloves/Safety Harness/ Safety Shoes etc.)	А	В	С	D		
2	Improper Working at Height	А	В	С	D	Will attract the same penality as applicable in the 4th violation.	
3	Working without proper tools and tackles	А	В	С	D		
4	Poor condition of Crane/Hydra/ Vehicle/Incompetent driver/ Helper	А	В	С	D		
5	Violation of SOP/ WI	В	с	D	E		
6	Working without adherence to PTW process or authorization/ Safety Zone	С	D	E		<u> </u>	
Legend	Action to be taken	Responsibility Per		Penality Am	ount (in Rs.)	The number of	
А	Warning letter	Engineer Inc	charge	Nil		violations are to	
В	Levy of Penalty	Engineer Incharge		2,000		be calculated cumulatively	
с	Memo to BA & Levy of Penalty	Head of Group 4,000		000	over the		
D	Memo to BA & Levy of Penalty	Head of Dep	artment	10,000		contract period	
E	Memo to BA, Levy of Penalty and termination of Contract	Head of Dep	partment	1,00,000		and not on monthly basis.	

GENERAL

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 66 of 98

	Consequence of Safety Violation Observed (Not related to Incident/ Accident)			Violatio	า		
S.No.	Safety Violation	1st	2nd	3rd	4th	Subsequent Violations	
1	Working without PPE (Helmet/Gloves/Safety Harness/ Safety Shoes etc.)	в	С	D	D	Will attract the	
2	Improper Working at Height	В	С	D	D	same penality as applicable in the 4th	
3	Working without proper tools and tackles	А	В	С	D	violation.	
4	Poor condition of Crane/Hydra/ Vehicle/Incompetent driver/ Helper	В	С	D	E		
5	Violation of SOP/ WI	С	D	E		Y	
6	Working without adherence to PTW process or authorization/ Safety Zone	С	D	E			
Legend	Action to be taken	Respor	nsibility	Penality Am	ount (in Rs.)	The number of	
А	Levy of Penalty	Engineer Incharge		5,000		violations are to	
В	Memo to BA & Levy of Penalty	Engineer Incharge		10,000		be calculated cumulatively	
С	Memo to BA & Levy of Penalty	Head of Group 25,000		000	over the		
D	Memo to BA & Levy of Penalty	Head of Department		50,000		contract period	
E	Memo to BA, Levy of Penalty and termination of Contract	Head of Dep	partment	1,00	,000	and not on monthly basis.	
	Figure 6.3 (1b)-Penality Matrix for Saf	ety violation (A	Applicable fo	or Major Conti	acts)		

Once the BA reaches the "BLACK" (color – "5") category, i.e. highest level of safety violation, "Termination" notice to BA will be issued from the office of the Head of Department (equivalent to Addl GM/ GM/ Sr. GM level) and further, *if required*, continuation / extension of contract will only be initiated by Functional Head of the department (equivalent to Sr. GM / VP level) and approved by CEO & MD. Till the extension, the contract will remain suspended.

TPCODL encourages the reportage of the safety violation during the contract work by BA. Any TPCODL employee can register a safety violation against the BA in the "Safety Violation Form" *annexure 10.* Initially the observer has to fill the form and handover the counterfoil (lower portion) of the document to the supervisor of the BA, inform the site engineer of TPCODL and send the top portion of the Safety Violation Form to SAFETY group for the further necessary action against the BA. <u>The cumulative nos. of Safety Violations pertaining to any particular</u> <u>BA shall be calculated on yearly basis.</u>

Safety violations resulting in incident / accident will be treated as per gravity of the injury / fatality and its impact as well as type i.e. minor or Major. Consequences of incident / accident are shown in the matrix (figure 6.3(2) for major and 6.3(3) for minor) below. In case of any accident, findings and recommendations of Accident Enquiry Committee will be final and binding and will supersede the arbitration clause of GCC.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 67 of 98

Co	Consequence Of an Incident / Accident (In case of <u>MAJOR</u> contract)		Incident	/ Accident		Action Required
SI. No	Type of the injury	1st 2nd 3rd 4th		4th	ired	
1	Slight injury (First Aid Case)	(Strengthening of pr	F (Strengthening of process through continuous improvement in the work proce		e w ork procedure)	Take r m
2	Minor injury (No or Hospitalization less then 48 Hrs)	F	G	G	н	Take risk reduction measures
3	Major injury (Bone injury or burn or Hospitalization more then 48 Hrs)	G	G	н	I	uction s
4	Single fatality	J	κ		6	Intolerable
5	Multiple fatalities (Two or more fatalities during one event)	ĸ			2	erable
Legend	Action to be taken	Responsibility	•	Penalty (in Rs.)		·
F	Memo to BA and levy of penalty	Engineer Incha	rge	5,000/-		
G	Memo to BA and levy of penalty	Head of Group		20,000/-	The numb	
н	Memo to BA and levy of penalty	Head of Group		50,000/-	violations ar calculat	ed
I	Memo to BA and levy of penalty	Head of Department		2,00,000/-	cumulatively contract peri	od and
J	Memo to BA and levy of penalty	Head of Department		5,00,000/	not on month	ly basis.
к	Memo to BA, levy of penalty, termination of contract and black listing of BA	Functional Head		10,00,000/-]	
	Figure 6.3 (2) - Penalty Mat	rix for Incident /	Accident in Maj	jor Contracts		

(For example: In major contracts, if there is first incidence of major injury say bone injury (Cat. 3) where worker was hospitalized for more than 48 hrs then a penalty of amount Rs.20000/- will be deducted from the current bill produced for the payment. This penalty will be similar for first two incidents. However, it will increment to next higher category i.e. Rs. 50,000/- on subsequent incidents as per the above matrix)

Co	Consequence Of an Incident / Accident (In case of <u>MINOR</u> contract)		Incident / Accident			
SI. No	Type of the injury	1st	2nd	3rd	4th	Action Required
1	Slight injury (First Aid Case)	L (Strengthening of process through continuous improvement in th		e w ork procedure)	Take r m	
2	Minor injury (No or Hospitalization less then 48 Hrs)	L	М	м	N	Take risk reduction measures
3	Major injury (Bone injury or burn or Hospitalization more then 48 Hrs)	м	м	N	0	uction s
4	Single fatality	Р	Q			Intolerable
5	Multiple fatalities (Two or more fatalities during one event)	Q				erable
Legend	Action to be taken	Responsibility		Penalty (in Rs.)		÷
L	Memo to BA and levy of penalty	Engineer Incha	arge	5,000/-		
м	Memo to BA and levy of penalty	Engineer Incharge		10,000/-	The numb	
N	Memo to BA and levy of penalty	Head of Group)	25,000/-	violations are calculate	ed
0	Memo to BA and levy of penalty	Head of Department		1,00,000/-	cumulatively contract peri	od and
Р	Memo to BA and levy of penalty	Head of Department		3,00,000/	not on month	ly basis.
Q	Memo to BA, levy of penalty, termination of contract and black listing of the BA	Functional Hea	ad	5,00,000/-	1	
	Figure 6.3 (3) - Penalty Mat	rix for Incident /	Accident in Mir	or Contracts		

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 68 of 98

(For example: In minor contracts, if a worker meets with a non-fatal accident say bone injury (Cat. 3) where he was hospitalized for more than 48 hrs then a penalty of amount Rs. 10,000/-, will be charged from the current bill produced for the payment. This penalty will be similar for first two incidents. However, it will increment to next higher category i.e. Rs. 25,000/- on subsequent incidents as per the above matrix.)

In case of single or multiple fatalities described under legends J&K of 6.3(2) and P&Q of 6.3(3), the concerned BA may be debarred from extension of contract or participate in new contract. In such event the approval of Chief (O & S) will be necessary for extension or award of new contract to concerned BA.

6.3.2 COMPENSATION FOR BA PERSONNEL

In the event of any untoward incident/ accident, the Business Associate shall ensure prompt medical assistance such as treatment, sickness benefit, etc. is provided to the victim(s) as per the Employees' Compensation Act, 1923 or Employees' State Insurance Act, 1948, as applicable. Also, the BA will be required to take adequate measures for compensating the victim(s) or his/her/their kin as follows:

I. For Death or Permanent / Total Disablement

The BA shall take an insurance coverage of at least Rs. 15 lakhs for each engaged employee, to cover any incidence of Death or Permanent / Total Disablement (Permanent/Total Disability shall be considered as defined under Employees' Compensation Act, 1923). In the event of any such unfortunate incident, the BA would ensure that adequate compensation is paid immediately to the family of the victim(s) from his own resources. This compensation shall be covered under the insurance policy subscribed by the BA mentioned earlier and the arrangement should be such that it would get reimbursed to the BA by the insurance agency subsequently.

II. For Permanent Partial Disablement and Temporary Total Disablement

The compensation in this case will be as per provisions of the Employees' Compensation Act, 1923 or Employees' State Insurance Act, 1948, as applicable.

Accordingly, the BA shall obtain a suitable Insurance Policy on award of Contract and submit documentary evidence of the policy to the BA Cell before commencement of work. The BA shall ensure that the Insurance policy is active at all times and all employees are covered in all respects till the conclusion of contract period or till working with TPCODL. The BA shall submit a copy of the policy after periodic renewals to the BA Cell.

However, on occurrence of such unfortunate incident, if it is found that the victim(s) is/are not covered under any insurance policy, the BA shall be liable to pay the entire sum of Rs. 10 lakhs from his own resources.

Further, in case of an accident resulting in Death or Permanent / Total Disablement while on duty, the appointed BA Nodal Officer will ensure that the BA complies with all statutory

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 69 of 98

provisions and benefits i.e. PF, Compensation, Gratuity etc., and that all these are made available to the employees' nominee(s) as per the stipulated timelines.

6.3.3 TPCODL rewards the BA with good track record of safety management. It is proposed that BA complying with Contractors Safety Management, Safety Manual and Safety process will be rewarded suitably as per the procedure, rule and regulations of the TPCODL. In any case major accident is reported during an assessment period BA will not be eligible for this reward scheme. Assessment of contracts will be once in year. Generally the assessment cycle is calendar year and guidelines will be declared time to time.

TPCODL	TP Central Odisha Distribution Limited
BA	Business Associate
HIRA	Hazard Identification & Risk Assessment
JSA	Job Safety Analysis
EHV	Extra High Voltage
SAFETY	Safety, Occupation Health, Environment & Disaster Management
MMG	Meter Management Group
EAG	Energy Audit Group
PPE	Personal Protective Equipment
SOP	Standard Operating Procedures
CSI/SI	Circle Safety In-charge / Safety In-charge
ASO	Area Safety Officer
NSO	Nodal Safety Officer
SC	Safety Coordinator
HoG / HoD	Head of Group / Head of Department
AGM / GM / VP	Assistant General Manager / General Manager / Vice President
CFO / Chief (O & S)/	Chief Finance Officer / Chief (Operating & Safety) / Chief
CEO & MD	Executive Officer & Managing Director
COS	Corporate Operation Services
CAP	Centralized Account Payable System
PTW	Permit To Work
GCC	General Conditions of Contract.

Abbreviations Used in the Document

- END -

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0	Page 70 of 98	

Annexure 1 (Refer Para 3.1)

Business Associate Safety Management System Questionnaire

Certification							
The information occupational hea					mary of the	e company's	3
Company Name:							
Turnover and experience:		Name	Name of top officer:				
Date:		Positio	Position				
Contract Details	Contract Details						
Contract Name				Contract Number:			
Business Associates Safet Questionnaire	y Manag	gement	System	Marks	Yes	No	Score achieved
Safety Policy and Management							
- Is there a written company S	Safety po	licy?		1	<u> </u>		
- If yes provide a copy of the Note 1.	policy, if	No plea	ase refer	3			
Does the company have system If yes provide details, if No ple			agement	1			
 Is there a company Safe manual or plan? If yes provide a copy of the company o)			2			
refer Note 1.							
 Are Safety and occupation clearly identified for all lev staff? If yes provide details, if No ple 	els of M	anagem		2			
Safe Work Practices and Proce	dures						
- Has the company pro procedures or specific safety			perating evant to	1			

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS			
Rev. No	0	Page 71 of 98		

Certification				
its operations and relevant work as per contract?				
- If yes provide a summary listing of procedures or instructions, if No please refer Note 2.				
- Comments				
- Is there a register of injury or accident? - If yes provide a copy (format)	1		90	2
			$\langle \nabla \rangle$	
- Is there a documented incident or accident investigation procedure?	1	-0		
- If yes provide a copy of a standard incident report form, if No please refer Note 2.		0		
- Comments	\circ	<i>•</i>		
	S			
Safety Training				
- Describe how occupational health and safety training is conducted in your company	2			
If No please refer Note 1.				
- Is a record maintained of all training and induction programs undertaken for employees in your company?	1			
- If yes provide examples of safety training records, if No please refer Note 2.				
- Are regular safety inspections / audits are undertaken at worksites?	1			
-If yes provide details (formats), if No please refer Note 3.				

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS			
Rev. No	0	Page 72 of 98		

Certification				
- Is there a procedure by which employees can report hazards at workplaces?	1			
- If yes provide details if No please refer Note 1.				
Safety Monitoring				
- Is there an officer / supervisor responsible for monitoring workplace / worksite safety?	1		R	
- If yes provide details		6		
		G		
Safety Performance Monitoring				
 Are employees regularly provided with information on company health and safety performance? If yes provide details 				
 Has the company ever been convicted of an occupational health and safety offence? If yes provide details 	NO Marks (Negative mark ONE for each case)			
 Has there been any major accident of employee at TPCODL site in past 	NO Marks (Negative mark ONE for each case			
 Has there been any fatal accident of employee at TPCODL site in past. (Note: Bid evaluation committee has to take cognizance of the incident and shall evaluate the bid only after formal approval of competent authority i.e. CTO. In case of yes please refer Note 4. 	NO Mark (Negative mark FIVE for each case)			

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 73 of 98

Certification			
Minimum of 75% marks is required for qualification.	Total Mark	s achieved	
Company Reference			
 Name of company Name of company 			$ \land $

Note

1: If company does not have formal procedure on Safety Management System than vendor may submit proposed Safety road map along with safety action plan and brief safety policy on his letter head signed by head of the organization.

2: The vendor may submit the same in the Safety Action Plan.

3: The vendor may utilize the same format of TPCODL or on request SAFETY group will assist the vendor in developing the audit system. For other points also vendor may take the assistance of SAFETY group for development of Safety management system.

4: The vendor may submit the Safety Improvement Plan and Safety Action Plan for his employees based on following points.

- i. Action plan for enhancing safety awareness
- *ii.* Action plan for safety training of employee
- iii. Action plan for increasing safety audit in field
- iv. Action plan for provision and utilization of safety PPE.
- v. Action plan for fatality reduction.
- vi. Action plan for enhanced supervision at site
- vii. Action plan for making employee more responsible and accountable for safety.
- viii. Action plan for availability and utilization of all required tool and equipment.
- ix. Safety Improvement done in last two years, specially highlighting those which have been taken after the fatal accident along with results.
- x. Safety initiatives planed or started recently.
- xi. Any other point.

Based on above points and documentary evidences vendor will be required to submit a detailed report in support of his bid. The bid evaluation committee and competent authority will scrutinize the facts and the evidence submitted. If found satisfactory competent authority i.e. CTO may accord his approval for bid opening otherwise his tender shall be disqualified.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 74 of 98

Annexure 2 (Refer Para 3.2 and 5.8)

Risk Assessment Form

Business Associate:	
Scope of the work:	
BA's Representative:	
Telephone:	
Signature: Date:	(
Date:	

Date:

Specific Task/Activity	Potential Hazards/Conseque nces	Class of Risk	Control Measures
Working at Height	Fall from height	2	 Mandatory usage of JSA checklist prior to start of work Use appropriate ladder Use full body safety harness having double lanyard. Use Electrical Safety Shoes if working on electrical network otherwise use safety shoes. Use Safety helmet. Use PPE as per the annexure 7 of this CSM document Refer Work instruction related to Working at Height for other details Use of metal scaffold to be ensured in height work (cup lock type) Deploy competent workforce who are medically fit
Working on electrical equipment / network	Electric flash / electrocution	3	 Mandatory usage of JSA checklist prior to start of work Use Electrical Safety Shoes while working on electrical network. Use Electrical Safety gloves of appropriate voltage rating. Use face shield / visor attached with helmet. Use Safety helmet. Use PPE as per the annexure 7 of this CSM document Mandatory usage of Insulated tools & tackles on electrical system Mandatory compliance for Lock Out & Tag out system. Refer Work instruction related to Working on electrical equipment / network for other details

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 75 of 98

Specific Task/Activity	Potential Hazards/Conseque nces	Class of Risk	Control Measures
Excavation / Civil work	Collapse of soil, Fall in excavated pit leading to Injury	2	 Use safety shoes. Use Safety helmet. Use PPE as per the annexure 7 of this CSM document Hard Barricading of the worksite. Refer Work instruction related to excavation / civil work for other details
Material lifting & Mechanical Erection work	Fall of material/object, Topple of crane,		 Mandatory compliance of crane checklist Visual condition check of lifting tools and tackles such as wire rope sling,belt sling, chain, pulley block, D-shackles, etc. shall be ensured.
		2	 The operator's physical fitness and alertness should be judged by sup. / EIC. Use PPE as per the annexure 7 of this CSM document Refer Work instruction related to Material lifting & Mechanical Erection work
Road Safety	Road Accidents	3	1. Mandatory compliance of TPCODL Road Safety policy W07(COR-P-12)

with annexure 4 of the CSM document.

Guidelines for filling the Risk Assessment Form

- Specific Task/Activity The documentation of each major task associated with the contract.
- Potential Hazards The identification of hazards associated with each activity or task to be carried out.
- *Class of Risk* Each hazard should be evaluated as a level of risk, described as Risk Class 1, 2 or 3 defined above.
- Control Measure The identification and documentation of actions required to eliminate or reduce the hazards that could lead to accident or injury.

Hazard / Risks shall be classified according to the following schedule:

- Class 1: Potential to cause injury treatable with first aid
- Class 2: Potential to cause death or permanent injury
- Class 3: Potential to cause more than one or more lost time injuries.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 76 of 98

Annexure 3.1 (Refer Para 4.0)

General Safety Conditions for the Maintenance of Distribution Network Contracts:

A BA awarded a contract (O&M) work of maintenance of distribution network will be required to fulfil the following conditions:

- BA shall provide Safety Policy and safety objectives of their company.
- BA shall comply with all statutory requirements like: applicable acts, regulations, codes of practice, OHSAS Standards, etc.
- BA shall provide the filled safety management questionnaire as per Annexure 1
- BA shall conduct a job risk assessment and provide information as per Annexure 2
- BA shall abide by Safety manuals, guidelines of TPCODL.
- BA shall provide its organisation structure & responsibilities in terms of Safety Management to TPCODL.
- BA shall document the work practices and procedures in terms of Safety Management.
- BA shall ensure safety training and induction program for the employees
- BA shall conduct safety audits & inspections as per TPCODL procedures provided by SAFETY group.
- BA shall provide and ensure the proper usage of the safety equipment (PPE) as per the TPCODL approved list in *annexure 7.*
- BA shall ensure periodic inspection of PPE to ensure its serviceability as per the specification given by TPCODL.
- BA shall ensure the adherence to standard operating procedures or guidelines laid down by TPCODL.
- BA shall ensure reporting of any unsafe act, unsafe conditions, near miss, incident or accident to engineer in-charge and SAFETY team of TPCODL.
- BA shall provide safety performance and Safety MIS (*annexure 9*) to engineer in-charge and SAFETY group periodically. Based on any non-confirmation to the safety procedures and guidelines, BA is liable to be negatively marked for his performance and suitable penalty will be imposed.
- BA shall ensure to depute a Safety Supervisor for managing a complete safety management system in a district. In case the BA has been awarded work in more than one district, then the following safety structure will be adopted.



Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 77 of 98

Annexure 3.2 (Refer Para 4.0)

General Safety Conditions for the Distribution Projects Major Contracts:

A BA awarded a major contract work of TS&P in area of a circle will be required to fulfil the following conditions:

- BA shall provide Safety Policy and safety objectives of their company.
- BA shall comply with all statutory requirements like: applicable acts, regulations, codes of practice, OHSAS Standards, etc.
- BA shall provide the filled safety management questionnaire as per Annexure 1.
- BA shall conduct a job risk assessment and provide information as per Annexure 2
- BA shall abide by Safety manuals, guidelines of TPCODL.
- BA shall provide its organisation structure & responsibilities in terms of Safety Management to TPCODL.
- BA shall document the work practices and procedures in terms of Safety Management.
- BA shall ensure safety training and induction program for the employees
- BA shall conduct safety audits & inspections as per TPCODL procedures provided by SAFETY group.
- BA shall provide and ensure the proper usage of the safety equipment (PPE) as per the TPCODL approved list in annexure 7.
- BA shall ensure periodic inspection of PPE to ensure its serviceability as per the specification given by TPCODL.
- BA shall ensure the adherence to standard operating procedures or guidelines laid down by TPCODL.
- BA shall ensure reporting of any unsafe act, unsafe conditions, near miss, incident or accident to engineer in-charge and SAFETY team of TPCODL.
- BA shall provide safety performance and Safety MIS (*annexure 9*) to engineer in-charge and SAFETY group periodically. Based on any non-confirmation to the safety procedures and guidelines, BA is liable to be negatively marked for his performance and suitable penalty will be imposed.
- BA shall ensure to depute a Safety Supervisor for managing a complete safety management system in the area. In case the BA has been awarded work in more than one circle, then the following safety structure will be adopted.



Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 78 of 98

Annexure 3.3 (Refer Para 4.0)

General Safety Conditions for the major EHV Projects Contracts:

A BA awarded a major contract work of EHV projects will be required to fulfil the following conditions:

- BA shall provide Safety Policy and safety objectives of their company.
- BA shall comply with all statutory requirements like: applicable acts, regulations, codes of practice, OHSAS Standards, etc.
- BA shall provide the filled safety management questionnaire as per Annexure 1
- BA shall conduct a job risk assessment and provide information as per Annexure 2
- BA shall abide by Safety manuals, guidelines of TPCODL.
- BA shall provide its organisation structure & responsibilities in terms of Safety Management to TPCODL.
- BA shall document the work practices and procedures in terms of Safety Management.
- BA shall ensure safety training and induction program for the employees
- BA shall conduct safety audits & inspections as per TPCODL procedures provided by SAFETY group.
- BA shall provide and ensure the proper usage of the safety equipment (PPE) as per the TPCODL approved list in annexure 7.
- BA shall ensure periodic inspection of PPE to ensure its serviceability as per the specification given by TPCODL.
- BA shall ensure the adherence to standard operating procedures or guidelines laid down by TPCODL.
- BA shall ensure reporting of any unsafe act, unsafe conditions, near miss, incident or accident to engineer in-charge and SAFETY team of TPCODL.
- BA shall provide safety performance and Safety MIS (*annexure 9*) to engineer in-charge and SAFETY group periodically. Based on any non-confirmation to the safety procedures and guidelines, BA is liable to be negatively marked for his performance and suitable penalty will be imposed.
- BA shall ensure to depute a Safety Supervisor for managing a complete safety management system in the area. In case the BA has been awarded work in more than one circle, then the following safety structure will be adopted.
- BA shall refer Construction Safety Manual in TPCODL Safety Manual for details.



Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 79 of 98

Annexure 3.4 (Refer Para 4.0)

<u>General Safety Conditions for the Maintenance of Sub – Transmission Network</u> <u>Contracts:</u>

A BA awarded a major contract work of maintenance of sub – transmission network in area of a power system will be required to fulfil the following conditions:

- BA shall provide Safety Policy and safety objectives of their company.
- BA shall comply with all statutory requirements like: applicable acts, regulations, codes of practice, OHSAS Standards, etc.
- BA shall provide the filled safety management questionnaire as per Annexure 1
- BA shall conduct a job risk assessment and provide information as per Annexure 2
- BA shall abide by Safety manuals, guidelines of TPCODL.
- BA shall provide its organisation structure & responsibilities in terms of Safety Management to TPCODL.
- BA shall document the work practices and procedures in terms of Safety Management.
- BA shall ensure safety training and induction program for the employees
- BA shall conduct safety audits & inspections as per TPCODL procedures provided by SAFETY group.
- BA shall provide and ensure the proper usage of the safety equipment (PPE) as per the TPCODL approved list in annexure 7.
- BA shall ensure periodic inspection of PPE to ensure its serviceability as per the specification given by TPCODL.
- BA shall ensure the adherence to standard operating procedures or guidelines laid down by TPCODL.
- BA shall ensure reporting of any unsafe act, unsafe conditions, near miss, incident or accident to engineer in-charge and SAFETY team of TPCODL.
- BA shall provide safety performance and Safety MIS (*annexure 9*) to engineer in-charge and SAFETY group periodically. Based on any non-confirmation to the safety procedures and guidelines, BA is liable to be negatively marked for his performance and suitable penalty will be imposed.
- BA shall ensure to depute a Safety Coordinator for managing a complete safety management system in the area. In case the BA has been awarded work in more than one area power system, then the following safety structure will be adopted.



Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 80 of 98

Annexure 3.5 (Refer Para 4.0)

General Safety Conditions for the major contract work in Civil / Generation Projects:

A BA awarded a major contract work of / in civil or Generation project will be required to fulfil the following safety conditions:

- BA shall provide Safety Policy and safety objectives of their company.
- BA shall comply with all statutory requirements like: applicable acts, regulations, codes of practice, OHSAS Standards, etc.
- BA shall provide the filled safety management questionnaire as per Annexure 1
- BA shall conduct a job risk assessment and provide information as per Annexure 2
- BA shall abide by Safety manuals, guidelines of TPCODL.
- BA shall provide its organisation structure & responsibilities in terms of Safety Management to TPCODL.
- BA shall document the work practices and procedures in terms of Safety Management.
- BA shall ensure safety training and induction program for the employees
- BA shall conduct safety audits & inspections as per TPCODL procedures provided by SAFETY group.
- BA shall provide and ensure the proper usage of the safety equipment (PPE) as per the TPCODL approved list in annexure 7.
- BA shall ensure periodic inspection of PPE to ensure its serviceability as per the specification given by TPCODL.
- BA shall ensure the adherence to standard operating procedures or guidelines laid down by TPCODL.
- BA shall ensure reporting of any unsafe act, unsafe conditions, near miss, incident or accident to engineer in-charge and SAFETY team of TPCODL.
- BA shall provide safety performance and Safety MIS (*annexure 9*) to engineer in-charge and SAFETY group periodically. Based on any non-confirmation to the safety procedures and guidelines, BA is liable to be negatively marked for his performance and suitable penalty will be imposed.
- BA shall ensure to depute a Safety Supervisor (for workforce upto 100 at site) / a safety engineer (for workforce upto 250 at site) / safety manager (for more than two safety engineers) for managing a complete safety management system at the project site. In case the BA has been awarded more than one major contracts, then the following safety structure will be adopted.
- BA shall refer Construction Safety Manual in TPCODL Safety Manual for details.



Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 81 of 98

Annexure 3.6 (Refer Para 4.0)

<u>General Safety Conditions for the major contract work in Commercial Department like -</u> <u>MMG, RRG, EAG, etc.:</u>

A BA awarded a major contract work in meter management group & energy auditing group will be required to fulfil the following safety conditions:

- BA shall provide Safety Policy and safety objectives of their company.
- BA shall comply with all statutory requirements like: applicable acts, regulations, codes of practice, OHSAS Standards, etc.
- BA shall provide the filled safety management questionnaire as per Annexure 1
- BA shall conduct a job risk assessment and provide information as per Annexure 2
- BA shall abide by Safety manuals, guidelines of TPCODL.
- BA shall provide its organisation structure & responsibilities in terms of Safety Management to TPCODL.
- BA shall document the work practices and procedures in terms of Safety Management.
- BA shall ensure safety training and induction program for the employees
- BA shall conduct safety audits & inspections as per TPCODL procedures provided by SAFETY group.
- BA shall provide and ensure the proper usage of the safety equipment (PPE) as per the TPCODL approved list in annexure 7.
- BA shall ensure periodic inspection of PPE to ensure its serviceability as per the specification given by TPCODL.
- BA shall ensure the adherence to standard operating procedures or guidelines laid down by TPCODL.
- BA shall ensure reporting of any unsafe act, unsafe conditions, near miss, incident or accident to engineer in-charge and SAFETY team of TPCODL.
- BA shall provide safety performance and Safety MIS (*annexure 9*) to engineer in-charge and SAFETY group periodically. Based on any non-confirmation to the safety procedures and guidelines, BA is liable to be negatively marked for his performance and suitable penalty will be imposed.
- BA shall ensure to depute a Safety Supervisor for managing a complete safety management system for the work as per the following safety structure.
- The BA for the RRG work shall depute one Safety supervisor.



Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 82 of 98

Annexure 3.7 (Refer Para 4.0)

General Safety Conditions for the major contract work in O&M of street light group:

A BA awarded a major contract work in operation and maintenance of street light group will be required to fulfil the following safety conditions:

- BA shall provide Safety Policy and safety objectives of their company.
- BA shall comply with all statutory requirements like: applicable acts, regulations, codes of practice, OHSAS Standards, etc.
- BA shall provide the filled safety management questionnaire as per Annexure 1
- BA shall conduct a job risk assessment and provide information as per Annexure 2
- BA shall abide by Safety manuals, guidelines of TPCODL.
- BA shall provide its organisation structure & responsibilities in terms of Safety Management to TPCODL.
- BA shall document the work practices and procedures in terms of Safety Management.
- BA shall ensure safety training and induction program for the employees
- BA shall conduct safety audits & inspections as per TPCODL procedures provided by SAFETY group.
- BA shall provide and ensure the proper usage of the safety equipment PPE as per the TPCODL approved list in annexure 7.
- BA shall ensure periodic inspection of PPE to ensure its serviceability as per the specification given by TPCODL.
- BA shall ensure the adherence to standard operating procedures or guidelines laid down by TPCODL.
- BA shall ensure reporting of any unsafe act, unsafe conditions, near miss, incident or accident to engineer in-charge and SAFETY team of TPCODL.
- BA shall provide safety performance and Safety MIS (*annexure 9*) to engineer in-charge and SAFETY group periodically. Based on any non-confirmation to the safety procedures and guidelines, BA is liable to be negatively marked for his performance and suitable penalty will be imposed.
- Each BA shall ensure to depute a Safety Supervisor for managing a complete safety management system for the work awarded as per the below structure.



Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 83 of 98

Annexure 4 (Refer Para 3.3)

Safety Undertaking by way of Affidavit

I s/o	R/o	(AUTHORIZED
REPRESENTATIVE/PARTNER/DIRECTOR	R/PROPRIETOR)	of M/S(name of
company/firm) having its office at (Comp	lete address of Con	npany), authorized vide power of
attorney dated/Board resolution dated-	/letter of authority	dated, hereinafter referred to
as Contractor [or Business Associate (B	A)] which expressio	n shall, unless it be repugnant to
or inconsistent with the meaning or context	t thereof, be deeme	d to include its heirs, executors,
administrators, and assigns do hereby affirm	n and undertake as	under :

- The present undertaking shall remain in force from the date of execution of contract awarded by TPCODL and shall be valid till the date of termination of the said contract by either parties. The undertaking is binding on me (contractor) as well as my subcontractor and its employees, representatives etc.
- That I(the contractor) will be responsible and liable to comply and abide by all the safety rules, instructions and regulations as may be specified and laid down by TP Central Odisha Distribution Limited (TPCODL) so as enable TPCODL to achieve its goal of Zero On site incidences.
- 3. That the Contractor shall be fully responsible for ensuring occupational health and safety of its employees, representatives, agents as well as of its subcontractor's employees, at all times during the discharge of their respective obligations under the contract including any methods adopted for performance of their tasks / work.
- 4. That Contractor shall ensure ,at its own expense to arrange for and procure, implement all requisite accident prevention tools, first aid boxes, personal protective equipment, fire extinguisher, safety training, Material Safety Data Sheet, pre-employment medical test, etc. for operations & activities including as & when so specified by TPCODL specifically. , failing which TPCODL shall be entitled, but not obliged, to provide the same and recover the actual cost thereof from the Contractor's payments.
- 5. That the Contractor shall engage adequate and competent Safety Supervisor / Engineer / Manager / Skilled persons at site as per the Para 5 (Qualification and experience of safety personnel) and Annexure 3 of Contract Safety Management.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 84 of 98

- 6. That the Contractor shall engage the competent Site Supervisor with each group of workers for safe and correct workmanship, proper co-ordination of material and site work as per contract.
- 7. That the Contractor shall immediately replace supervisor in case it is found to be not up to the level of skill and experience required as in skill and experience required in *annexure 5* of this document, but any such replacement shall be only with the prior concurrence of TPCODL.
- 8. That the Contractor and its subcontractors shall abide by all the safety guidelines as per Safety Manual, Contract Safety Management and other guidelines issued from time to time by TPCODL during the contract period.
- 9. That in case the Contractor and/or any of its Subcontractor fail to ensure the compliance as required in terms of this undertaking the Contractor shall keep and hold TPCODL / its directors / officers / employees indemnified against any / all losses / damage / expense / liability / fines / compensation / claims / action / prosecutions or the like which might be suffered by TPCODL or to which TPCODL might get exposed to as a result of any breach /wilful negligence /deliberate default on the part of the Contractor /Subcontractor in complying with the same. Contractor shall also furnish any press release, clarification etc. if sought by TPCODL for any near miss or safety violations, accidents, which are attributable to fault of Contractor.

DEPONENT

VERIFICATION

Verified at Bhubaneswar on this _Day of _____20__ that the contents of the above affidavit are true and correct and nothing material has been concealed therefrom

DEPONENT

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 85 of 98

Annexure 5 (Refer Para 5.4)

SKILL / QUALIFICATION REQUIRED FOR ELECTRICIAN AND ELECTRICAL SUPERVISOR

Skill / Qualifications Required for Electrician (Certificate of Competency Class-II):

1. Formal education in ITI – Wireman/ Electrician trade.

OR

- 2. Working experience of minimum three years of practical wiring.
 - OR
- 3. Have completed three years apprenticeship course through Apprenticeship Advisor, Govt. of NCT of Odisha / other state Govt. in the trade of Lineman / Wireman / Electrician.
- 4. A candidate must have attained the age of Eighteen years.

Skill / Qualifications Required for Electrical Supervisor (*Certificate of Competency Class-I*):

1. Have at least five years' experience of practical wiring after passing the certificate of competency class-II i.e. electrician.

OR

2. Recognized Degree or Diploma or equivalent qualification in Electrical Engineering from any Technical institute / College or University recognized by the Board.

AND

Must have completed the training/job in rectifying the common defects in electrical line and power installation for a period of one and three years after passing Degree or Diploma respectively

OR

THE

 Possessing the valid certificate of certificate of competency class – 1 (Electrical Supervisor)

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 86 of 98

Annexure 6 (Refer Para 5.6)

Training Module for BAs Worker & Supervisor

Training for BA Supervisor

Duration – 02 Hrs / Month

Methodology: Lecture and Practical Demonstration of Safety Zone Creation

Session: 1

Topic: Electrical Safety Aspects

Sub Topics:

- 1. Learning specifics of HT & LT Network of zone
- 2. Major type of HT / LT / service lines / street light maintenance works
- 3. Understanding the need of Safety
- 4. Understanding the safe process of maintenance :
 - Planning of the maintenance job
 - Availability of men, material & machine, PPEs, Safety gear and approved PTW
 - Briefing of the job by the supervisor of the TPCODL
 - Identification of Risks associated with the maintenance work and planning for controlling measures by TPCODL supervisor
 - Creation of safety zone by TPCODL supervisor and satisfying that the network is dead Use of Neon Tester, Shorting Chain and Safety Tagging
 - Start of the work Right person for the right job
 - Alert supervision
 - Completion of the job Check points
 - Energization of network
 - Actions to be taken in case of some accident

Session: 2

Topic: Use of Electrical Testing Equipment

Methodology: Lecture and Practical Demonstration

Sub Topics:

1. Meggar, Hi Pot, Clamp On Meter, Neon Tester, Discharge Rod, Line tester etc.

Session: 3

Topic:

Awareness of Electrical Safety Aspects

- A. Understanding the need of this Training and Safety
- B. Learning specifics of HT & LT Network
- C. Major type of work to be carried out in zones
- D. Switching Operations (Do's & Don'ts) including Street Light Switching
- E. Working on Height (practical demo also)
- F. Understanding the Safe Process of Maintenance / Working:
 - Planning of the job
 - Availability of men, material & machine, PPEs, Safety gear and approved PTW
 - Briefing of the job by the supervisor

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0 Page 87 of 98	

- Permit to Work
- Safety Tagging and Lock Out Tag out
- Identification of Risks associated with the work to be carried out and planning for controlling measures by proper supervision
- Concept of "Safety Zone"
- Identification and use of Neon Tester, Shorting Chain, Clamp On Meter, Hi Pot, Meggar etc.
- Completion of the job Check points
- Accident Theory & Incident Reporting
- Actions to be taken in case of some accident

Session: 4

<u>Topic</u>: Identification, Demonstration and Usages of Tools, PPEs and other Safety Gears and demonstration of working on HT pole

Session: 5

Topic: Practical demonstration of Safety Zone creation

FREQUENCY

Regular Safety Training Program

• It will be conducted for all field & supervisor staff of BA in such a manner that all BA Personnel attend at least two hours safety training during every month.

One Day Induction Safety Training Programs:

• This training will be for the new BA's personnel, who have been cleared by the Cross Functional Panel to undergo Safety training and who are likely to be deployed at various work sites of TPCODL by the BA, as a part of AMC / Work Contract.

Duration / Periodicity:

• Duration and periodicity has been defined above. However, this is subject to change at the discretion of TPCODL.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 88 of 98

Annexure 7 (Refer Para 5.7)

LIST OF PERSONAL PROTECTIVE EQUIPMENT AND TESTING FREQUENCY

SI. No.	Name of PPE	IS / EN Standard	Testing Frequency	Remarks	Ref Brand & Model
01	Leather Safety Shoes (Color – Black) with PU toe cap.	IS:15298 (Part-2)	Monthly and visual check every day for any crack or damage in the leather or sole.		BATA (Model No Endura L/C) Liberty (Model No. – 7198-01 HT Barton Black – Warrior)
02	HDPE Safety helmet with chin strap and ratchet type for adjustment.	IS:2925-1984	Monthly and visual check every day for any crack in shell.	C NO	Karam (PN Safetech) Joseph Leslie Accent Industries Honeywell
03	Full body harness (Safety belt)	EN 361	Monthly and visual check every day of the bends and the harness.		Karam (PN Safetech) Joseph Leslie Accent Industries
04	Electrical Safety Gloves	EN: 60903 CE marked	Weekly and visual check for any crack and blow test before every work.	Manufactured not beyond 12 months.	Make Sparian / Sumitech / CATU supplied with inner cotton glove with over glove of split leather.
05	Full face visor with safety helmet	EN: 166 CE marked (Visor)	Monthly and visual check every day for any crack in shell.	Clear acrylic visor attached with safety helmet.	Karam (PN Safetech) Joseph Leslie Accent Industries Honeywell
06	Fire Proof jacket for chest protection		Monthly and visual check every day.		
07	Safety Chain for shorting cum earthing.	As per TPCODL standard	Weekly and visual check before every work.	Made of brass, Total length – 5.5 meters and made of 12 SWG.	

1. Any other Personal Protection Equipment required beyond above list will be according to BIS or EN Standards.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0 Page 89 of 98	

- 2. All Personal Protection Equipment will be checked by the engineer in-charge or SAFETY group of TPCODL.
- 3. Safety Representative of the BA has to maintain the record of the availability, condition and checking of the PPEs.
- 4. All tools required as per the contract must be according to respective IS / EN standards.
- 5. TPCODL may revise or add the above list of PPE and their specifications as and when feel necessary. The information about new specifications /models will be circulated by the Engineer In-charge (EIC), which shall adhere by the business associated in the shortest possible time. The EIC shall issue a memo / instruction to BA with timeline for implementation. Any delay will be treated as non- compliance / safety violations. Refer picture of each PPE given in next page.

Pictures of PPE for reference purpose.

SI. No.	Name of PPE	IS / EN Standard	Picture
01	Leather Safety Shoes (Color – Black) with PU toe cap.	IS:15298(Part- 2) and with test report of electrical resistance.	
02	HDPE Safety helmet with chin strap and ratchet type for adjustment.	IS:2925-1984	
03	Full body harness (Safety belt) The straps at shoulder and thigh shall have full pad for comfort. The back shall be so designed that harness straps do not tangle with each other.	EN 361:2002 EN 358 : 2000 IS: 3521:1991/2002	

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 90 of 98

04	Electrical Safety Gloves – Composite type Soft electrical gloves as per size of individual.	EN: 60903 CE marked	
05	Full face visor with safety helmet	EN: 166 CE marked (Visor)	S
06	Fire Proof jacket for chest protection		
07	Safety Chain for shorting cum earthing.	As per TPCODL standard	
08	Reflective jacket to each workmen	As per TPCODL standard	

Note : Picture shown are for indicative purpose only. Actual product may differ.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS		
Rev. No	0	Page 91 of 98	

Annexure 8 (Refer Para 5.8) LIST OF AUDITS TO BE CONDUCTED

Audits	Responsibility	Freq.	Ref. Doc.
Permit to Work & Field Audit		Weekly	F04 (COR P - 12)
Tool Bag & PPE's Audit		Weekly	F06 (COR P - 12)
First Aid Box Maintenance Record		Fortnightly	F08 (COR P - 12)
Fire Extinguisher Record	BA Safety		2
(Applicable for the BA involved in major construction works and have storage of flammable material at worksite)	Representative	Monthly	F09 (COR P - 12)
Safety Talk Register	25	Weekly	F18 (COR P - 12)
Site Safety Audit	× 101-	Daily	F29A (COR P - 12)

Note:

GENERAL

 (BA Safety Representative has to use the formats as per Safety process COR – P – 12 of TPCODL)

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 92 of 98

Annexure 9 (Refer Para 5.9)

PERFORMANCE REPORT – SAFETY

FOR THE MONTH OF.....

Name of BA :			
Name of the Project and Pur	chase order No:		
Date of commencement of w	vork:		
Man Hour Worked in this mo	onth (No. of employees	x 8 Hrs + Overtime):	
Cumulative Man Hour worke	d:		
Total Number of			2
Minor Injury (this month):		Minor Injury (Total)	
Major Injury (this month):		Major Injury (Total):	

Detail of the Incident / Sub Standard Acts and Condition

Activity	This Month	Cumulative (Total)	Day Lost (this month)	Days Lost (Cumulative)
No. of the Incident		6		
No. of lost time injuries		\sim		
No. of dangerous occurrences				
No. of near miss reported	7			
Substandard Act/Conditions observed			Attach details of of this month	observation
Safety Violation Notice received (from TPCODL)	No.	No.	No. of violation letter receive and compliance report for th TPCODL.	
(both in numbers and in Rs.)	Rs.	Rs.		

Note: Cumulative means total from date of commencement of work according to the contract.

Detail of the Accident / Near Miss Incidents:

Date and Time	Type of the incident	Name of Employee	Brief Description	Corrective and Preventive actions recommended

Details of the Safety Violations:

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 93 of 98

Date and Location	Brief Description	Name of employee involved	Action Taken

Detail of the Safety Talk / Tool Box Talk / Safety Training

Date and Location	Topic (s)	Total Number of employees (Worker / Supervisor)	Number of participants (Worker / Supervisor)

Detail of the Safety Meeting

Date and Location	Number of participants	Topics discussed	Major Observations / Innovation
			~

Detail of the Safety Inspection /Audit: (as per TPCODL site audit checklist F29A(COR-P-12)

Date	Area / Location	Major Observations	Recommendations	Action Taken

Any other Safety, Occupational Health, Environment & Disaster Management Promotional Activity (During this month):

Date	Location	evel of Number of participation

Signature of the BA Safety Representative HoG

Signature of ZM /

Name, E. No. and Date

Name, E. No. Date.

Note: The original form to be deposited with Engineer in-charge and a copy to SAFETY group on or before 5th of every month along with bill. List of training of the current month and status of PPE to be also mentioned individual wise.

BA may include additional lines if required. The TPPDL may revise the format as and when deemed required.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 94 of 98

ANNEXURE-L

VENDOR APPRAISAL FORM

TO BE	SUBMIT	TED BY VENDOR (To be filled as applicable)	
VENDOR:			
1.0	DETAILS OF THE FIRM		\sim
	1.1	NAME (IN CAPITAL LETTERS)	:
	1.2	TYPE OF CONCERN (PROPRIETARY) Partnership, Pvt. Ltd., Public Ltd. etc.	- 22
	1.3	YEAR OF ESTABLISHMENT	\sim
	1.4	LOCATION OF OFFICE POSTAL ADDRESS TELEGRAPHIC ADDRESSES, TELEX NO. FAX NO.) :
	1.5	LOCATION OF MANUFACTURING UNITS	:
		i) UNITS 1	:
		ii) OTHER UNITS	:
2.0	PRODU	JCTS MANUFACTURED	:
3.0	TURNOVER DURING THE LAST 3 YEARS (TO BE VERIFIED		:
4.0	VALUE	OF FIXED ASSETS	:
5.0	NAME	& ADDRESS OF THE BANKERS	:
6.0	BANK	GUARANTEE LIMIT	:
7.0	CREDI	Г LIMIT	:
8.0	TECHN	lical	
Ċ	8.1	NO. OF DESIGN ENGINEERS (INDICATE NO. OF YEARS EXPERIENCE IN RELATED FIELDS)	:
	8.2	NO. OF DRAUGHTSMAN	:
	8.3	COLLABORATION DETAILS (IF ANY)	:
		8.3.1 DATE OF COLLABORATION	:

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 95 of 98

-			
		8.3.2 NAME OF COLLABORATOR	:
		8.3.3 RBI APPROVAL DETAILS	:
		8.3.4 EXPERIENCE LIST OF COLLABORATOR	:
		8.3.5 DURATION OF AGREEMENT	:
	8.4	AVAILABILITY OF STANDARDS / DESIGN PROCEDURES / COLLABORA-TOR'S / DOCUMENTS (CHECK WHETHER THESE ARE LATEST/CURRENT	
	8.5	TECHNICAL SUPPORT, BACK-UP GUARANTEE, SUPERVISION, QUALITY CONTROL BY COLLABORATOR (WHEREVER ESSENTIAL). (THIS CLAUSE IS RELEVANT WHEN VENDOR'S EXPERIENCE IS INADEQUATE)	ARY.
	8.6	QUALITY OF DRAWINGS	
9.0	MANUF	ACTURE	
	9.1	SHOP SPACE, LAYOUT LIGHTING, VENTILATION, ETC.	:
	9.2	POWER (KVA)	:
		MAINS INSTALLED	:
		UTILIZED	:
		STANDBY POWER SOURCE	:
	9.3	MANUFACTURING FACILITIES (ATTACH LIST OF EQUIPMENT AS APPLICABLE)	:
		9.3.1 MATERIAL HANDLING	:
		9.3.2 MACHINING	:
		9.3.3 FABRICATION	:
	2	9.3.4 HEAT TREATMENT	:
		9.3.5 BALANCING FACILITY	:
		9.3.6 SURFACE TREATMENT PRIOR TO PAINTING/ COATING, POLISHING, PICKLING, PASSIVATION, PAINTING, ETC.	:
	9.4	SUPERVISORY STAFF	:
	9.5	ADEQUACY OF SKILLED LABOURS (MACHINISTS, WELDERS, ETC.)	:

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 96 of 98

	9.6	NO. OF SHIFTS	
	5.0		•
	9.7	TYPE OF MATERIAL HANDLED (SUCH AS CS, SS, ETC.)	
	9.8	WORKMANSHIP	:
	9.9	MATERIAL IN STOCK AND VALUE	:
	9.10	TRANSPORT FACILITIES	:
	9.11	CARE IN HANDLING	:
10.0	INSPEC	TION / QC / QA / TESTING	
	10.1	NUMBER OF PERSONNEL (INDICATE NO. OF YEARS OF EXPERIENCE)	2
	10.2	INDEPENDENCE FROM PRODUCTION	:
	10.3	AVAILABILITY OF PROCEDURAL WRITE UP/QUALITY PLAN	:
	10.4	INCOMING MATERIAL CONTROL AND DOCUMENTATION	:
	10.5	RELIABILITY/REPUTATION OF SUPPLY SOURCES	:
	10.6	STAGE INSPECTION AND DOCUMENTATION	:
	10.7	SUB-ASSEMBLY & DOCUMENTATION	:
	10.8	FINAL INSPECTION AND DOCUMENTATION	:
	10.9	PREPARATION OF FINAL DOCUMENTATION PACKAGE	:
	10.10	TYPE TEST FACILITIES	:
	10.11	ACCEPTANCE TEST FACILITIES	:
	10.12	CALIBRATION OF INSTRUMENTS AND GAUGES (WITH TRACEABILITY TO NATIONAL STANDARDS) (ATTACH LIST)	:
	10.13	STATUTORY APPROVALS LIKE BIS, IBR, ETC.(AS APPLICABLE)	:
0	10.14	SUB-VENDOR APPROVAL SYSTEM AND QUALITY CONTROL	:
	10.15	DETAILS OF TESTS CARRIED OUT AT INDEPENDENT RECOGNIZED LABORATORIES	:
		i) FURNISH LIST OF TESTS CARRIED OUT AND THE NAME OF THE LABORATORY WHERE THE TESTS WERE CONDUCTED	:

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 97 of 98

	ii) CHECK AVAILABILITY OF CERTIFICATES AND REVIEW THESE WHEREVER POSSIBLE	:
11.0	EXPERIENCE (INCLUDING CONSTRUCTION / ERECTION / COMMISSIONING) TO BE FURNISHED IN THE FORMAT INDICATED IN APPENDIX)	:
12.0	SALES, SERVICE AND SITE ORGANIZATIONAL DETAILS	:
13.0	CERTIFICATE FROM CUSTOMERS (ATTACH COPIES OF DOCUMENTS)	:
14.0	POWER SITUATION	
15.0	LABOUR SITUATION	·
16.0 *	APPLICABILITY OF SC/ST RELAXATION (Y/N) IF YES, SUPPORTING DOCUMENTS TO BE ATTACHED	
17.0	 ORGANIZATIONAL DETAILS PF NO ESI NO INSURANCE FOR WORK MAN COMPENSATION ACT NO ELECTRICAL CONTRACT LIC NO ITCC / PAN NO SALES TAX NO WC TAX REG. NO)` :
18.0	 DOCUMENTS TO BE ENCLOSED: FACTORY LICENCE ANNUAL REPORT FOR LAST THREE YEARS TYPE TEST REPORT FOR THE ITEM PAST EXPERIENCE REPORTS ISO CERTIFICATE -QMS, EMS, OHAS, SA REGISTRATION OF SALES TAX COPY OF TIN NO. COPY OF SERVICE TAX NO. REGISTRATION OF CENTRAL EXCISE COPY OF INCOME TAX CLEARANCE. COPY OF FREGISTRATION COPY OF ESI REGISTRATION COPY OF INSURANCE FOR WORK MAN COMPENSATION ACT NO COPY OF ELECTRICAL CONTRACT LIC NO COPY OF PAN NO COPY OF WC TAX REGISTRATION COPY OF WC TAX REGISTRATION BODY OF WC TAX REGISTRATION 	

* Classification of BA s under SC/ST shall be governed under following guidelines:

• **Proprietorship/ Single Ownership Firm:** Proprietor of the firm should be from SC/ST community. Governing document shall be Proprietorship Deed.

Doc. Title	GENERAL CONDITIONS OF CONTRACT - SERVICE ORDERS	
Rev. No	0	Page 98 of 98

- Partnership Firm: Only such firms shall qualify which have SC/ST partners holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Partnership Deed.
- Private Limited Company: Only such firms shall qualify which have SC/ST directors holding

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Conditions

Date of Issue: 19/01/2019

Safety Terms and Conditions

Confidential & Proprietary – The Tata Power Company Limited

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

1.	Def	initions		
2.	Saf	ety Policy		
3.	Ter	Commandments on Safety (Deleted)Error! Bookmark not defined.		
4.	Saf	ety Organization & Responsibilities		
4	.1	Contractor Site Management and Supervision		
4	.2	Contractor Supervisors and General Staff		
4	.3	Contractor Workforce7		
4	.4	Vendor/Contractor		
5.	Site	Safety Rules and Procedures:		
5	.1	Lock Out and Tag Out Procedure		
5	.2	Excavation Safety (Shoring and Sloping) Procedure		
5	.3	Confined Space Entry Procedure		
5	.4	Working at Height Procedure9		
5	.5	Heavy Equipment Movement Safety Procedure9		
5	.6	Mobile Crane Safety Procedure9		
5	.7	Scaffold Safety Procedure		
5	.8	Electrical Safety Procedure10		
5	.9	Job Safety Analysis (JSA) Procedure10		
5	.10	Fire Safety Management Procedure10		
5	.11	Permit To Work Procedure		
5	.12	Lift (Elevator) Safety Procedure 11		
5	.13	Working on conveyor belt Procedure		
5	.14	Handling Hazardous Materials Procedure11		
5	.15	Material Handling and Storage Procedure11		
6.	6. Training and Capability Building12			
7.	7. Pre Employment and Periodic Medical check up			
8.	Safe	ety Performance Evaluation and Penalties13		

Confidential & Proprietary – The Tata Power Company Limited

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

1. Definitions

- 1.1 **Order Manager**: Order Manager is the Tata Power representative, who has the ownership of the given job under the signed contract.
- 1.2 **Service Provider/Contractor/vendor:** An individual or an organization that provides services to Tata Power under a signed contract.
- 1.3 **Site Safety Management Plan:** It is the safety plan agreed between Contractor /service provider & Tata Power. It will contain the entire job specific safety requirement and will be signed by the service provider.
- 1.4 **High Risk Job:** Any job which has significant health and safety risk associated to it. The list of high risk jobs has been identified at Tata Power level.
- 1.5 **Emergency:** a serious, unexpected, business discontinuity and often dangerous situation resulting loss of revenue/property and requiring immediate action.

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

2. Safety Policy



HEALTH AND SAFETY POLICY

Tata Power is committed to provide safe and healthy working environment for the prevention of work related injuries and ill-health. Safety is one of our core values. We strive to be a leader in safety excellence in the global power and energy business. In pursuit of this, we are committed to the following:

- Maintain and continually improve our management systems to eliminate hazards and reduce health & safety risks to all our stakeholders.
- Incorporate appropriate health & safety criteria into business decisions for selection of plant and technology, performance appraisal of individuals and appointments in key positions.
- Comply and endeavour to exceed all applicable health & safety legal and other requirements
- Integrate health & safety procedures and best practices into every operational activity with assigned line-functional responsibilities at all levels.
- Involve our employees and business associates in maintaining a safe and healthy work environment through consultation and participation
- Inculcate safety culture by visible leadership and empowerment.
- Ensure required competency to enable our employees and business associates for working safely.
- Promptly report incidents, investigate, share crucial learnings and prevent recurrences.
- Influence our business associates in enhancing their health and safety standards and align with Tata Power's health & safety codes and practices.
- Set safety & health metrics as indicators of excellence, monitor progress and continually improve health and safety performance.

We shall ensure the availability of appropriate resources at all times to fully implement and communicate this policy to all stakeholders by suitable means and periodically review its relevance in continuously changing business environment.

(Praveer Sinha) CEO & Managing Director

Date: 11th March, 2019 TATA POWER Lighting up Lives!

Confidential & Proprietary – The Tata Power Company Limited

Page 4 of 18

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

THIS PAGE DELETED

Confidential & Proprietary – The Tata Power Company Limited

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

3. Safety Organization & Responsibilities

4.1 Contractor Site Management and Supervision

Each Contractor will be responsible for fulfilling all statutory and safety requirements as per the laws of the land and not limited to Factory Act, Electricity Act, Electricity Rules and Regulations, Shop and Establishment Act etc.

Each Contractor shall provide at least one competent full time safety supervisor for workforce of less than 100 numbers. When workforce ranges from 100 to 1000, the contractor has to provide at least one qualified safety officer and safety supervisors (reporting to the safety officer) in the ratio 1:100. For every 1000 addition in workforce, the contractor has to add 1 safety officer. The Tata Power Project Safety Manager will review and approve the appointment of all safety supervisors. Contractor/Subcontractor safety supervisors/officers will work with Tata Power Safety Managers and align themselves with Tata Power safety requirements.

Each Contractors'/Subcontractors' Site Manager is responsible, and will be held accountable, for the safety of their sub contractors and workforce and for ensuring that all equipment, materials, tools and procedures remain in safety compliance at job site, including:

- 4.1.1 Holding officer/supervisors accountable for safety and actively promote safe work performance.
- 4.1.2 Participate in and cooperate with all safety program requirements to be implemented in order to meet Tata Power safety objectives.
- 4.1.3 Ensure timely reporting of safety incidents, near misses, unsafe acts and conditions.
- 4.1.4 Identify the training needs of its employees and maintain all safety training documents.
- 4.1.5 Provide safety performance report at an agreed frequency.
- 4.1.6 Stopping of unsafe work (acts and/or conditions) immediately, until corrective action be taken.

4.2 Contractor Supervisors and General Staff

Contractors' site supervisors and general staff members in charge of job site functions such as field engineering, warehousing, purchasing, cost and scheduling, etc. are responsible for the safe performance of the work of those they supervise. They must set an example for their fellow employees by being familiar with applicable sections of the Site Safety program and ensuring that all site activities are performed with SAFETY as the primary objective.

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

Each site supervisor is responsible and will be held accountable for identifying, analyzing and eliminating or controlling all hazards through implementation of an aggressive, pro-active Health, Safety and Environmental Program from project inception through project completion. Each supervisor will proactively participate in the SHE program by observing, correcting unsafe acts, and recording these observations.

4.3 Contractor Workforce

Contractor workforce must make safety a part of their job by following safety rules and regulations and by using all safeguards and safety equipments. They must take an active part in the Site Safety program to ensure their own safety and injury-free employment as well as being alert to unsafe practices of their fellow employees.

Every member of the workforce is expected to report for work without influence of any Drug/Alcohol. All employees are expected to report any hazardous conditions practices and behaviors in their work areas and correct where ever possible.

Workforce is responsible for active participation in safety and health programs, suggestion systems, trainings and in immediate reporting of all injuries, any unsafe practices, conditions or incidents to their supervisors.

4.4 Vendor/Contractor

Vendors/Contractor shall at all times comply with, and ensure that their workforce comply with all site safety rules and regulations. Specifically, with applicable provisions of the Tata Power Site Safety Management Plan, and all statutory safety rules and regulations.

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

4. Site Safety Rules and Procedures:

The work in the safest possible manner can only happen when it has been carefully planned and all applicable procedures are followed. The Tata Power Safety Procedures are derived from Tata Power best practices and the applicable Government acts regulations. In each case, the most stringent regulation is used.

Following is the list of Tata Power's critical Safety Rules and Procedures. Contractor shall refer to approved Rules and Procedures for detailed requirements and ensure conformance.

5.1 Lock Out and Tag Out Procedure

This procedure is intended to be used for the protection of Personnel while servicing or performing maintenance on equipment / pipeline / vessel / process systems. This is a general procedure that shall be used as the minimum requirements for isolation of equipment, pipelines, machines, system from all possible sources of hazardous energy and / or material such as Steam, Hot Water, Compressed Air, any other process fluid / chemical energy /Mechanical energy or Electrical energy. For complete procedure kindly refer Procedure Document No. TPSMS/CSP/LOTO/001 REV 01 available on official website of Tata Power (www.tatapower.com)

5.2 Excavation Safety (Shoring and Sloping) Procedure

This procedure is developed to cover the safe practices required for shoring and sloping in excavation and trenching jobs. This procedure is developed to establish mandatory requirements for practices to protect personnel, property and equipment from hazards associated with above activities. For complete procedure kindly refer Procedure Document No TPSMS/CSP/EXS/002 REV 01 available on official website of Tata Power (www.tatapower.com)

5.3 Confined Space Entry Procedure

This procedure outlines the steps required to perform the confined space entry and to protect personnel from the hazards of entering and conducting operations in confined spaces. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/CSE/003 REV 01 available on official website of Tata Power (www.tatapower.com)

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

5.4 Working at Height Procedure

This procedure describes the rules and procedures to protect employees from the hazards of working at heights.

This procedure is developed to cover the safe practices required for Working at Heights. This procedure is developed to establish mandatory requirements for practices to protect personnel from hazards associated in this area. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/WAH/004 REV 01 available on official website of Tata Power (www.tatapower.com)

5.5 Heavy Equipment Movement Safety Procedure

Heavy equipment lifting and movement is an activity involving loading, unloading, storage and movement from one place to another including lifting and erection or repairing of equipment with cranes or hoists. Material, machinery and equipment handling operations are being carried out by large capacity cranes and hoists, which make the job safer and faster. This procedure addresses the hazards and precautions associated with such equipment and their use. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/HEMS/005 REV 01 available on official website of Tata Power (www.tatapower.com)

5.6 Mobile Crane Safety Procedure

Mobile cranes are responsible for many incidents, injuries. Falling loads from mobile cranes pose a severe hazard to operators and nearby workers and property. Many types of cranes, hoists, and rigging devices are used for lifting and moving materials. To maintain safe, appropriate standards has to be adhered to and only qualified and licensed individuals shall operate these devices. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/MCS/006 REV 01.

5.7 Scaffold Safety Procedure

This procedure is developed to provide information on the safe erection, use, dismantling and maintenance of access scaffolding in the workplace. It is developed to establish mandatory requirements for practices to protect personnel from hazards associated with erection, use and dismantling of scaffolds. For complete procedure kindly refer Procedure Document No – TPSMS/CSP/SCAF/007 REV 01 available on official website of Tata Power (www.tatapower.com)

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

5.8 Electrical Safety Procedure

The objective of these standards is to specify minimum mandatory requirements and advisory guidance for identifying and controlling hazards to ensure 'Zero Harm' with regard to operation maintenance and testing of electrical equipment. For complete procedure kindly refer Procedure Document No- TPSMS/CSP/ELEC/010 REV 01 available on official website of Tata Power (www.tatapower.com)

5.9 Job Safety Analysis (JSA) Procedure

This objective of this procedure is to have a task based risk assessment process in place that identifies, evaluates and controls the risks associated with work activities, and as a result, prevents those involved in the task or those potentially affected by the task, from being harmed. For complete procedure kindly refer Procedure Document No- TPSMS/CSP/JSA/009 REV 01 available on official website of Tata Power (www.tatapower.com)

5.10 Fire Safety Management Procedure

Objective of This standard is to specify the minimum mandatory requirements and advisory guidelines to ensure prevention of fire related incidents and managing / controlling their impacts if they do occur. For complete procedure kindly refer Procedure Document No-TPSMS/CSP/FSM/011 REV 01

5.11 Permit To Work Procedure

Given the inherent hazards of the power generation and distribution industry, a significant number of TATA POWER operations and installations are critical. Work Permit (WP) System is an essential element in controlling the workplace risks in an effective manner. For complete procedure kindly refer Procedure Document No –TPSMS/CSP/PTW/008 REV 01 available on official website of Tata Power (www.tatapower.com)

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

5.12 Lift (Elevator) Safety Procedure

To provide safe operating procedure for taking control of lift car before entering and existing the pit of OTIS make elevators. For complete procedure kindly refer Procedure Document No – TPSMS/GSP/LIFT/001 REV 01 available on official website of Tata Power (www.tatapower.com)

5.13 Working on conveyor belt Procedure

This procedure is developed to cover the safe practices required for Working on live equipment and to protect personnel from hazards associated with it. For complete procedure kindly refer Procedure Document No – TPSMS/GSP/CONV/002 REV 01 available on official website of Tata Power (www.tatapower.com)

5.14 Handling Hazardous Materials Procedure

This Procedure is developed to provide procedure for recycling and / or safe disposal of used / waste batteries in compliance with all legislation. For complete procedure kindly refer Procedure Document No-TPSMS/GSP/HAZM/003 REV 01 available on official website of Tata Power (www.tatapower.com)

5.15 Material Handling and Storage Procedure

The purpose of this document is to provide procedures to assist the safe handling of materials (manual handling and mechanical handling). For complete procedure kindly refer Procedure Document No – TPSMS/GSP/MATL/004 REV 01 available on official website of Tata Power (www.tatapower.com)

5.16 Contractor Safety Management Procedure

The purpose of this document is to engage with contractors in a way to create safe work environment for everyone working for Tata Power. For complete procedure kindly refer Procedure Document No – TPSMS/GSP/CSM/015 REV 01 available on official website of Tata Power (www.tatapower.com)

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

The above procedures will be updated periodically and the updated version of the procedures as well as any additional critical procedure will be available on official website of Tata Power (www.tatapower.com) for your reference.

5. Training and Capability Building

Safety Training and capability building of workforce is a major component of safety management program. All training required must be provided and documented as specified by Tata Power and Indian Regulations. Tata Power Safety Manager will audit contractors training and related documentation to assure its adequacy.

6.1 Tata Power Site Safety Orientation

All Tata Power contractor and subcontractor workforce is required to attend Tata Power Site Safety Orientation Training to receive a Safety Training Card, which is required to obtain a Gate Pass to the site, prior to entry.

This Safety Orientation Course will be for duration of minimum half day. The information provided during the orientation will include, but is not limited to following:

- 1. Job rules, personal safety and conduct
- 2. Hazards reporting
- 3. Reporting of injuries
- 4. Emergency procedures
- 5. Safety Activities and Program including disciplinary measure and incentives.
- 6. Critical safety procedure relevant to the job

6.2 Capability Building

Appropriate training such as L1, L2 & L3 is given to ensure that a jobholder, either supervisor or worker, is competent to do his/her job safely. The skill training is provided through TPSDI and other agencies authorized by Tata Power on the list of 15 procedures mentioned under safety procedure.

Contractor shall ensure that concerned workmen are provided with adequate training before he/she is allowed to execute the work.

An evaluation test will be conducted after the completion of the training. Those workmen employee who meet the minimum required competency will be provided with Gold Card which is valid for 3 years, post which the workmen has to reappear for the assessment. If the workman is not able to qualify the assessment, he/she will be given 3 additional attempts to clear in 3 month timeframe failing which he/she will not be allowed to work on high risk jobs.

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

6. Pre Employment and Periodic Medical check up

Contractor shall arrange to conduct a pre employment and periodic medical check-up for its entire workforce by Tata Power medical officer or Tata Power authorized medical officer. The contractor shall be able to produce the certificate prior to the employment. The contractor shall also organize to conduct periodical medical checkup (six monthly) for the following category of employees:

- Drivers (Check for Vision & Hearing)
- Equipment Operators (Check for Vision & Hearing)
- Workforce working at Height (Check for Vision, Hearing, Vertigo & Height Phobia)
- Workforce Handling the hazardous substances (Coal, ash and chemicals)
- Workforce in high decibel area (> 90 Decibel, Check for Hearing)
- Workforce, working in specific areas requiring specific medical attention should conduct the medical test as laid down in the respective Site Safety Management Plan.

7. Safety Performance Evaluation and Penalties

8.1 A certain percentage of the bill value will be retained against every running bill as safety performance retention. The amount will be released with the last invoice based on "Safety Performance score" attached in CSM-F-3 of CSM procedure. The amount is based on following table

Contract Value	Retention
	Amount(%)
Upto 10 Lakhs	2.5
10 – 50 lakhs	2
0.5 to 10 Cr	1.5
>10 Cr	1

- 8.2 Safety performance Score will be monitored by the Order Manager every month.
- 8.3 For the contract value of more than Rs 1 Cr or contract duration more than 12 months, the retention amount shall be released half yearly based on safety performance. For all remaining contracts, the retention amount will be released with the final bill.
- 8.4 In case of job stoppage due to safety violations/ unsafe observations at the site, no time extension shall be given to the contractor, if such delays are attributable to contractor.

Confidential & Proprietary – The Tata Power Company Limited

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

- 8.5 In case of fatality, limb loss or loss of property, vendor has to pay for liability, legal, statutory and additional mutually agreed settlement charges imposed by the appointed committee. This charge is over and above the retention amount.
- 8.6 The committee will finalize an amount between 5 -50 lakhs based on factors such as advise by statutory authorities, contract value and impact of accident etc.
- 8.7 Safety performance bonus 1% (limiting to 50 lakhs) of the invoice value will be considered at the end of the job if the contractual safety performance score is 100%.
- 8.8 During the progress of the work, concerned Supervisor/Engineer will visit and inspect the work site regularly and evaluate the safety performance of the contractor based on matrix attached herewith.
- 8.9 Order Manager, divisional chief and SBU head have the authority to terminate the contract in case of three consecutive serious violations.

	Lead Indicators	Unit Of measurement	Target	weight age
1	% of Employee certified in TPSDI/Authorized agency	%	50	10
2	CFSA score (Annexure 6.1)	Average Severity of Violations	1.49	20
3	Monthly inspection completed for Critical Equipments, lifting Tools & Tackles and hand tools used at site	%	80	5
4	Condition of tools, tackles and equipments	%	100	15
	Lag Indicators			
1	Number of Fatalities	No.	0	30
2	Number of Lost work day case (LWDC)	No.	0	10
3	Man-days Lost	No.	0	10

Safety Performance Evaluation - CSM-F-3



Safety Terms and Condition

Date of Issue: 19/09/2019

Document No. TPSMS/GSR/STC/009 REV 02

In addition to above evaluation criteria, for specific violations penalty shall be imposed on the contractors under following circumstances:

Sr No	Description of violation	Severity	Penalty /
1.	Working without Permit	5	5000/-
2.	Untrained (TPSDI) worker on high-risk jobs.	5	5000/-
3.	Unhygienic/Bad condition of PPE	2	250/-
4.	Not following Tata Power Procedure & Standard	4	2000/-
5.	Unsafe Act/Condition of Severity 4	4	2000/-
6.	Unsafe Act/Condition of Severity 5	5	5000/-
7.	No Earthling of Electrical equipment	5	5000/-
8.	Damaged welding cable	5	5000/
9.	Violation of Positive Isolation Procedure (LOTO Not followed)	5	5000/
10.	ELCB of more than 30 mA/ELCB not working	5	5000/
11.	On/Off switch of welding m/c not working	5	5000/
12.	Electric cable tied with metal wire	5	5000/
13.	Leakage found DA hose / cylinder	5	5000/
14.	Use of LPG	5	5000/
15.	Use of Three-wheeler at the work site.	5	5000/
16.	Starting the job without Tool Box Talk	5	5000/
17.	Spatter falling on DA hose / Gas-line/ pathways / Equipment	5	5000/
18.	No safety latch in crane hook	5	5000/
19.	Load raised or swung over people or occupied areas of buildings	5	5000/
20.	Persons standing in swing area of construction equipments.	5	5000/
21.	Using damaged slings.	5	5000/
22.	Unstable scaffolding/non standard Scaffolding in use	5	5000/
23.	Handrails and mid-rails are missing	5	5000/
24.	Safety Harness not anchored with lifeline/fixed structure	5	5000/
25.	Fall arrestor not provided/ Not being used.	5	5000/
26.	Double life line not used for working at height	5	5000/
27.	No rubber mat in DB room	4	2000/-
28.	Water found accumulated in DB room/near welding machine.	4	2000/
29.	Inserting electric cables into socket, without using plug.	4	2000/
30.	Use of damaged electrical cable/two core cables.	4	2000/
31.	Inflammable material found in D.B Room./ welding areas.	4	2000/
32.	Loose material falling into excavated pit	4	2000/
33.	Water logging into excavated pit	4	2000/
34.	No / inadeguate Barricade	4	2000/

Confidential & Proprietary – The Tata Power Company Limited

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

Sr No	Description of violation	Severity	Penalty /
35.	Undercut / cave-in found on sides of excavated pits	4	2000/
36.	Grinding wheel/ Coupling/ Piling winch/other rotating parts without guard	4	2000/
37.	The HMV/Mobile Crane operator does not having a valid HMV driving license.	4	2000/
38.	The loading area is not leveled properly.	4	2000/
39.	Ladder not anchored at top	4	2000/
40.	Opening found in working platform of scaffolding/floor	4	2000/
41.	Inadequate illumination at the working area	4	2000/
42.	Loose material lying on Gantry ,platform	4	2000/
43.	Cleaning body with Compressed Air.	3	500/-
44.	Gas Cylinders using without cap.	3	500/
45.	Gas Cylinders stored without securing	3	500/
46.	Bringing inside any other chemicals, apart from approved by Safety dept.	3	500/
47.	Using drum for sitting or accessing height.	3	500/
48.	Misusing emergency facilities like fire hydrant line/ hose box/ spray system/ eye wash etc.	3	500/
49.	No provision of Safety net where falling materials or tools may occurs	3	500/
50.	Taking electrical supply from non designated outlet (other than socket).	3	500/
51.	Restricted gangways due to unwanted materials.	3	500/
52.	Not reporting incident.	3	500/
53.	Entering into restricted area like switch yard/ hazardous storage etc.	3	500/
54.	Work without supervision	3	500/
55.	Parking of vehicle without applying wheel choke at right front-front and left rear-rear wheels other than passengers cars.	3	500/
56.	Vehicle without helper or co-driver.	3	500/
57.	Not wearing florescent safety jacket at site.	3	500/
58.	People travelling in load body of vehicle.	3	500/
59.	Parking of vehicles at non designated area.	3	500/
60.	Shifting heavy materials without guide ropes.	3	500/
61.	Using other than 24V lamp inside the confined space/Use of other than 24V lamps.	3	500/
62.	Angular/ starch loading/ lifting with Crane or hoist.	3	500/
63.	By passing the limit switch/ Safety Interlock.	3	500/
64.	Housekeeping activities on road without proper barricade.	3	500/

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

Sr No	Description of violation	Severity	Penalty /
65.	Trying to board or alit from running vehicle.	3	500/
56.	Cylinder Valves of Gas cylinders not closed when not in use.	3	500/
67.	Flash-back arrester not used.	3	500/
68.	Trolley wheel found damaged.	3	500/
69.	Guy ropes of required length on both sides of object are not used during movement with load.	3	500/
70.	Scotch block/wedge not provide when the vehicle is parked.	3	500/
71.	Suitable Trolley not provided to hold the cylinders.	3	500/
72.	Locked First Aid box	3	500/
73.	Caution boards, danger signs (luminescent /red) along with emergency contact number are not found displayed.	3	500/
74.	Person found jumping barricading tape	3	500/
75.	Stacking of pipes, pile casing , drums without chock blocks/wedges	3	500/
76.	The terrain on which Heavy Equipment/Machinery moves is not reasonably hard.	3	500/
77.	Without Safety Helmet at working sites	4	250/-
78.	Without Crash Helmet (on bikes)	4	500/-
79.	Without Full body double lanyard Safety Harness (for work at height)	5	5000/-
80.	Without Hand gloves - Material Handling, Welding, Cutting,	4	100/-
81.	Without Safety goggles/ face shield - Welding/Cutting /Grinding	5	5000/-
82.	Handling Chemical without PVC Apron	5	5000/-
83.	Smoking in prohibited area (Closed Go-downs, Storage of flammable material, Storage of Gas cylinders)	5	1000/-
84.	Sleeping at Work Place	3	100/-
85.	Driving beyond speed limit	3	1000/-
86.	Seat Belt While Driving (for front seat passengers and driver)	3	500/-
87.	Driving without license	4	1000/-
88.	Heavy Commercial vehicles without reverse horn	3	500/-
89.	Non functional Head light/ tail light and side indicators	3	100/-
90.	Using Mobile Phone During Driving	5	5000/-
91.	Poor visibility of registration number/ without registration number	3	100/-
92.	Broken/ without Side view mirror	3	100/-
93.	Over speeding above specified limit	3	500/-
94.	Broken/ Without Pressure gauge on Oxygen/ LPG / Acetylene cylinder.	3	500/-

Confidential & Proprietary – The Tata Power Company Limited

Document No. TPSMS/GSR/STC/009 REV 02



Safety Terms and Condition

Date of Issue: 19/09/2019

Sr No	Description of violation	Severity	Penalty /
95.	Without Flash back arrestor on Industrial Acetylene & Oxygen cylinders.	5	5000/-
96.	Spillage of hazardous material/chemicals during transportation	4	2000/-
97.	Electrical equipment without Earthing/ ELCB/ Double Insulation Cable.	5	5000/-
98.	Lifting Tools & Tackles used without/ expired Test Certificates.	5	5000/-
99.	Housekeeping repeatedly not maintained		
100.	First Time	3	Warning
101.	Second Time	4	1000/-
102.	Third Time	5	5000/-
103.	Serious Violation Of House Keeping (after 1 st or 2 nd warning to be decided		Rs.10000/-
	by Project Manager depending on the severity)		and above
104.	Repeat Violation of same nature	5	5X Violation

Confidential & Proprietary – The Tata Power Company Limited



TATA CODE OF CONDUCT

2015

۲

۲

6.10

00

NatSteel

TCOC_Booklet_Revised 27Mar2017 Final.indd 3

۲

3/27/17 2:26 PM

LEADERSHIP THAT INSPIRES

۲

For over 100 years, the Tata group has been led by visionaries who have stayed true to the vision of the founder, Jamsetji Tata. A vision that placed the greater good of society at par with business growth. A vision that put into practice pioneering social initiatives that changed the way responsible business was run. And a vision that brought into the group a strong social conscience.

()





 $(\mathbf{0})$

We do not claim to be more unselfish, more generous or more philanthropic than other people. But we think we started on sound and straightforward business principles, considering the interests of the shareholders our own, and the health and welfare of the employees, the sure foundation of our success.

> Jamsetji Tata Founder of the Tata group Chairman (1868 – 1904)

TCOC_Booklet_Revised 27Mar2017 Final.indd 1

۲

1

•

CONTENTS

	Foreword	3
A	Our values	4
В	Scope and purpose of this Code	5
С	Our core principles	7
D	Our employees	9
E	Our customers	18
F	Our communities and the environment	_21
G	Our value-chain partners	.23
Η	Our financial stakeholders	.25
	Governments	.27
J	Our group companies	.29
	Raising concerns	<u>.</u> 30
	Accountability	.31
	Acknowledgement sheet	.33

۲

۲

۲



FOREWORD

Tata companies have consistently adhered to the values and ideals articulated by the Founder for over 150 years. The Tata Code of Conduct was first formalized by Mr Ratan Tata. It articulates the Group's values and ideals that guide and govern the conduct of our companies as well as our colleagues in all matters relating to business. Today, the Code is a bedrock on which we base our individual, as well as leadership commitments to core Tata values.

The Tata Code of Conduct outlines our commitment to each of our stakeholders, including the communities in which we operate, and is our guiding light when we are sometimes faced with business dilemmas that leave us at ethical crossroads. The Code is also dynamic in that it has been periodically refreshed in order to remain contemporary and contextual to the changes in law and regulations. However it remains unaltered at its core.

Our stellar reputation and success as a business entity has been defined by the powerful commitment and adherence to the core values and principles expressed in this Code, by all our employees, directors and partners. I trust every Tata colleague and Tata company will continue to not only comply with the laws and regulations that govern our business interests around the world, but will continue to set new standards of ethical conduct that will generate deep respect and inspire emulation by others.

N. Chandrasekaran 21st February, 2017

۲



A. OUR VALUES

TATA has always been values-driven. The five core values that underpin the way we conduct our business activities are:

INTEGRITY

We will be fair, honest, transparent and ethical in our conduct; everything we do must stand the test of public scrutiny.

UNITY

We will invest in our people and partners, enable continuous learning, and build caring and collaborative relationships based on trust and mutual respect.

RESPONSIBILITY

We will integrate environmental and social principles in our businesses, ensuring that what comes from the people goes back to the people many times over.

PIONEERING

We will be bold and agile, courageously taking on challenges, using deep customer insight to develop innovative solutions.

EXCELLENCE

We will be passionate about achieving the highest standards of quality, always promoting meritocracy.

These universal values serve as the foundation for the Tata Code of Conduct. They find expression within the value system of every Tata company.

()



B. SCOPE AND PURPOSE OF THIS CODE

 $(\mathbf{0})$

- 1. This Code sets out how we behave with:
 - our employees, or those who work with us;
 - our customers;
 - the communities and the environment in which we operate;
 - our value-chain partners, including suppliers and service providers, distributors, sales representatives, contractors, channel partners, consultants, intermediaries and agents;
 - our joint-venture partners or other business associates;
 - our financial stakeholders;
 - the governments of the countries in which we operate; and
 - our group companies.

()

- 2. In this Code, "we or us" means our company, our executive directors, officers, employees and those who work with us, as the context may require.
- The term "our group companies" in this Code typically means companies Tata Sons intends for this Code to apply to, and / or to whom Tata Sons has issued this Code.
- 4. This Code sets out our expectations of all those who work with us. We also expect those who deal with us to be aware that this Code underpins everything we do, and in order to work with us they need to act in a manner consistent with it.

REMEMBER...

It is our commitment to protect our reputation and our brand equity by adhering to the values and principles set out in this Code. By doing so, we strengthen our unique culture and identity.

OUR CORE PRINCIPLES

۲



The Tata philosophy of management has always been, and is today more than ever, that corporate enterprises must be managed not merely in the interests of their owners, but equally in those of their employees, of the consumers of their products, of the local community and finally of the country as a whole.

> J.R.D. Tata Chairman, Tata Sons (1938 – 1991)

> > •

()



C. OUR CORE PRINCIPLES

- We are committed to operating our businesses conforming to the highest moral and ethical standards. We do not tolerate bribery or corruption in any form. This commitment underpins everything that we do.
- We are committed to good corporate citizenship. We treat social development activities which benefit the communities in which we operate as an integral part of our business plan.
- We seek to contribute to the economic development of the communities of the countries and regions we operate in, while respecting their culture, norms and heritage. We seek to avoid any project or activity that is detrimental to the wider interests of the communities in which we operate.
- 4. We shall not compromise safety in the pursuit of commercial advantage. We shall strive to provide a safe, healthy and clean working environment for our employees and all those who work with us.
- 5. When representing our company, we shall act with professionalism, honesty and integrity, and conform to the highest moral and ethical standards. In the countries we operate in, we shall exhibit culturally appropriate behaviour. Our conduct shall be fair and transparent and be perceived as fair and transparent by third parties.
- 6. We shall respect the human rights and dignity of all our stakeholders.

- We shall strive to balance the interests of our stakeholders, treating each of them fairly and avoiding unfair discrimination of any kind.
- 8. The statements that we make to our stakeholders shall be truthful and made in good faith.
- 9. We shall not engage in any restrictive or unfair trade practices.
- We shall provide avenues for our stakeholders to raise concerns or queries in good faith, or report instances of actual or perceived violations of our Code.
- We shall strive to create an environment free from fear of retribution to deal with concerns that are raised or cases reported in good faith. No one shall be punished or made to suffer for raising concerns or making disclosures in good faith or in the public interest.
- 12. We expect the leaders of our businesses to demonstrate their commitment to the ethical standards set out in this Code through their own behaviour and by establishing appropriate processes within their companies.
- 13. We shall comply with the laws of the countries in which we operate and any other laws which apply to us. With regard to those provisions of the Code that are explicitly dealt with under an applicable law or employment terms, the law and those terms shall take precedence. In the event that the standards prescribed under any applicable law are lower than that of the Code, we shall conduct ourselves as per the provisions of the Code.

REMEMBER...

"Good faith" means having a reasonable belief that the information you have provided is truthful. It does not mean having 'all the evidence' about the potential violation or case reported.

()

()

OUR EMPLOYEES

 (\blacklozenge)



Once you got the best people, the people who shared our values and ideals, we left them free to act on their own. We do not fetter them. We encourage them and give them opportunities for leadership.

> J.R.D. Tata Chairman, Tata Sons (1938 – 1991)

()



D. OUR EMPLOYEES

۲

Equal opportunity employer

- We provide equal opportunities to all our employees and to all eligible applicants for employment in our company. We do not unfairly discriminate on any ground, including race, caste, religion, colour, ancestry, marital status, gender, sexual orientation, age, nationality, ethnic origin, disability or any other category protected by applicable law.
- When recruiting, developing and promoting our employees, our decisions will be based solely on performance, merit, competence and potential.
- We shall have fair, transparent and clear employee policies which promote diversity and equality, in accordance with applicable law and other provisions of this Code. These policies shall provide for clear terms of employment, training, development and performance management.

Q&A

()

A job requirement entails extensive travel. One of the candidates has excellent relevant experience and qualifications. However, this candidate is a single parent. As a result, I feel such a situation would significantly hinder this candidate's ability to cope with the job requirement. What should I do?

In accordance with the Code, the decision to recruit an employee should be based upon merit. We cannot make a presumption that the candidate would not be able to meet the travel requirements of the job. All eligible candidates should be provided with equal opportunity to demonstrate or justify that they can cope with the travel requirements of the job. Being a single parent cannot be a ground to be discriminated against at any stage of recruitment or ongoing employment in our company.

REMEMBER...

We do not tolerate harassment in any form and therefore we expect every employee to discourage such misdemeanours in the workplace.

۲

9

Dignity and respect

- Our leaders shall be responsible for creating a conducive work environment built on tolerance, understanding, mutual cooperation and respect for individual privacy.
- Everyone in our work environment must be treated with dignity and respect. We do not tolerate any form of harassment, whether sexual, physical, verbal or psychological.
- We have clear and fair disciplinary procedures, which necessarily include an employee's right to be heard.
- We respect our employees' right to privacy. We have no concern with their conduct outside our work environment, unless such conduct impairs their work performance, creates conflicts of interest or adversely affects our reputation or business interests.

Human rights

۲

- 8. We do not employ children at our workplaces.
- 9. We do not use forced labour in any form. We do not confiscate personal documents of our employees, or force them to make any payment to us or to anyone else in order to secure employment with us, or to work with us.

Bribery and corruption

10. Our employees and those representing us, including agents and intermediaries, shall not, directly or indirectly, offer or receive any illegal or improper payments or comparable benefits that are intended or perceived to obtain undue favours for the conduct of our business.

REMEMBER...

Violation by even a single employee of any law relating to anti-bribery, anti-corruption, anti-competition, data privacy, etc. could result in severe financial penalties and cause irreparable reputational damage to the company.

۲

()

 (\bullet)



Gifts and hospitality

11. Business gifts and hospitality are sometimes used in the normal course of business activity. However, if offers of gifts or hospitality (including entertainment or travel) are frequent or of substantial value, they may create the perception of, or an actual conflict of interest or an 'illicit payment'. Therefore, gifts and hospitality given or received should be modest in value and appropriate, and in compliance with our company's gifts and hospitality policy.

Freedom of association

 (\blacklozenge)

12. We recognise that employees may be interested in joining associations or involving themselves in civic or public affairs in their personal capacities, provided such activities do not create an actual or potential conflict with the interests of our company. Our employees must notify and seek prior approval for any such activity as per the 'Conflicts of Interest' clause of this Code and in accordance with applicable company policies and law.

REMEMBER...

()

As a general rule, we may accept gifts or hospitality from a business associate, only if such a gift:

- has modest value and does not create a perception (or an implied obligation) that the giver is entitled to preferential treatment of any kind;
- would not influence, or appear to influence, our ability to act in the best interest of our company;
- would not embarrass our company or the giver if disclosed publicly.

The following gifts are never appropriate and should never be given or accepted:

- gifts of cash or gold or other precious metals, gems or stones;
- gifts that are prohibited under applicable law;
- gifts in the nature of a bribe, payoff, kickback or facilitation payment*;
- gifts that are prohibited by the gift giver's or recipient's organisation; and
- gifts in the form of services or other non-cash benefits (e.g. a promise of employment).

(*'Facilitation' payment is a payment made to secure or speed up routine legal government actions, such as issuing permits or releasing goods held in customs.)

۲

Working outside employment with us

13. Taking employment, accepting a position of responsibility or running a business outside employment with our company, in your own time, with or without remuneration, could interfere with your ability to work effectively at our company or create conflicts of interest. Any such activity must not be with any customer, supplier, distributor or competitor of our company. Our employees must notify and seek prior approval for any such activity as per the 'Conflicts of Interest' clause of this Code and in accordance with applicable company policies and law.

Integrity of information and assets

- 14. Our employees shall not make any wilful omissions or material misrepresentation that would compromise the integrity of our records, internal or external communications and reports, including the financial statements.
- 15. Our employees and directors shall seek proper authorisation prior to disclosing company or business-related information, and such disclosures shall be made in

accordance with our company's media and communication policy. This includes disclosures through any forum or media, including through social media.

- 16. Our employees shall ensure the integrity of personal data or information provided by them to our company. We shall safeguard the privacy of all such data or information given to us in accordance with applicable company policies or law.
- 17. Our employees shall respect and protect all confidential information and intellectual property of our company.
- 18. Our employees shall safeguard the confidentiality of all third party intellectual property and data. Our employees shall not misuse such intellectual property and data that comes into their possession and shall not share it with anyone, except in accordance with applicable company policies or law.
- Our employees shall promptly report the loss, theft or destruction of any confidential information or intellectual property and data of our company or that of any third party.

Q&A

I am an accountant in the finance department of my company. Due to my artistic skills, I received an offer to pen cartoons for a children's publication for which I would receive compensation. I plan to undertake this activity during week-ends. What should I do before accepting this offer?

 (\blacklozenge)

Before accepting the offer, you should ascertain whether the company policies and rules require you to make a disclosure to your supervisor so that the company may determine whether your undertaking this activity adversely affects our company's interests. On confirmation from the company that it does not do so, you would be free to take up the activity. It is also your duty to bring to the attention of the company whenever there is any change in the situation you have disclosed.

۲

()



- 20. Our employees shall use all company assets, tangible and intangible, including computer and communication equipment, for the purpose for which they are provided and in order to conduct our business. Such assets shall not be misused. We shall establish processes to minimise the risk of fraud, and misappropriation or misuse of our assets.
- 21. We shall comply with all applicable anti-money laundering, anti-fraud and anti-corruption laws and we shall establish processes to check for and prevent any breaches of such laws.

Insider trading

(•)

22. Our employees must not indulge in any form of insider trading nor assist others, including immediate family, friends or business associates, to derive any benefit from access to and possession of price sensitive information that is not in the public domain. Such information would include information about our company, our group companies, our clients and our suppliers.

Q&A

()

Our company has recently announced the launch of a new business initiative. In connection with this, your friend who is a journalist with a leading business newspaper has asked you to provide some information that he could cover in his forthcoming article. He has promised not to quote you, or reveal your identity. Should you be giving him this information?

No. You should not be sharing information of this nature with the media, even if it is assured that the source would remain anonymous. Only authorised personnel in the company are permitted to speak to the media and provide information of this nature.

Our company has a "Use of Social Media" policy that lays down the "dos and don'ts" for use of social media even if you may access such media on your own time. Why is there such a policy?

External communication is a serious matter. It must be carefully managed because information put out with reference to our company or its businesses needs to be clear, truthful and not violate any undertakings we have given to other parties. In each business there are managers nominated to authorise and make different types of statements to the outside world. These managers should be consulted about any request for information you may receive or information you think we should give out. In using social media, in particular blogs or social networking sites, you should exercise great caution while talking about our company or the business we do. It may feel like you are chatting with friends or expressing a personal opinion but even while doing so you cannot share any confidential information of our company.

REMEMBER...

We must respect the property rights of others by never misusing their assets, intellectual property or trade secrets, including the copying or downloading of unauthorised software, trademarks, copyrighted material or logos. We should never make unauthorised copies of computer software programs or use unlicensed personal software on company computers.

۲

Prohibited drugs and substances

23. Use of prohibited drugs and substances creates genuine safety and other risks at our workplaces. We do not tolerate prohibited drugs and substances from being possessed, consumed or distributed at our workplaces, or in the course of company duties.

Conflicts of interest

0&A

- 24. Our employees and executive directors shall always act in the interest of our company and ensure that any business or personal association *including close personal relationships* which they may have, does not create a conflict of interest with their roles and duties in our company or the operations of our company. Further, our employees and executive directors shall not engage in any business, relationship or activity, which might conflict with the interest of our company or our group companies.
- 25. Should any actual or potential conflicts of interest arise, the concerned person must immediately report such conflicts and seek approvals as required by applicable law and company policy. The competent authority shall revert to the employee within a reasonable time as defined in our company's policy, so as to enable the concerned employee to take necessary action as advised to resolve or avoid the conflict in an expeditious manner.
- 26. In the case of all employees other than executive directors, the Chief Executive Officer / Managing Director shall be the competent authority, who in turn shall report such cases to the Board of Directors on a quarterly basis. In case of the Chief Executive Officer / Managing Director and executive directors, the Board of Directors of our company shall be the competent authority.

You are responsible for maintaining our company's customer database. One of your friends is starting a business venture and requests you to share a few particulars from this database for marketing purposes of his business. He assures you that he would keep the data as well as his source confidential. Should you do so?

 $(\mathbf{0})$

No. You should respect the confidentiality of customer information and not share any part of the database with any person without due authorisation.

You have access to revenue numbers of different business units of our company. While having a conversation with you over evening drinks, your friend enquires about the financial performance of our company. You do not share detailed information with your friend, but share approximate revenue figures. Is this conduct of yours correct?

No, it is not. You are not permitted to share financial information of our company with others who do not need to know this information. Financial information should always be safeguarded and disclosed only on a need-to-know basis after obtaining requisite approvals. Sharing of any price sensitive information that is not generally available with the public could also lead to violation of applicable insider trading laws.

۲

()



27. Notwithstanding such or any other instance of conflict of interest that exists due to historical reasons, adequate and full disclosure by interested employees shall be made to our company's management. At the time of appointment in our company, our employees and executive directors shall make full disclosure to the competent authority, of any interest leading to an actual or potential conflict that such persons or their immediate family (including parents, siblings, spouse, partner, children) or persons with whom they enjoy close personal relationships, may have in a family business or a company or firm that is a competitor, supplier, customer or distributor of, or has other business dealings with, our company.

REMEMBER...

()

A conflict of interest could be any known activity, transaction, relationship or service engaged in by an employee, his/her immediate family (including parents, siblings, spouse, partner, and children), relatives or a close personal relationship, which may cause concern (based upon an objective determination) that the employee could not or might not be able to fairly perform his/her duties to our company.

 (\blacklozenge)

Examples of Potential Conflicts of Interest

A conflict of interest, actual or potential, arises where, directly or indirectly, an employee or executive director:

- engages in a business, activity or relationship with anyone who is party to a transaction with our company;
- (b) is in a position to derive an improper benefit, personally or for any family member or for any person in a close personal relationship, by making or influencing decisions relating to any transaction;
- (c) conducts business on behalf of our company or is in a position to influence a decision with regard to our company's business with a supplier or customer where a relative of, or a person in close personal relationship with, an employee or executive director is a principal officer or representative, resulting in a personal benefit or a benefit to the relative;
- (d) is in a position to influence decisions with regard to award of benefits such as increase in salary or other remuneration, posting, promotion or recruitment of a relative or a person in close personal relationship employed in our company or any of our group companies;
- (e) undertakes an activity by which the interest of our company or our group companies can be compromised or defeated; or
- (f) does anything by which an independent judgement of our company's or our group companies' best interest cannot be exercised.

۲

28. If there is a failure to make the required disclosure and our management becomes aware of an instance of conflict of interest that ought to have been disclosed by an employee or executive director, our management shall take a serious view of the matter and consider suitable disciplinary action as per the terms of employment. In all such matters, we shall follow clear and fair disciplinary procedures, respecting the employee's right to be heard.

Examples of activities normally approved (post-disclosure) as per applicable company policy

۲

Acceptance of a position of responsibility (whether for remuneration or otherwise) in the following cases would typically be permitted, provided the time commitments these demand do not disturb or distract from the employee's primary duties and responsibilities in our company, and are promptly disclosed to the relevant competent authority:

- (a) Directorships on the Boards of any of our group companies, joint ventures or associate companies.
- (b) Memberships/positions of responsibility in educational/professional bodies, where such association will promote the interests of our company.
- (c) Memberships or participation in government committees/bodies or organisations.

You are in a relationship with a colleague who has been recently moved into your team and would now be reporting to you. What should you do?

Romantic or close personal relationships with another employee where a reporting relationship exists and one is responsible for evaluating the other's performance, is likely to create a conflict of interest. In such a situation, you would need to report the potential conflict to your supervisor.

Your company is submitting a proposal to a company in which you were previously employed. You have confidential information pertaining to your previous employer, which you believe will help your present employer in winning the contract. Should you share this information?

No. You should not share this information with your company since it relates to confidential information of a third party. Your company respects its employees' duty to protect confidential information that they may have relating to their previous employers.

You are the purchasing manager in the procurement department of your company. You receive an invitation from a supplier to attend a premier sporting event as her guest. This particular supplier is one of the vendors who has submitted a proposal for an open tender issued by your company. Should you accept the invitation?

No. You should not accept the invitation in this instance. Since you are in a key decision-making role for the tender, any unusual benefit that you receive could be perceived as an inducement that could compromise your objectivity.

۲

()

O&A



OUR CUSTOMERS

 (\blacklozenge)



We have continued to enjoy prosperity, even with adverse times to fight against. Our relations with all concerned are the most friendly. We have maintained the same character for straight-forward dealing with our constituents and customers. Our productions have continued to be of the same high quality, and therefore command the best reputation and realise the highest prices. ... I mention these facts only to point out that with honest and straight-forward business principles, close and careful attention to details, and the ability to take advantage of favourable opportunities and circumstances, there is a scope for success.

Jamsetji Tata

Founder of the Tata group Chairman, Tata Sons (1868 – 1904)

(

()

E. OUR CUSTOMERS

 (\blacklozenge)

Products and services

- We are committed to supplying products and services of world-class quality that meet all applicable standards.
- The products and services we offer shall comply with applicable laws, including product packaging, labelling and after-sales service obligations.
- We shall market our products and services on their own merits and not make unfair or misleading statements about the products and services of our competitors.

Export controls and trade sanctions

4. We shall comply with all relevant export controls or trade sanctions in the course of our business.

Fair competition

- We support the development and operation of competitive open markets and the liberalisation of trade and investment in each country and market in which we operate.
- We shall not enter into any activity constituting anti-competitive behaviour such as abuse of market dominance, collusion, participation in cartels or inappropriate exchange of information with competitors.
- We collect competitive information only in the normal course of business and obtain the same through legally permitted sources and means.

Dealings with customers

- 8. Our dealings with our customers shall be professional, fair and transparent.
- We respect our customers' right to privacy in relation to their personal data. We shall safeguard our customers' personal data, in accordance with applicable law.

()





You are the Regional Sales Manager of our company. You have become a member of an "informal group", on an instant messaging service, whose members are the regional sales heads of our company's competitors. The administrator of the group has requested an in-person meeting to informally discuss market conditions and brainstorm on "pricing strategy" from an industry perspective. What should you do?

۲

Any meeting with competitors, especially to discuss "pricing strategy", could be an attempt to promote an anti-competitive practice or manipulate prices. You should respond by declining this invitation and exiting the "informal group". You should also report this incident to your supervisor and your Legal department.

You are attending a customer meeting with a colleague, and your colleague makes an untruthful statement about the company's services. What should you do?

You should assist your colleague in correcting the inaccuracy during the meeting if possible. If this is not possible, raise the issue with your colleague after the meeting to enable him/her or the company to correct any misrepresentation made to the customer.

While working on a customer project, you receive a call from your colleague. He used to manage that customer account before you took over his role. He recalls that he had worked with the customer on developing a new ordering system which he thinks would be beneficial for another customer and requests you to send him the project details. What should you do?

You must not share this information without specific approval of the customer; you are not permitted to use a customer's assets, including software, for another customer or for any personal use.

REMEMBER...

()

Striving for excellence in the standards of our work and in the quality of our goods and services is a core Tata value. It is the unwavering practice of this value that builds and sustains customer trust in our brand.

()

OUR COMMUNITIES AND THE ENVIRONMENT



In a free enterprise, the community is not just another shareholder in business but is in fact the very purpose of its existence.

> Jamsetji Tata Founder of the Tata group Chairman, Tata Sons (1868 – 1904)

20



F. OUR COMMUNITIES AND THE ENVIRONMENT

۲

Communities

()

- We are committed to good corporate citizenship, and shall actively assist in the improvement of the quality of life of the people in the communities in which we operate.
- We engage with the community and other stakeholders to minimise any adverse impact that our business operations may have on the local community and the environment.
- We encourage our workforce to volunteer on projects that benefit the communities in which we operate, provided the principles of this Code, where applicable, and in particular the 'Conflicts of Interest' clause are followed.

The environment

- In the production and sale of our products and services, we strive for environmental sustainability and comply with all applicable laws and regulations.
- 5. We seek to prevent the wasteful use of natural resources and are committed to improving the environment, particularly with regard to the emission of greenhouse gases, consumption of water and energy, and the management of waste and hazardous materials. We shall endeavour to offset the effect of climate change in our activities.

 (\bullet)

OUR VALUE-CHAIN PARTNERS



If we had done some of the things that some other groups have done, we would have been twice as big as we are today. But we didn't, and I would not have it any other way.

J.R.D. Tata

Chairman, Tata Sons (1938 – 1991)

(on the pace of expansion of the Tata group in the 1960s and 70s)

 $(\mathbf{\Phi})$



G. OUR VALUE-CHAIN PARTNERS

 (\blacklozenge)

- 1. We shall select our suppliers and service providers fairly and transparently.
- We seek to work with suppliers and service providers who can demonstrate that they share similar values. We expect them to adopt ethical standards comparable to our own.
- Our suppliers and service providers shall represent our company only with duly authorised written permission from our company. They are expected to abide by

the Code in their interactions with, and on behalf of us, including respecting the confidentiality of information shared with them.

- We shall ensure that any gifts or hospitality received from, or given to, our suppliers or service providers comply with our company's gifts and hospitality policy.
- 5. We respect our obligations on the use of third party intellectual property and data.

Q&A

()

You head the procurement function in our company. You have tight budgetary constraints for a project that you are working on. In order to complete the project within the targeted costs, you intend to request your supplier to provide you an exceptional discount on this project order on the understanding that you would "make it up to him" in future orders. Would you be violating the Code?

Yes, you would. Inducement in any form, including future benefits to the supplier, could compromise your ability to act objectively and in the best interests of the company and therefore must be avoided.

REMEMBER...

Our value-chain partners would include our suppliers and service providers, distributors, sales representatives, contractors, channel partners, consultants, intermediaries and agents; joint-venture partners and other business associates.

()

OUR FINANCIAL STAKEHOLDERS

 (\blacklozenge)



Ethical behaviour in business – in every sphere and with all constituents – has been the bedrock on which the Tata group has built, and operates, its enterprises. This has been an article of faith for the group ever since its inception, a fundamental element of our cherished heritage and the essence of our way of life.

> Ratan Tata Chairman, Tata Sons (1991 – 2012)

> > (



H. OUR FINANCIAL STAKEHOLDERS

۲

۲

- We are committed to enhancing shareholder value and complying with laws and regulations that govern shareholder rights.
- We shall inform our financial stakeholders about relevant aspects of our business in a fair, accurate and timely manner and shall disclose such information in accordance with applicable law and agreements.
- We shall keep accurate records of our activities and shall adhere to disclosure standards in accordance with applicable law and industry standards.

()

GOVERNMENTS

۲



Business, as I have seen it, places one great demand on you; it needs you to impose a framework of ethics, values, fairness and objectivity on yourself at all times. It is not easy to do this; you cannot impose it on yourself forcibly because it has to become an integral part of you.

> Ratan Tata Chairman, Tata Sons (1991 – 2012)

> > •

()



I. GOVERNMENTS

۲

Political non-alignment

 We shall act in accordance with the constitution and governance systems of the countries in which we operate. We do not seek to influence the outcome of public elections, nor to undermine or alter any system of government. We do not support any specific political party or candidate for political office. Our conduct must preclude any activity that could be interpreted as mutual dependence/favour with any political body or person, and we do not offer or give any company funds or property or other resources as donations to any specific political party, candidate or campaign.

> Any financial contributions considered by our Board of Directors in order to strengthen democratic forces through a clean electoral process shall be extended only through the Progressive Electoral Trust in India, or by a similar transparent, duly-authorised, nondiscriminatory and non-discretionary vehicle outside India.

Government engagement

- We engage with the government and regulators in a constructive manner in order to promote good governance. We conduct our interactions with them in a manner consistent with our Code.
- We do not impede, obstruct or improperly influence the conclusions of, or affect the integrity or availability of data or documents for any government review or investigation.

()

TCOC 2015

OUR GROUP COMPANIES



I do not think anyone was on par with Jamsetji as an industrial visionary. But that is not the sole reason why I have been an admirer of Jamsetji. The major reason was his sense of values, sterling values, which he imparted to this group. If someone were to ask me, what holds the Tata companies together, more than anything else, I would say it is our shared ideals and values which we have inherited from Jamsetji Tata.

> J.R.D. Tata Chairman, Tata Sons (1938 – 1991)



J. OUR GROUP COMPANIES

 (\blacklozenge)

- We seek to cooperate with our group companies, including joint ventures, by sharing knowledge, physical resources, human and management resources and adopting leading governance policies and practices in accordance with applicable law including adherence to competition law, where relevant.
- We shall strive to achieve amicable resolution of any dispute between us and any of our group companies, through an appropriate dispute resolution mechanism so that it does not adversely affect our business interests and stakeholder value.
- We shall have processes in place to ensure that no third party or joint venture uses the TATA name/brand to further its interests without proper authorisation.
- Our Board of Directors shall consider for adoption policies and guidelines periodically formulated by Tata Sons and circulated to group companies.

Q&A

()

You are in the process of selecting potential vendors for an IT project in our company. In the final shortlist of two companies, one is a new start-up with limited references and a lower price-quotation, while the other is a Tata company with thirty years of implementation experience and good references, but a marginally higher quote for the same job. With all other parameters of choice being nearly equal, which company should you select for the job?

While price is undoubtedly an important criterion for decision making, it is clearly not the only one to be evaluated. You may also need to consider good customer references, proven track record and shared value systems in order to decide on your IT partner.

You are in the process of selecting potential vendors for a project. One of the three finalists is a group company. In reviewing the final proposals, you rank the group company second out of the three proposals based on pricing and total cost of ownership, and select the first-ranked vendor. Is this the right decision?

Yes. You should select the vendor that, on its own merits, is the vendor that is most appropriate for your company's requirements. You should not select a group company only because of its affiliation.

()

TCOC 2015

RAISING CONCERNS

 (\blacklozenge)

We encourage our employees, customers, suppliers and other stakeholders to raise concerns or make disclosures when they become aware of any actual or potential violation of our Code, policies or law. We also encourage reporting of any event (actual or potential) of misconduct that is not reflective of our values and principles.

Avenues available for raising concerns or queries or reporting cases could include:

- immediate line manager or the Human Resources department of our company
- designated ethics officials of our company
- the 'confidential reporting' third party ethics helpline (if available)
- any other reporting channel set out in our company's 'Whistleblower' policy.

We do not tolerate any form of retaliation against anyone reporting legitimate concerns. Anyone involved in targeting such a person will be subject to disciplinary action.

If you suspect that you or someone you know has been subjected to retaliation for raising a concern or for reporting a case, we encourage you to promptly contact your line manager, the company's Ethics Counsellor, the Human Resources department, the MD/CEO or the office of the group's Chief Ethics Officer.

Q&A

My supervisor has asked me to do something which I believe may be illegal. I am afraid if I do not do what I am told, I could lose my job. Should I do it?

No. Breaking the law is never an option. Discuss the situation with your supervisor to be certain that you both understand the facts. If your concerns are not resolved, contact a higher level supervisor, the Ethics Counsellor, the Legal department or report them via the company's confidential reporting system, if available.

I feel that my supervisor is treating me unfairly for reporting a concern to the Ethics Counsellor. What should I do?

Retaliation against anyone who raises a concern is a violation of the Code. You should therefore promptly report this action of your supervisor to the Ethics Counsellor or the MD/CEO of your company or via the company's confidential reporting system, if available.

()

(�)



ACCOUNTABILITY

۲

This Code is more than a set of prescriptive guidelines issued solely for the purpose of formal compliance. It represents our collective commitment to our value system and to our core principles.

Every person employed by us, directly or indirectly, should expect to be held accountable for his/her behaviour. Should such behaviour violate this Code, they may be subject to action according to their employment terms and relevant company policies.

When followed in letter and in spirit, this Code is *'lived'* by our employees as well as those who work with us. It represents our shared responsibility to all our stakeholders, and our mutual commitment to each other.

SPEAK UP...

()

If you are unsure whether a particular action you are about to take is consistent with the principles set forth in the Code, ask yourself:

- Could it directly or indirectly endanger someone or cause them injury?
- Is it illegal/unlawful or out of line with our policies and procedures?
- Does my conscience reject it? Does it conflict with my personal values?
- Would I feel uncomfortable if the story appeared in the media? Would it shame my company, spouse, partner, parent or child?
- Does it 'feel' wrong?

If the answer to any of these questions is "Yes", please stop and consult your reporting manager, the Ethics Counsellor, the Human Resource department, the Legal department or any member of the senior management team, to assist you in making the decision.

When faced with a dilemma: Stop, Think, Act Responsibly

NOTE

۲

The Code does not provide a comprehensive and complete explanation of all expectations from a company standpoint or obligations from a stakeholder standpoint.

Our employees have a continuing obligation to familiarise themselves with all applicable law, group-level advisories and policies, company-level policies, procedures and work rules as relevant. For any guidance on interpretation of the Code, we may seek support from our company's Ethics Counsellor or from the group's Chief Ethics Officer, as appropriate.

All joint ventures are encouraged to adopt the Tata Code of Conduct (TCOC) or a code of conduct that incorporates all elements of the TCOC.

This version of the Tata Code of Conduct supersedes all earlier versions and associated documents and stands effective from 29th July, 2015.

For any query or clarification on the Code, please contact the office of the group's Chief Ethics Officer via email at: ethicsoffice@tata.com.

۲

()

()



TATA CODE OF CONDUCT – 2015

۲

I acknowledge that I have received the Tata Code of Conduct.

I have read the Tata Code of Conduct and I acknowledge that as a Tata employee, I am required to comply with the guidelines described therein and failure to do so may subject me to action as per my employment terms and relevant company policies.


If I have a concern about a violation, or a potential violation of the Tata Code of Conduct, I understand that there are channels available to me in my company to report such concerns. By making use of these channels when necessary, I will play my part in maintaining the high ethical standards to which we hold ourselves.

Signature:	-
Date:	
Name:	
Department:	

(Please submit this declaration to your Ethics Counsellor or the Human Resource department of your company.)


۲

(4)



۲	
NOTES	

		\bullet	
	1	NOTES	
۲			۲
	36		



For further information on the Code please contact: The Ethics Office, Tata Sons Ltd., Bornbay House, 24, Homi Mody Street, Mumbai – 400001, India. Email: ethicsoffice@tata.com ۲

ΤΛΤΛ

۲

The

۲

ance,



CORPORATE SUSTAINABILITY POLICY

At Tata Power, our Sustainability Policy integrates economic progress, social responsibility and environmental concerns with the objective of improving quality of life. We believe in integrating our business values and operations to meet the expectations of our customers, employees, partners, investors, communities and public at large

- We will uphold the values of honesty, partnership and fairness in our relationship with stakeholders
- We shall provide and maintain a clean, healthy and safe working environment for employees, customers, partners and the community
- We will strive to consistently enhance our value proposition to the customers and adhere to our promised standards of service delivery
- We will respect the universal declaration of human rights, International Labour Organization's fundamental conventions on core labour standards and operate as an equal opportunities employer
- We shall encourage and support our partners to adopt responsible business policies, Business Ethics and our Code of Conduct Standards
- We will continue to serve our communities:
 - By implementing sustainable Community Development Programmes including through public/private partnerships in and around our area of operations
 - By constantly protecting ecology, maintaining and renewing bio-diversity and wherever necessary conserving and protecting wild life, particularly endangered species
 - By encouraging our employees to serve communities by volunteering and by sharing their skills and expertise
 - By striving to deploy sustainable technologies and processes in all our operations and use scarce natural resources efficiently in our facilities
 - We will also help communities that are affected by natural calamities or untoward incidence, or that are physically challenged in line with the Tata Group's efforts

The management will commit all the necessary resources required to meet the goals of Corporate Sustainability.



(Praveer Sinha) CEO & Managing Director

Date: 15th June, 2018

TATA POWER Lighting up Lives!





CORPORATE ENVIRONMENT POLICY

Tata Power is committed to a clean, safe and healthy environment, and we shall operate our facilities in an environmentally sensitive and responsible manner. Our commitment to environmental protection and stewardship will be achieved by:

- Complying with the requirements and spirit of applicable environmental laws and striving to exceed required levels of compliance wherever feasible
- Ensuring that our employees are trained to acquire the necessary skills to meet environmental standards
- Conserving natural resources by improving efficiency and reducing wastage
- Making business decisions that aim towards sustainable development
- Engaging with stakeholders to create awareness on sustainability •

Date: 15th June, 2018

(Praveer Sinha) **CEO & Managing Director**

TATA POWER Lighting up Lives!

Annexure VIII

Safety Policy and Safety Terms and Conditions

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

Contractor's Safety Code of Conduct

Reason for Change	Prepared By	Checked By	Approved by
Revision to accommodate Existing changes in org structure and to simplify the procedure	Rajesh Sharma (Head-Safety Generation)	Suresh Khetwani (Chief - Safety & Environment) Monish Kumar (Chief -Corporate Contract)	V. V. Namjoshi (Chief Generations)

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

INDEX

1.	Objective	3
2.	ScopeError! Bookmark not d	lefined.
3.	Definitions	3
3.1.	Order Manager:	3
3.2.	Site Safety Management Plan	3
3.3.	Contractor	3
3.4.	Emergency:	
3.5.	Expert Service jobs:	3
3.6.	Head of the Division:	
3.7.	Category A Vendor: Vendor	
3.8.	Category B Vendor:	
3.9.	Category C Vendor:	
3.10.	Category D Vendor:	
3.11.	High Risk Jobs	
3.12.	Medium Risk Jobs:	
3.13.	Low Risk Jobs:	
3.14.	Long Duration Jobs:	
3.15.	High Value Jobs:	4
4.	Responsibilities	5
••		••••••
4.1	Order Manager	
	•	5
4.1	Order Manager	5 5
4.1 4.2	Order Manager Contractor	5 5 5
4.1 4.2 4.3 5.	Order Manager Contractor Safety Concurrence Group	5 5 5 lefined.
4.1 4.2 4.3 5. Appen	Order Manager Contractor Safety Concurrence Group Procedure:Error! Bookmark not d	5 5 5 lefined. 7
4.1 4.2 4.3 5. Appen Appen	Order Manager Contractor Safety Concurrence Group Procedure:Error! Bookmark not d dix 1: Process Flow Chart for Vendor Registration dix 2: CSM-F-1 Safety Category Qualification form	5 5 lefined. 7 8 9
4.1 4.2 4.3 5. Appen Appen Appen	Order Manager Contractor Safety Concurrence Group Procedure: Error! Bookmark not d dix 1: Process Flow Chart for Vendor Registration dix 2: CSM-F-1 Safety Category Qualification form dix 3: Safety Terms and Conditions dix 4: CSM- F-3- Safety Performance Evaluation Criteria	5 5 lefined. 7
4.1 4.2 4.3 5. Appen Appen Appen Appen	Order Manager Contractor Safety Concurrence Group Procedure: Error! Bookmark not d dix 1: Process Flow Chart for Vendor Registration dix 2: CSM-F-1 Safety Category Qualification form dix 3: Safety Terms and Conditions dix 4: CSM- F-3- Safety Performance Evaluation Criteria dix 5: CSM- F-4 Safety Violation Penalty Criteria	5
4.1 4.2 4.3 5. Appen Appen Appen Appen	Order Manager Contractor Safety Concurrence Group Procedure: Error! Bookmark not d dix 1: Process Flow Chart for Vendor Registration dix 2: CSM-F-1 Safety Category Qualification form dix 3: Safety Terms and Conditions dix 4: CSM- F-3- Safety Performance Evaluation Criteria dix 5: CSM- F-4 Safety Violation Penalty Criteria dix 6: Process Flow Chart for issuing RFQ and PO	5 5 lefined. 7 8 9 10 12 16
4.1 4.2 4.3 5. Appen Appen Appen Appen Appen	Order Manager Contractor Safety Concurrence Group Procedure: Error! Bookmark not d adix 1: Process Flow Chart for Vendor Registration adix 2: CSM-F-1 Safety Category Qualification form adix 3: Safety Terms and Conditions adix 4: CSM- F-3- Safety Performance Evaluation Criteria adix 5: CSM- F-4 Safety Violation Penalty Criteria adix 6: Process Flow Chart for issuing RFQ and PO adix 7: CSM-F-7 Safety Competency Form (Template)	5 5 6 6 6 6 7 8 9 10 10 12 16 17
4.1 4.2 4.3 5. Appen Appen Appen Appen Appen Appen	Order Manager Contractor Safety Concurrence Group Procedure: Error! Bookmark not d dix 1: Process Flow Chart for Vendor Registration dix 2: CSM-F-1 Safety Category Qualification form dix 3: Safety Terms and Conditions dix 4: CSM- F-3- Safety Performance Evaluation Criteria dix 5: CSM- F-4 Safety Violation Penalty Criteria dix 6: Process Flow Chart for issuing RFQ and PO dix 7: CSM-F-7 Safety Competency Form (Template)	5 5 6 6 6 6 7 8 7 8 9 10 12 12 10 12 11 10 12 11 10 12 11 10 12 11 10 12 11 11 11 11 11 11 11 11 11 11 11 11
4.1 4.2 4.3 5. Appen Appen Appen Appen Appen Appen Appen	Order Manager Contractor Safety Concurrence Group Procedure:Error! Bookmark not d dix 1: Process Flow Chart for Vendor Registration dix 2: CSM-F-1 Safety Category Qualification form dix 3: Safety Terms and Conditions dix 4: CSM- F-3- Safety Performance Evaluation Criteria dix 5: CSM- F-4 Safety Violation Penalty Criteria dix 6: Process Flow Chart for issuing RFQ and PO dix 7: CSM-F-7 Safety Competency Form (Template) dix 8: CSM-F-8 PPE requirements dix 9: CSM- F-10 Site Safety Management Plan / Method Statement	5 5 5 1efined. 7 8 9 10 12 10 12 16 17 19 20
4.1 4.2 4.3 5. Appen Appen Appen Appen Appen Appen Appen Appen	Order Manager Contractor	5 5 5 lefined. 8 9 10 12 16 17 17 20 25
4.1 4.2 4.3 5. Appen Appen Appen Appen Appen Appen Appen Appen Appen	Order Manager Contractor	5 5 5 1efined. 7 8 9 10 12 10 12 10 12 10 12 10 12 10 12 10 20 25 26
4.1 4.2 4.3 5. Appen Appen Appen Appen Appen Appen Appen Appen Appen Appen	Order Manager Contractor	5 5 5 1efined. 7 8 9 10 12 10 12 10 12 10 12 10 12 10 12 10 20 20 25 26 28
4.1 4.2 4.3 5. Appen Appen Appen Appen Appen Appen Appen Appen Appen Appen Appen	Order Manager Contractor Safety Concurrence Group Procedure:	5 5 5 1efined. 7 8 9 10 12 16 17 19 20 25 25 26 28 31
4.1 4.2 4.3 5. Appen Appen Appen Appen Appen Appen Appen Appen Appen Appen Appen Appen	Order Manager Contractor	5 5 5 1efined. 7 8 9 10 12 10 12 10 12 10 12 10 12 10 12 10 12 10 12 10 12 10 12 10 12 10 12 10 12 10 12 12 16 17 19 20 25 26 28 31 34

Document No. TPSMS/GSP/CSM/015 REV 05



Date of Issue: 30/07/2020

1. Objective

The Tata Power engages contractor workforce to execute, run and maintain various operating sites and facilities across locations for various business verticals including Generation, Transmission, Distribution and Renewable. The activities range from project execution, operation, maintenance to facilities management.

The management of contractor safety represents a significant challenge for management. Tata Power has a responsibility to ensure that contractors are provided with enough information and support to enable them to conduct their roles safely and without endangering health and safety of their own workforce or that of our staff.

To ensure reduction in reportable injuries and achieve goal of zero accidents, first edition of contractor safety code of conduct was launched successfully in the year 2014. Since last four years after the launch of CSCC, Tata Power could achieve the objective of reduction in reportable injuries and fatalities.

Over the period, as the system was being matured, a need was felt to make second revision of the CSCC process. Objective of second revision is improve existing CSCC system and make it user friendly.

2. Scope: This procedure applies to all operating and project sites of The Tata Power Company Ltd and Group companies including new businesses like EV charging, Home Automation etc.

3. Definitions

- **3.1. Order Manager:** Order Manager is the Tata Power representative, who has the ownership of the given job.
- **3.2.** Site Safety Management Plan: It is the safety plan agreed between Contractor and Tata Power. It will contain the entire job specific safety requirement and will be signed by the contractor.
- **3.3. Contractor**: An individual or a company that provides services to Tata Power under a signed contract.
- **3.4. Emergency:** a serious, unexpected or dangerous situation requiring immediate action, which may result in loss of revenue/property, business discontinuity. In case of Emergency*, services may be procured by selecting the qualified vendor based on the vendor category without the safety bid evaluation. It must be approved by MB level and above.
- **3.5. Expert Service jobs:** Jobs which needs expert services of contractor which does not involve direct exposure to the potential risk or work which involves only

Document No. TPSMS/GSP/CSM/015 REV 05



Date of Issue: 30/07/2020

supervisory work such as expert for turbine overhaul, expert for boiler overhaul, expert for pump and motor, expert for compressor overhaul.

- **3.6. Head of the Division:** Business in charge of the division who is overall custodian of the generating station or transmission division or distribution division.
- **3.7. Category A Vendor:** Vendor eligible to carry out Very High & High risk (as per Tata Power Hazard Identification and Risk Analysis Procedure) and /or Long-Term Contract related to operation and maintenance (O&M) of plant. Vendors must fulfil the requirement specified for Category A in Appendix 12-CSMF-5 of this document.
- **3.8.** Category B Vendor: Vendors eligible to carry out technical jobs, that are classified under Medium /low risk. Vendors must fulfil the requirement specified for Category B in Appendix 12-CSMF-5 of this document.
- **3.9.** Category C Vendor: Vendors eligible for to carry out low or very low risk administrative and office jobs. For this he must fulfil the requirement specified for Category C in Appendix 12-CSMF-5 of this document.
- **3.10. Category D Vendor:** All Consultants, Medical Practitioners or vendors taking job from Tata Power and working from their own premises (e.g. motor rewinding at vendor's shop floor, equipment sent for repair to vendor's works etc.) are classified as Category D Vendor
- **3.11. High Risk Jobs:** A Job or its activities are considered as Very High or High Risk when Order manager apply the "Tata Power Hazard Identification and Risk Analysis" procedure and found safety risk associated with are under Very High or High category. Indicative lists of jobs are given in appendix 15 of this document.
- **3.12.** Medium Risk Jobs: Jobs or its activities are considered as medium risk when Order manager apply "Tata Power Hazard Identification and Risk Analysis" procedure and found the same as Medium Risk.
- **3.13.** Low Risk Jobs: Any job or its activities are considered as Low or Very low risk while Order manager, calculate it by applying "Tata Power Hazard Identification and Risk Analysis" procedure and found it under Low or Very Low category.
- **3.14.** Long Duration Jobs: When the duration of job is 12 months or more, it is considered as Long duration job
- **3.15. High Value Jobs:** When the value of the job contract is Rs. One Crore or more it will be considered as High value job.





4. Responsibilities

4.1 Order Manager: Order Manager is the Tata Power representative, who is responsible for:

- 4.1.1 Finalizing the Site Safety Management Plan along with Contractor, Safety Concurrences Group, Divisional Safety Head and Expert (External or Internal) if required.
- 4.1.2 Supervise and ensure work is carried out as per the Site Safety Management Plan including agreed Risk Assessment (HIRA/JSA) and Method Statement.
- 4.1.3 Conduct audit and evaluate Safety Performance of contractor.
- 4.1.4 Ensure contractors adhere to all statutory provisions.
- 4.1.5 In case any deviation is needed in agreed safety management plan or in CSCC process for execution of job, Management of Change procedure will be applicable, and approval may be obtained from divisional head /Cluster head.
- **4.2 Contractor:** The person, entity or organisation who is executing the job for Tata Power under a contractual agreement and will be responsible for the following
- 4.2.1 To follow all Tata Power Critical Safety Procedure, Rules and guidelines given in <u>Safety</u> <u>Terms and Conditions</u>
- 4.2.2 Undertake job as per <u>Site Safety Management Plan CSM-F10</u> and method statements agreed with Tata Power.
- 4.2.3 Raise any concerns with regard to their work and its safety with the Tata Power Order Manager.
- 4.2.4 Report all injuries, near misses, unsafe acts/conditions, and occurrences to the Tata Power Order Manager immediately.
- 4.2.5 Ensure that all sub-contractors follow the Tata Power Safety Procedure and agreed <u>Site</u> <u>Safety Management Plan CSM-F10</u>.
- 4.2.6 To follow all statutory requirements as per the laws of the land.
- 4.2.7 All vendors applying for A category jobs or submitting quote for high risk jobs shall obtain certificates of ISO 9001, ISO14001 and ISO45001 before submitting quote for high risk Jobs.
- **4.3 Safety Concurrence Group:** It is Cross Functional Team constituted by Corporate Safety Team, which will have representatives from Execution department, Divisional safety and Corporate / Divisional contracts. SCG will be responsible for the following
- 4.3.1 Assessment of Safety Potential of new vendor before registration as per <u>CSM-F1-Safety</u> <u>Category Qualification Form.</u>
- 4.3.2 Safety Evaluation of the bids as per evaluation format <u>CSM-F-9 Safety Bid Evaluation</u> <u>Criteria</u>
- 4.3.3 Finalization of the Site Safety Management Plan CSM-F-10 submitted by the contractor.





4.3.4 Corporate Safety Team / Cluster Safety Head will be part of SCG during Safety Bid Evaluation for following types of jobs

4.3.4.1 High-Risk jobs to be carried out in Annual Overhaul / Major Shutdowns and Outages.

4.3.4.2 Capex jobs of High-Risk Category

5.1 Vendor Registration

For Vendor Registration, Corporate Contract will issue following documents for evaluation of contractor's safety capability

- 1) <u>CSM-F1 Safety Category Qualification Form</u>
- 2) Safety Terms and Conditions

The document <u>Safety Terms and Conditions</u> provides the information about Tata Power safety System to the contractor. Contractor will submit the <u>CSM-F1- Safety Category Qualification</u> <u>Form</u> with all relevant details and documents to Vendor Registration Initiator, which will in turn forward it to Safety Concurrence Group (SCG) for evaluation. The SCG will evaluate the details submitted by the contractor based on a predetermined criteria <u>CSM-F-5 Safety Potential</u> <u>Evaluation Criteria</u> for Vendor Registration and will determine the category (Category A/B/C/D) for which the contractor will be registered. As mentioned in the above criteria, a site visit may also be organized by SCG prior to registration under Category A and B. In case, the contractor does not qualify the safety criteria, the contractor will not be registered. However, he may apply afresh for registration after 6 months. Please refer <u>Appendix 1: Process Flow Chart for</u> <u>Vendor Registration</u>.

5.2 Bid evaluation

At the time of placing the Purchase Requisition (PR), Order Manager is required to declare the risk involved in the of the job (i.e. High Risk / Medium Risk / Low Risk jobs, based on the RPN in HIRA. If the Job is "High Risk" or "Long Duration", then RFQ will be attached with following documents:

- 1) CSM-F7- Blank Safety Competency Form
- 2) CSM-F8 PPE requirements
- 3) Safety Terms and Conditions
- 4) Job Specific Safety Requirement (Educational and Professional Qualification, Skill & Experience Manpower, Tools and Tackles (e.g. man lifter, use of drone, use & availability of rescue kit), Work Methodology etc.)

Otherwise the RFQ will be attached only with <u>Safety Terms and Conditions</u>. Long term and low value jobs (see definition) are exempted from the CSCC process.






Date of Issue: 30/07/2020

Corporate Contracts will collect duly filled<u>CSM-F7 Safety Competency Form</u> along with the bid. All other stakeholders will also put their efforts to get all relevant safety data during meeting / discussions with the vendor. SCG will evaluate the document as per the <u>CSM-F9 Safety bid</u> <u>evaluation criteria</u>. If any specific condition related to Contract is required to convey to contractor, Site safety team will attach the same as Annexure for specific conditions of job and submit it to contract team along with safety bid evaluation form. Commercial bid of contractor will be considered for evaluation by contract team only if contractor is qualified in safety bid. Site Safety Management Plan, defining the complete procedure of executing the job at site will be signed by the contractor and SCG after mutual agreement. CC will attach a copy of site safety Management Plan and any specific condition of contract along with PO to the successful bidder. Please refer <u>Appendix 6</u>: <u>Process Flow Chart for issuing RFQ and PO</u> <u>significant health and safety risk associated with it.</u>

5.3 Safety Performance Evaluation

During the time of job execution, regular site inspection will be carried out by the Tata Power officials and violations will be dealt as per <u>CSM–F4 Safety Violation Penalty Criteria</u>. Apart from this, monthly safety performance of the contractor will be evaluated based on the predetermined criteria as per <u>CSM-F11 safety Performance Score</u> and monthly score will be maintained by the Order Manager. Certain percentage of each running bill will be retained as Safety Retention amount and will be released on the basis of Safety Performance Score at certain intervals as defined in <u>CSM-F-3-Safety Performance Evaluation Criteria</u>. Please refer <u>Appendix 10: Process Flow Chart for Safety Performance Evaluation</u>. Percentage of retention amount is mentioned in safety terms and conditions.

Appendix 1: Process Flow Chart for Vendor Registration



Appendix 2: CSM-F-1 Safety Category Qualification form

Confidential & Proprietary – The Tata Power Company Limited

Page 8 of 36

The Tata Power Company Ltd Document No.

TPSMS/GSP/CSM/015 REV 05



Date of Issue: 30/07/2020

- 1. **"Safety Category Qualification Form**" is part of vendor registration form. It needs to be filled by the contractor at the time of Registration and should submitted to Requester / order manager with all relevant documents.
- 2. The same will be evaluated by Safety Concurrence Group of the Division (SCG) as per the criteria given in <u>CSM-F-5.</u>
- 3. Information provided by contractor will be verified during site visit.

Safety Category Qualification Form

Please Consider my application for

Category A Vendor: Vendor eligible to carry out Very High- and High-risk O&M jobs Category B Vendor: Vendors eligible to carry out technical jobs, classified as Medium / low risk Category C Vendor: Vendors eligible for to carry out low or very low risk administrative and office jobs Category D vendor: All Consultants, Medical Practitioners or vendors taking job from Tata Power and working from their own premises.

Nar	Name of the Vendor:						
Sr. No	Safety Information	Remarks	Attachment				
1	Certified for i. OHSAS 18001/ ISO 45001, ii. ISO: 14001 iii. ISO: 9001 (ISO certificates to be issued from reputed accreditation agencies specified by Tata Power)	i. Y/ N ii. Y/ N iii. Y/ N	Attach copy of the certification			on	
2	Safety Statistics for Last Three (3) Years - LTIFR - LTISR	Yes/No	LTIFR LTISR	Year 1 (Last FY)	Year 2	Year 3	
3	Do you have Safety Policy?	Yes/No	Attac	ch copy of	f the sa	ifety po	licy.
4	Do you have Safety training process?	Yes/No	Attach safety training process.			ss.	
	Do you have Safety organization structure e.g. Safety Officers and Safety Committees?	Yes/No	Attach copy of the safety organization structure.				
6	Name and address of sites where work is in progress or worked earlier	Yes/No	Site details to be attached for inspection by Officials.				

Signature

Name and Designation :

Stamp of Organization :

Appendix 3: Safety Terms and Conditions

Please refer the attached document Safety Terms and Conditions.

:

Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

The Tata Power Company Ltd

Document No. TPSMS/GSP/CSM/015 REV 05



Appendix 4: CSM- F-3- Safety Performance Evaluation Criteria

1. A certain percentage of the bill value will be retained against every running bill as safety performance retention. The amount will be released with the last invoice or every six-month based on Safety Performance Score of contractors. The retention amount will be calculated based on contract value as below.

Contract Value	Retention Amount (%)
Up to 10 Lakhs	2.5
10 – 50 lakhs	2
0.5 to 10 Cr	1.5
>10 Cr	1

2. The evaluation criteria include Lead Indicators such as CFSA (Contractor Field safety Audit) score, percentage of workers trained in TPSDI, inspection of critical equipment. Lag indicators such as Fatalities, LWDC and man days lost.

3. The retention amount saved will go to a separate Safety Improvement Fund.

4. For the contract value of more than Rs 1 Cr or contract duration more than 12 months, the retention amount shall be released half yearly based on safety performance. For all remaining contracts, the retention amount will be released with the final bill.

5. Long term jobs with low value (Less than Rs. 1 Cr.) are exempted from the safety retention. Invoice of these type of jobs can be cleared without safety retention.

6. In case of job stoppage due to safety violations / unsafe observations at the site, no time extension shall be given to the contractor, if such delays are attributable to contractor.

7. In case of fatality, limb loss or loss of property, vendor must pay for liability, legal, statutory and additional mutually agreed settlement charges imposed by the appointed committee. This charge is over and above the retention amount.

8. The committee will finalize an amount between 5 -50 lakhs based on factors such as advise by statutory authorities, contract value and impact of accident etc.

9. Safety performance bonus 1% (limiting to 50 lakhs) of the invoice value will be considered at the end of the job if the contractual safety performance score 100%.

10. During the progress of the work, concerned Supervisor/Engineer will visit and inspect the work site regularly and evaluate the safety performance of the contractor based on matrix attached herewith and apply the Consequence management policy as applicable.

11. Order Manager, divisional chief and SBU head have the authority to terminate the contract in case of three consecutive serious violations.

Safety Performance Evaluation report- CSM-F-3

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

	Lead Indicators	Unit Of measurement	Target	weight age
1	% of Employee certified in TPSDI/Authorized agency	%	50%	10
2	CFSA score (Annexure 6.1)	Average Severity of Violations	1.49	20
3	Monthly inspection completed by contractor for Critical Equipment, lifting Tools & Tackles and hand tools used at site as per Tata Power Checklist	%	80	5
4	Revalidation of Condition of tools, tackles and equipment by Order Manger.	%	100	15
	Lag Indicators			
1	Number of Fatalities	No.	0	30
2	Number of Lost workday case (LWDC)	No.	0	10
3	Man-days Lost	No.	0	10

Contractor's Safety Code of Conduct

The Tata Power Company Ltd

Document No. TPSMS/GSP/CSM/015 REV 05



Date of Issue: 30/07/2020

Appendix 5: CSM- F-4 Safety Violation Penalty Criteria

Penalty shall be imposed on the contractors under the following circumstances for breaching the contractual agreements:

Sr No	Description of violation	Severity	Penalty
1.	Working without Permit	5	5000/-
2.	Untrained (TPSDI) worker on high-risk jobs.	5	5000/-
3.	Unhygienic/Bad condition of PPE	2	250/-
4.	Not following Tata Power Procedure & Standard	4	2000/-
5.	Unsafe Act/Condition of Severity 4	4	2000/-
6.	Unsafe Act/Condition of Severity 5	5	5000/-
7.	No Earthling of Electrical equipment	5	5000/-
8.	Damaged welding cable	5	5000/
9.	Violation of Positive Isolation Procedure (LOTO Not followed)	5	5000/
10.	ELCB of more than 30 mA/ELCB not working	5	5000/
11.	On/Off switch of welding m/c not working	5	5000/
12.	Electric cable tied with metal wire	5	5000/
13.	Leakage found DA hose / cylinder	5	5000/
14.	Use of LPG	5	5000/
15.	Use of IC engine based Three-wheeler at the work site.	5	5000/
16.	Starting the job without Toolbox Talk	5	5000/
17.	Spatter falling on DA hose / Gas-line/ pathways / Equipment	5	5000/
18.	No safety latch in crane hook	5	5000/
19.	Load raised or swung over people or occupied areas of buildings	5	5000/
20.	Persons standing in swing area of construction equipment.	5	5000/
21.	Using damaged slings.	5	5000/
22.	Unstable scaffolding/nonstandard Scaffolding in use	5	5000/
23.	Handrails and mid-rails are missing	5	5000/
24.	Safety Harness not anchored with lifeline/fixed structure	5	5000/
25.	Fall arrestor not provided/ Not being used.	5	5000/
26.	Double lifeline not used for working at height	5	5000/
27.	No rubber mat in Electrical Distribution (DB) room	4	2000/-
28.	Water found accumulated in Electrical Distribution room/near welding machine.	4	2000/
29.	Inserting electric cables into socket, without using plug.	4	2000/
30.	Use of damaged electrical cable/two core cables.	4	2000/
31.	Inflammable material found in Distribution Room / welding areas.	4	2000/
32.	Loose material falling into excavated pit	4	2000/
33.	Water logging into excavated pit /trenches	4	2000/

Document No. TPSMS/GSP/CSM/015 REV 05




T

Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

34.	No / inadequate Barricade	4	2000/
35.	Undercut / cave-in found on sides of excavated pits	4	2000/
36.	Grinding wheel/ Coupling/ Piling winch/other rotating parts without guard	4	2000/
37.	The HMV/Mobile Crane operator does not have a valid HMV driving license.	4	2000/
38.	The loading area is not leveled properly.	4	2000/
39.	Ladder not anchored at top	4	2000/
40.	Opening found in working platform of scaffolding/floor	4	2000/
41.	Inadequate illumination at the working area	4	2000/
42.	Loose material lying on Gantry, platform	4	2000/
43.	Cleaning with Compressed Air.	3	500/-
44.	Gas Cylinders using without cap.	3	500/
45.	Gas Cylinders stored without securing	3	500/
46.	Bringing inside any other chemicals, apart from approved by Safety dept.	3	500/
47.	Using drum for sitting or accessing height.	3	500/
48.	Misusing emergency facilities like fire hydrant line/ hose box/ spray system/ eye wash etc.	3	500/
49.	No provision of Safety net where falling materials or tools may occurs	3	500/
50.	Taking electrical supply from non-designated outlet (other than socket).	3	500/
51.	Restricted gangways due to unwanted materials.	3	500/
52.	Not reporting incident.	3	500/
53.	Entering into restricted area like switch yard/ hazardous storage	3	500/
54.	Work without supervision	3	500/
55.	Parking of vehicle without applying wheel choke at right front- front and left rear-rear wheels other than passenger cars.	3	500/
56.	Heavy Vehicle without helper or co-driver.	3	500/
57.	Not wearing florescent safety jacket at site.	3	500/
58.	People travelling in load body of vehicle.	3	500/
59.	Parking of vehicles at non designated area.	3	500/
60.	Shifting heavy materials without guide ropes.	3	500/
61.	Using other than 24V lamp inside the confined space/Use of other than 24V lamps.	3	500/
62.	Angular loading/ lifting with Crane or hoist.	3	500/
63.	By passing the limit switch/ Safety Interlock.	3	500/
64.	Housekeeping activities on road without proper barricade.	3	500/
65.	Trying to board or alit from running vehicle.	3	500/
66.	Cylinder Valves of Gas cylinders not closed when not in use.	3	500/
67.	Flash-back arrester not used.	3	500/

Document No. TPSMS/GSP/CSM/015 REV 05



Date of Issue: 30/07/2020

68.	Hand Trolley wheel found damaged.	3	500/
69.	Guy ropes of required length on both sides of object are not used during movement with load.	3	5/00/
70.	Scotch block/wedge not provided, when the vehicle is parked.	3	500/
71.	Suitable Trolley not provided to hold the cylinders.	3	500/
72.	Locked First Aid box	3	500/
73.	Caution boards, danger signs (luminescent /red) along with emergency contact number are not found displayed.	3	500/
74.	Person found jumping barricading tape	3	500/
75.	Stacking of pipes, pile casing, drums without chock blocks/wedges	3	500/
76.	The terrain on which Heavy Equipment/Machinery moves is not reasonably hard.	3	500/
77.	Without Safety Helmet at working sites	4	250/-
78.	Without Crash Helmet (on bikes)	4	500/-
79.	Without Full body double lanyard Safety Harness (for work at height)	5	5000/-
80.	Without Hand gloves - Material Handling, Welding, Cutting,	4	100/-
81.	Without Safety goggles/ face shield - Welding/Cutting /Grinding	5	5000/-
82.	Handling Chemical without PVC Apron	5	5000/-
83.	Smoking in prohibited area (Closed Go-downs, Storage of flammable material, Storage of Gas cylinders)	5	1000/-
84.	Sleeping at Workplace	3	100/-
85.	Driving beyond speed limit	3	1000/-
86.	Seat Belt While Driving (for front seat passengers and driver)	3	500/-
87.	Driving without license	4	1000/-
88.	Heavy Commercial vehicles without reverse horn	3	500/-
89.	Nonfunctional Head light/ taillight and side indicators	3	100/-
90.	Using Mobile Phone During Driving	5	5000/-
91.	Poor visibility of registration number/ without registration number	3	100/-
92.	Broken/ without Side view mirror	3	100/-
93.	Over speeding above specified limit	3	500/-
94.	Broken/ Without Pressure gauge on Oxygen/ LPG / Acetylene cylinder.	3	500/-
95.	Without Flash back arrestor on Industrial Acetylene & Oxygen cylinders.	5	5000/-
96.	Spillage of hazardous material/chemicals during transportation	4	2000/-
97.	Electrical equipment without Earthing/ ELCB/ Double Insulation Cable.	5	5000/-

T

TATA TATA POWER

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

98.	Lifting Tools & Tackles used without/ expired Test Certificates.	5	5000/-
99.	Housekeeping repeatedly not maintained		
100.	First Time	3	Warning
101.	Second Time	4	1000/-
102.	Third Time	5	5000/-
103.	Serious Violation of House Keeping (after 1st or 2nd warning to		Rs.10000/-
	be decided by Project Manager depending on the severity)	5	and above
104.	Repeat Violation of same nature		5 X Penalty
		5	for
			Violation
105.	Appointment of subcontractor without his Safety Bid Evaluation		5% of
	and/or without the permission of engineer in charge or Order	5	Contract
	manager.		Value




Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020





Date of Issue: 30/07/2020

Appendix 7: CSM-F-7 Safety Competency Form (Template)

Name of the Vendor/Bidder	: -
Name of the Sub Vendor (If job is given to Sub Vendor)	: -
Description of the Job	:-
Request for Quotation (RFQ) No.	:-

Vendor/Bidder to mandatorily provide the below safety competency related information.

1. Proposed Manpower Deployment Schedule : -

Category of Manpower Deployed	Minimum Qualification & Experience	Proposed Numbers against each category month-wise			
	-	Month 1	Month 2		Month n
Project Manager					
Site-In-Charge (Site Manager)					
Shift-in-Charge					
Safety Officers					
Supervisors					
Technicians					
a					
b					
Highly Skilled Workmen					
a					
b					
Skilled Workmen					
Semi-Skilled Workmen					
Unskilled Workmen					
Total Manpower					

Instructions to Bidder to fill:

1. Bidder to provide the overall site manpower deployment schedule as above.

2. Bidder to indicate (through colour code mentioned below) their direct and sub-contracted employees

Direct bidder employee

Partly Direct / Partly sub-contracted Sub-Contracted

3. Against each of the category, bidder to indicate the minimum qualification and experience of the proposed manpower.

4. Rows can be added to also identify other specialised manpower e.g. specific details to be included for high risk activities operators

5. Columns can be extended to the actual duration of Site activities.

6. Bidder to note that if operations is in shifts, then Shift-in-charge / safety officers are required for each shift of operation.

2. List of Tools, Tackles, Machines and Equipment: -

Bidder/ Vendor to provide the list of tools, tackles, equipment **to be used during the job / project execution**. Bidder/Vendor to ensure that all the lifting tools and tackles, pressure vessels are duly certified by the competent person authorised by the Chief Inspector of Factories of the respective state prior to start of the job

TPSMS/GSP/CSM/015 REV 05



Date of Issue: 30/07/2020

Sr. No.	Description of Tools / Tackles	Capacity / Rating	Quantity	Make	Remarks
1					
2					
3					
4					
5					
6					
7					

3. Safety Records:

Bidder to provide the details of fatalities and lost workday cases (LWDC), occurred in last three years (data to be provided for the last completed FY and preceding 2 years).

Description	Safety Data for Last 3 Years			
	Year 1 (Last FY) Year 2 Yea		Year 3	
	20	20	20	
Fatalities (Nos.)				
Lost Workday Cases (Nos.)				

In case of no fatalities, LWDC during any year, the form may be filled stating NIL against the respective year. Bidders are encouraged to also submit the RCA / incident investigation reports and the learning's implemented out of the above reported incidents

4. Job Safety Plan/ Method Statement:

Bidder to provide / enclose a detailed Site/Job Safety Plan along with a Method statement detailing the execution philosophy (how the bidder intends to execute the Job/Project), identifying all key activities which are required to be performed by the contractor at Site. Bidder to also list down all high-risk activities and provide the Hazard Identification and Risk Assessment (HIRA) for all such high-risk activities involved in the site work.

(Use Method Statement template attached as annexure A and sample as attachment B)

5. Management System Certification: -

Sr.	Certification	Yes / No	lf Yes,	lf No,
			Year of Certification	Farget date for Certification
	ISO 9001			
	ISO 14001			
	OSHAS 18001 / ISO 45001			
	Any other (please specify			
	Please attach certificates to su cation letters may be attached.	pport abov	e. In case not accredite	ed for above but applied for,

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

Appendix 8: CSM-F-8 PPE requirements

The Contractor shall ensure that the following PPE of Approved standards shall be available at all time and shall be used by his employees with no exception whatsoever.

1	All contractor's employees at site	Safety Florescent Jacket (orange color), Safety helmet & safety shoes with Composite or steel toe cap			
2	Workers mixing asphalt, cement, lime / concrete	Safety goggle & protective Hand gloves and footwear, Nose mask.			
3	Welders / Grinders	Welding screen/goggles, safety shoes, leather hand gloves, aprons, leg guard			
4	Stone breaker	Protective goggle, hearing protection, anti- vibration hand gloves and Protective clothing.			
5	Electricians	Rubber hand gloves & Electrical resistant shoes.			
6	Workers engaged in insulation using glass wool etc. Workers engaged in coal handling plant, ash handling plant and working in high				
7	dust area. Workers working at a height of 1.8 Meter or above.	Double lanyard full body harness, fall arrestor and safety net made of reinforced nylon fiber ropes firmly supported with steel structures			

• PPE shall be conforming to BIS/DGMS/DIN specifications, in good condition and shall be comfortable to his employees, when used.



Date of Issue: 30/07/2020

Appendix 9: CSM- F-10 Site Safety Management Plan / Method Statement

Site Safety Plan / Method Statement (Template)

This Method Statement describes the specific safe working methods which will be used to carry out the described work. It gives details of work procedure with control measures to counter health and safety issues related to this work. The listed content of this Method Statement can be changed/modified subjected to job scope / specifications, but task specific method statement once finalized & approved, that should not be modified during work execution without permission from the approving authority.

Project/Job Name					
Scope of work: -					
Drawing References: -					
Detail of Sub contractors involved: -					
Method Statement Prepared By: - Designation: - (e.g. Site Manager)		<u>Signature</u>	<u>Date</u>		

1.0 Introduction (*Describe purpose of the work, give details of type and scope of work being carried out);*

2.0 Location of Work (Give site address and precise location on site where work is to be carried out.)

3.0 Safety Document /Specific Approval Required (Details of any safety documents or specific approval i.e. Client specific approval required to undertake the work)

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

5.0 Role & Responsibilities of Personnel/Parties Involved in activities: -Clearly define role and responsibilities of all personnel involved in activity i.e. Site management staff including subcontractors' parties- Main contractor Project/Site Manager, Sub Contractor Site Manager, Project Engineer, Safety officer, Competent Supervisory Staff)

6.0 Working/Activity Description: - It is important that all operatives should have clear idea of those operational sequences and responsible supervisor must verify their competency prior to their engagement in operation.

6.1 Pre-Working Checks

6.2 Resources (Equipment, tools including manpower) Details *i.e.* Equipment and Tools, specific operational equipment, test kits, lifting resources, Details of materials to be used in operation, including any reference to COSHH assessments in case of use of any chemicals, Details of the manpower allocated to the task, e.g. titles, qualifications, competences, direct manpower, contractors. Details of plant, tools and equipment to be used for the work, including the availability of relevant statutory documents, checks or inspections etc. Details of fencing, barriers, cones, chains, dangers notices, warning signs etc.

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

Tools required for work:

Sr.No	Tools /Equipment /Machine	UOM	Required Qty.	Remark
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

6.4 Operational Sequence of work: - Full description of the work, setting out the methodology in a sequential manner, including any reference to any identified operational restraints. Also refer here sec. 5.0 responsibilities part for every step of work sequence).

Sr.No	Activity	Details of job sequence	Risk Involved	Control Checks
1.		1.		
2.				
3				
4				
5.				

6.7 Final Checks & restoration of work area after completion of work :- Those checks to be carried out by responsible supervisor in witness of his line hierarchy by use of specific checklist of certain operational checks and once those completed satisfactory, PTW (if applicable) to be closed and isolation arrangements to be restored by removing barricades/cautionary tags.

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

7.0 Task Specific Hazards: - Refer to Task Specific Risk Assessment and attach in appendix

Attachment: - Specific Risk Assessment

In addition, please provide below control measures in risk assessment (as applicable).

Fall Protection Measures: (Where Work at height cannot be avoided)							
Control Measures for Electrical Hazards							
Others Hazard if any (please provide details)							
Hazardous Substances to be used in job : (Attach MSDS if required)	Acute Toxic	Health Hazard	Corrosive	Dangerous For the environment	Oxidising	Highly flammable	Explosives
	Yes /No	Yes /No	Yes /No	Yes /No	Yes /No	Yes /No	Yes /No

7.0 Emergency Provisions: -*Relevant operational possibility of a programme in the case of emergency situation i.e. electrical supply restoration. In addition emergency response provisions i.e. first aiders, fire fighting, and first aid arrangements, nearest onsite/offsite emergency response also to be considered during emergency planning.*

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

8.0 "5S issues" / Waste Disposal/ Housekeeping and Environmental issues: -Details waste disposal processes and or housekeeping activities, Details of environmental impacts and control measures.

9.0 Personal Protective Equipment (PPE):- (Tick on PPE requirements for the task/Job

Required Personnel	A	0	E.	0	9	0	Other:
Protective Equipment:							1. Hi-Viz
• • •	Safety Boots	Hard Hats	Safety Gloves	Hearing	Eye Protection	Respiratory	2. Coveralls
				Protection	 Comparison of the control of the State of th	Protection	3.

10.0 First Aid facilities and Nearby Hospitals Details

		Name of On-Site First Aider:	
	First Aid Facilities:	First Aid Box Location:	
First Aid		Location of Nearest Hospital:	

11.0 Occupational Health, Fitness and COVID-19 related Preparedness:

1. Please give a brief writeup / methodology of your organization planned to avoid impact of the COVID-19 pandemic at Tata Power working site.


2. Please give brief details of occupational health and hygiene related interventions planned by your organisation to ensure good health and fitness of workforce at Tata Power site.

Document No. TPSMS/GSP/CSM/015 REV 05



Date of Issue: 30/07/2020

Appendix 10: Process Flow Chart for Safety Performance Evaluation



Confidential & Proprietary – The Tata Power Company Limited

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

Appendix 11: CSM- F-11 Safety Performance Score

Sr. No	Parameter	Unit of Measurement	Target	Weight age	Actual Performance	Actual Score
Lead	Indicator					
1	% of Employee certified in TPSDI/Authorized agency	Number	50%	10		
2	CFSA score (Annexure 6.1)	Average Severity of Violations	1.49	20		
3	Monthly inspection completed for Critical Equipment, lifting Tools & Tackles and hand tools used at site	Number	80%	10		
4	Condition of critical tools, tackles and equipment	Number	100%	10		
laσl	ndicator					
1	Number of Fatalities	No	0	30		
2	Number of Lost workday case (LWDC) (reportable)	No	0	10		
3	Man-days Lost	Man-days	0	10		
					Final Score	
					Invoice	
					Value	
					Amount to be released	



Date of Issue: 30/07/2020

Safety Performance Evaluation Criteria

Lead Indicators

	Target						
% of Employee certified in TPSDI/Authorized agency	50%	100%		Less tha	n 1009	%	
Score		10		5			
	Target						
CFSA score	<=1.49			1.5 to 2.5	2.51 3.5	to	>=3.51
Score	20			15	10		0
	Target						
Monthly inspection completed for Critical Equipment, lifting Tools & Tackles and hand tools used at site	>=80%		79	9 to 50%		<509	%
Score	10		7			0	
	Target						
Condition of critical tools, tackles and equipment	100%			<100%			
Score	10			0			

Lag Indicators

Number of			
Fatalities	0	>0	
Score	30	0	
Number of LWDC			
(reportable)	0	>0	
Score	10	0	
Number of man			
days lost	0	1 to 5	>5
Score	10	5	0



Date of Issue: 30/07/2020

Appendix 12: CSM-F-5 Safety Potential Evaluation Criteria for Vendor Registration

At the time of vendor registration, vendor will be registered under 3 categories

- 1) Category A- Vendors eligible to carry out High risk Jobs
- 2) Category B- Vendors eligible to carry out technical jobs that are low risk
- 3) Category C- Vendors eligible to carry out administrative and office jobs
- 4) Category D- Outsourced Jobs / Consultants /Medical Practitioners / Suppliers etc

For vendors to be registered under **Category A**, a safety potential evaluation will be carried out based on following parameters.

Sr. No	Description	Weight age (%)	Actual Score	Remarks
1	Does the contractor have a valid ISO 45001/ OHSAS 18001/ Certification?	30		
2	During site visit check for safety adequacy at site	30		Annexure - 12.1
3	Check the Safety statistics of Contractor	10		Annexure - 12.2
4	Check the Safety orientation & training process of Contractor	15		Annexure 12.3
5	Check the organizational structure for safety professionals & engineers / supervisors.	10		Annexure - 12.4
6	Certified/skilled workers as a percentage of overall workforce	5		
	Total	100		

Evaluation Criteria for Category B

Sr. No	Description	Weight age (%)	Actual Score	Remarks
1	Does the contractor have a valid ISO 9001 certification?	30		
2	During site visit check for safety adequacy at site	30		Annexure -12.1
3	Check the Safety statistics of Contractor	10		Annexure -12.2

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

4	Check the Safety orientation & training process of Contractor	15	Annexure -12.3
5	Check the organizational structure for safety professionals & engineers / supervisors.	10	Annexure -12.4
6	Certified/skilled workers as a percentage of overall workforce	5	
	Total	100	

Evaluation Criteria for Category C

Sr. No	Description	Weight age (%)	Actual Score	Remarks
1	Does the contractor have a valid ISO 9001 certification?	40		
2	Check the Safety statistics of Contractor	40		Annexure - 12.2
3	Check the Safety orientation & training process of Contractor	20		Annexure - 12.3
	Total	100		

Annexure 12.1: Evaluation Criteria for Category D:

Category D does not require any evaluation as it is for outsourced job outside the Tata Power company premise.

Annexure 12.2

	Check List – Adequacy of Safety Statistics of	of Service Provider	Actual Marks obtained	Remarks
1	Check the safety statistics for last 3 years (LTIFR and LTISR)	Marks Statistics 5 available 5 Statistics not 0 available 0		
2	Check the trend LTIFR for last 3 years	LTIFR value Marks 0 to 0.2 5 0.21 to 0.3 2.5 >0.3 0		
3	Check the trend of LTISR last 3 years	LTISR value Marks 0 to 2 5 2 to 3 2.5 >3 0		
4	Has there been any Prosecution/Conviction for any contravention with regard to Safety & Health provisions under the Factories Act /Electricity Act/ BOCW Act and Rules framed there under?	Marks No Prosecution 10 Prosecution 0 To be provided in written on letter head		
	Total	25		

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

Annexure 12.3

Ched	k List – Adequacy of Safety orientation & train provider	Actual Marks obtained	
1	Records of safety trainings provided to safety officer/supervisor/workmen during last 1 year as percentage(%) of total employed by service provider	Safety Officer Marks ≥80% of 5 employees 50 to 79 % of ≤50 % 0 Safety Marks Supervisor 0 Safety Marks Supervisor 0 Safety Marks Supervisor 0 Soft to 79 % of 6 employees 0 S0 to 79 % of 6 employees 0 Soft to 79 % of 6 employees 50 to 79 % of 50 to 79 % of 6 employees 50 to 79 % of 50 to 79 % of 6 employee 0	
	Total	25	

Annexure 12.4

Check	List – Adequacy of organizational structure fo engineers / supervisors.	Actual Marks obtained	
1	Check availability of number of safety officers from government recognized institute as per workforce strength.	Marks 1 in 50 employees 10 1 in 100 employee 6 Any other 0	
3	Check availability of qualified workforce from government recognized institute/TPSDI.	Marks 100% of safety 5 officers qualified 50 – 99% of 3 safety officers qualified <50 0	
	Total	15	

Confidential & Proprietary – The Tata Power Company Limited

Document No. TPSMS/GSP/CSM/015 REV 05



Appendix 13: CSM-F-9 Safety Bid Evaluation Criteria.

The User has to select whether the job is high risk/ long duration at time of raising the PR.

- 1) The decision whether job is "**high risk** "or not has to be made by order manager on the basis of Risk involved (Risk Priority Number in HIRA) of the Jobs. An indicative list of high-risk jobs is attached as annexure
- 2) If a technical job is of low risk with estimated duration of the contract is 1 year or more the job should be treated as "**long duration**".
- 3) All Safety bids will be evaluated by Safety Concurrence Group. Structure of SCG will be declared by Corporate safety. Corporate safety team will audit bid evaluation process of a few selected jobs and Quality of evaluated safety Bids.
- 4) Records of jobs sent by for Safety Bid evaluation shall be maintained by Corporate Contract team in existing tracing sheet along with other jobs.

		Minimum Requirement	Weight age (%)	Score Obtained
	Safety Officer (1 per 500 workers)	Qualification- Officer shall possess Advance Diploma In Industrial Safety by state technical board. Experience- Minimum 1-year	5	
	Safety Supervisor (1	experience in relevant field as mentioned in the job in PR. Qualification- Supervisor shall possess ITI/ Diploma in relevant field.	5	
Manpower	per work site up to max. 50	Experience - Minimum 2-year		
	workers)	experience in relevant field as mentioned in the job in PR. Training – Trained and certified by TPSDI or equivalent institute in relevant safety procedures.		
		Note: On request of the contractor/Users -TPDSI should vet & certify the skilled & experienced		

5) For Safety Bid Evaluation will be based on following parameters.

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

		Technician if Technical Qualification is not adequate.	
	Technician (Skilled workers as electrician, rigger, fitter, welder, cable jointer, line men etc)	 Experience- Minimum 2 year experience in relevant field as mentioned in the job in PR. Training – Trained and certified by TPSDI or equivalent institute in relevant safety procedures. 	5
Tools & Tackles	Equipment / Machines/ Tools & Tackles(lifting and shifting tools)	 The list of Equipment /Machines / Tools and tackles to be used for job to be submitted by the contractor. Evaluation of the list will be carried out based on Suitability as per the relevant job Make and age of the tools from authorized agencies defined by the user. Certification by the competent authority of respective state. 	30
Safety Records	Safety Records	Safety Records for last 3 years (as per vendor or as per our knowledge) – Recommendation?	15
Safety Plan	HIRA/Contract Job Safety Plan	Adequacy of HIRA and Job Safety Plan with respect to relevant job. More weight age will be given to vendor for using mechanized work and advanced tools and equipment	20
	ISO-9001	ISO-9001	2
Accredited Bodies certificate	ISO-14001	ISO-14001	3
	OHSAS 18001 ISO 45000	OHSAS 18001/ISO 45000	15
		Total Score	

6) Vendor entitled to carry out the job only when qualified for the safety evaluation as follows:

Confidential & Proprietary – The Tata Power Company Limited



Contractor is qualified in safety bid only if his total score is more than 70% in all category 1 jobs such as high risk/long duration.

- 7) The Corporate Contract has to ensure that the vendor provides the filled "Safety Competency Form" along with the quotation.
- 8) Corporate Contract will forward the Safety Competency Form received from the contractor to the Safety Concurrence Group for evaluation.
- 9) In case SCG wants to visit the site, the Safety Competency will be based on evaluation at the time of site visit Annexure 13.1

Annexure -13.1:

Che	cklist to be used: During site visit to check the adequacy Safe	ty systems.	
		Observation	Score* (1-5)
1	Check the adequacy of safety policy and Safety Management system of the contractor.		
2	Does the contractor have written down safety procedures?		
3	Check the records of Near miss, unsafe act, unsafe conditions and incidents.		
4	Check the organization setup to implement the safety systems at site (safety officer, safety supervisor)		
5	Check whether safety meeting and toolbox talk carried out regularly and records maintained or not.		
6	Is the process of incident investigation adequate or not?		
7	Verify incident reporting and recording system		
8	Check the usage of equipment/tools and tackles.		
9	Check for housekeeping at site		
10	Check the use of PPEs and general behavior of workforce towards safety		
	Total Score		
	Site Visit Score		

Score*- rating on the scale of 1-5 to be given based on the observations on site. Score of 1 is the lowest and core of 5 is the highest.

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

Appendix 14: CSM-F-11.1 CFSA Format

		CONT	RACTOR	FIELD	SAFETY A	UDIT							
Projec	ct Name :												
Date:													
Descri	iption of Severity rating:			Audi	t Team:								
	1 = Untidy area, minor issues, sets poor ex	ample											
	2 = Restricted access, unacceptable trash,	disorde	erly										
	3 = Rule or procedure violation, potential i	njury											
	4 = Unsafe condition, serious injury potent	tial											
	5 = Immediate serious injury potential, sto immediately and correct	p activi	ty	Audi	t Time:					10:0	0hrs -1	.1:30 h	rs
	, ,			Wea	ther:					cloud	dy		
		Resp	onsible	Per	umber sonnel served	v	iolatio	ns	Remarks		-	ndicate	ors
	Description	Engineer	Contractors	Good Citizens	Violators	Number of Violations	Severity	Violations x Severity		4 & 5	PPE	Unsafe Act	Unsafe Condition
Area	Description												
1													
	Sub Totals			0	0	0	0	0		0	0	0	0
	% of Observed People Working Safely		I			Ū		Ū					
	Number of Violations												
	Average Severity of Violations												
	Number of Severity 4 & 5 Violations												
	% of 4 & 5 Violations Approximate Number of Workers Observed												
	Number of People on Site												
	% of Workers Observed												

Document No. TPSMS/GSP/CSM/015 REV 05



Appendix 15: Indicative List of High-Risk Jobs

To access the exhaustive list of High-risk jobs, please refer the following documents

- 1) High Risk Jobs- Generation
- 2) High Risk Jobs- T&D
- 3) High Risk Jobs- Renewable

Indicative List of High-Risk Jobs -Generation Cluster						
SI. No.	Jobs					
1	Demolition / Painting of Chimney					
2	Survey Sounding Jobs in Sea					
3	Dredging at Coal Birth Jetty					
4	Maintenance / Testing and Replacement of Extra High Voltage (132 KV etc.) Switchyard equipment					
5	Maintenance of EOT Cranes					
6	Deep excavation (5 feet or more) near existing buildings /Structure s					
7	Working inside confined spaces (entry through manhole)					
8	Operation Maintenance of elevators					
9	Working on Live control Circuits for identification of faults					
10	Cable laying and termination Jobs					

	Indicative List of High-Risk Jobs - T&D Cluster		
SI. No.	Jobs		
1	Transmission Line Tower Erection on columns, near live lines, In congested areas, In creeks, In the Sea		
2	Conductor Stringing on Tower Using Tensioner & Puller in the area such as Line Crossing, Near Live lines, Congested Areas, Road Crossing, Bridge Crossing, Railway line Crossing, In creeks ,In the Sea		
3	Cable Pulling by Using winch Machine in City and Rural Areas		
4	Hot Washing of HT and Extra HT lines, Towers and switchyards equipment		
5	Installation of Lifts		
6	Installation of EOT Cranes		
7	Tower Dismantling		
8	Working on H Frame /Pole mounted Transformers		
9	Excavation in operational Area heaving power cables in receiving station		
10	Identification and spiking of cable / disconnection of cables from poles		

Document No. TPSMS/GSP/CSM/015 REV 05



Contractor's Safety Code of Conduct

Date of Issue: 30/07/2020

I	Indicative List of High-Risk Jobs - Renewable Cluster						
SI. No.	Jobs						
1	Working on Electrical Panels						
2	Hi Potting of Equipment						
3	Battery commissioning and maintenance						
4	Working on the nasal of Wind Turbine						
5	Working on live electrical switchyard, material Handling and Equipment installation						
6	Roof Top Solar Panels Installation and maintenance						
7	Working in live Electrical Switchyard, Material Handling, equipment installation						
8	All maintenance activities that requires climbing on Towers /Structures / Transformer/ GODs						
9	Loading and Unloading of Solar Panels on trucks						
10	Structural Repair /Dismantling work at height.						



CORPORATE ENVIRONMENT POLICY

Tata Power is committed to a clean, safe and healthy environment, and we shall operate our facilities in an environmentally sensitive and responsible manner. Our commitment to environmental protection and stewardship will be achieved by:

- Complying with the requirements and spirit of applicable environmental laws and striving to exceed required levels of compliance wherever feasible
- Ensuring that our employees are trained to acquire the necessary skills to meet environmental standards
- Conserving natural resources by improving efficiency and reducing wastage
- Making business decisions that aim towards sustainable development
- Engaging with stakeholders to create awareness on sustainability •

Date: 15th June, 2018

(Praveer Sinha) **CEO & Managing Director**

TATA POWER Lighting up Lives!



TATA CODE OF CONDUCT 2015

100

1.1

LEADERSHIP THAT INSPIRES

For over 100 years, the Tata group has been led by visionaries who have stayed true to the vision of the founder, Jamsetji Tata. A vision that placed the greater good of society at par with business growth. A vision that put into practice pioneering social initiatives that changed the way responsible business was run. And a vision that brought into the group a strong social conscience.





We do not claim to be more unselfish, more generous or more philanthropic than other people. But we think we started on sound and straightforward business principles, considering the interests of the shareholders our own, and the health and welfare of the employees, the sure foundation of our success.

> Jamsetji Tata Founder of the Tata group Chairman (1868 – 1904)

CONTENTS

	Foreword	3
A	Our values	4
В	Scope and purpose of this Code	5
С	Our core principles	7
D	Our employees	9
E	Our customers	18
F	Our communities and the environment	21
G	Our value-chain partners	23
Н	Our financial stakeholders	25
I	Governments	27
J	Our group companies	29
	Raising concerns	30
	Accountability	31
	Acknowledgement sheet	33



FOREWORD

Tata companies have consistently adhered to the values and ideals articulated by the Founder for over 150 years. The Tata Code of Conduct was first formalized by Mr Ratan Tata. It articulates the Group's values and ideals that guide and govern the conduct of our companies as well as our colleagues in all matters relating to business. Today, the Code is a bedrock on which we base our individual, as well as leadership commitments to core Tata values.

The Tata Code of Conduct outlines our commitment to each of our stakeholders, including the communities in which we operate, and is our guiding light when we are sometimes faced with business dilemmas that leave us at ethical crossroads. The Code is also dynamic in that it has been periodically refreshed in order to remain contemporary and contextual to the changes in law and regulations. However it remains unaltered at its core.

Our stellar reputation and success as a business entity has been defined by the powerful commitment and adherence to the core values and principles expressed in this Code, by all our employees, directors and partners. I trust every Tata colleague and Tata company will continue to not only comply with the laws and regulations that govern our business interests around the world, but will continue to set new standards of ethical conduct that will generate deep respect and inspire emulation by others.

N. Chandrasekaran

21st February, 2017



A. OUR VALUES

TATA has always been values-driven. The five core values that underpin the way we conduct our business activities are:

INTEGRITY

We will be fair, honest, transparent and ethical in our conduct; everything we do must stand the test of public scrutiny.

UNITY

We will invest in our people and partners, enable continuous learning, and build caring and collaborative relationships based on trust and mutual respect.

RESPONSIBILITY

We will integrate environmental and social principles in our businesses, ensuring that what comes from the people goes back to the people many times over.

PIONEERING

We will be bold and agile, courageously taking on challenges, using deep customer insight to develop innovative solutions.

EXCELLENCE

We will be passionate about achieving the highest standards of quality, always promoting meritocracy.

These universal values serve as the foundation for the Tata Code of Conduct. They find expression within the value system of every Tata company.



B. SCOPE AND PURPOSE OF THIS CODE

- 1. This Code sets out how we behave with:
 - our employees, or those who work with us;
 - our customers;
 - the communities and the environment in which we operate;
 - our value-chain partners, including suppliers and service providers, distributors, sales representatives, contractors, channel partners, consultants, intermediaries and agents;
 - our joint-venture partners or other business associates;
 - our financial stakeholders;
 - the governments of the countries in which we operate; and
 - our group companies.

- 2. In this Code, "we or us" means our company, our executive directors, officers, employees and those who work with us, as the context may require.
- The term "our group companies" in this Code typically means companies Tata Sons intends for this Code to apply to, and / or to whom Tata Sons has issued this Code.
- 4. This Code sets out our expectations of all those who work with us. We also expect those who deal with us to be aware that this Code underpins everything we do, and in order to work with us they need to act in a manner consistent with it.

REMEMBER...

It is our commitment to protect our reputation and our brand equity by adhering to the values and principles set out in this Code. By doing so, we strengthen our unique culture and identity.

OUR CORE PRINCIPLES



The Tata philosophy of management has always been, and is today more than ever, that corporate enterprises must be managed not merely in the interests of their owners, but equally in those of their employees, of the consumers of their products, of the local community and finally of the country as a whole.

> J.R.D. Tata Chairman, Tata Sons (1938 – 1991)



C. OUR CORE PRINCIPLES

- We are committed to operating our businesses conforming to the highest moral and ethical standards. We do not tolerate bribery or corruption in any form. This commitment underpins everything that we do.
- We are committed to good corporate citizenship. We treat social development activities which benefit the communities in which we operate as an integral part of our business plan.
- We seek to contribute to the economic development of the communities of the countries and regions we operate in, while respecting their culture, norms and heritage. We seek to avoid any project or activity that is detrimental to the wider interests of the communities in which we operate.
- 4. We shall not compromise safety in the pursuit of commercial advantage. We shall strive to provide a safe, healthy and clean working environment for our employees and all those who work with us.
- 5. When representing our company, we shall act with professionalism, honesty and integrity, and conform to the highest moral and ethical standards. In the countries we operate in, we shall exhibit culturally appropriate behaviour. Our conduct shall be fair and transparent and be perceived as fair and transparent by third parties.
- 6. We shall respect the human rights and dignity of all our stakeholders.

- 7. We shall strive to balance the interests of our stakeholders, treating each of them fairly and avoiding unfair discrimination of any kind.
- The statements that we make to our stakeholders shall be truthful and made in good faith.
- 9. We shall not engage in any restrictive or unfair trade practices.
- We shall provide avenues for our stakeholders to raise concerns or queries in good faith, or report instances of actual or perceived violations of our Code.
- 11. We shall strive to create an environment free from fear of retribution to deal with concerns that are raised or cases reported in good faith. No one shall be punished or made to suffer for raising concerns or making disclosures in good faith or in the public interest.
- 12. We expect the leaders of our businesses to demonstrate their commitment to the ethical standards set out in this Code through their own behaviour and by establishing appropriate processes within their companies.
- 13. We shall comply with the laws of the countries in which we operate and any other laws which apply to us. With regard to those provisions of the Code that are explicitly dealt with under an applicable law or employment terms, the law and those terms shall take precedence. In the event that the standards prescribed under any applicable law are lower than that of the Code, we shall conduct ourselves as per the provisions of the Code.

REMEMBER...

"Good faith" means having a reasonable belief that the information you have provided is truthful. It does not mean having 'all the evidence' about the potential violation or case reported.

OUR EMPLOYEES



Once you got the best people, the people who shared our values and ideals, we left them free to act on their own. We do not fetter them. We encourage them and give them opportunities for leadership.

> J.R.D. Tata Chairman, Tata Sons (1938 – 1991)



D. OUR EMPLOYEES

Equal opportunity employer

- We provide equal opportunities to all our employees and to all eligible applicants for employment in our company. We do not unfairly discriminate on any ground, including race, caste, religion, colour, ancestry, marital status, gender, sexual orientation, age, nationality, ethnic origin, disability or any other category protected by applicable law.
- 2. When recruiting, developing and promoting our employees, our decisions will be based solely on performance, merit, competence and potential.
- 3. We shall have fair, transparent and clear employee policies which promote diversity and equality, in accordance with applicable law and other provisions of this Code. These policies shall provide for clear terms of employment, training, development and performance management.

Q&A

A job requirement entails extensive travel. One of the candidates has excellent relevant experience and qualifications. However, this candidate is a single parent. As a result, I feel such a situation would significantly hinder this candidate's ability to cope with the job requirement. What should I do?

In accordance with the Code, the decision to recruit an employee should be based upon merit. We cannot make a presumption that the candidate would not be able to meet the travel requirements of the job. All eligible candidates should be provided with equal opportunity to demonstrate or justify that they can cope with the travel requirements of the job. Being a single parent cannot be a ground to be discriminated against at any stage of recruitment or ongoing employment in our company.

REMEMBER...

We do not tolerate harassment in any form and therefore we expect every employee to discourage such misdemeanours in the workplace.

Dignity and respect

- Our leaders shall be responsible for creating a conducive work environment built on tolerance, understanding, mutual cooperation and respect for individual privacy.
- Everyone in our work environment must be treated with dignity and respect. We do not tolerate any form of harassment, whether sexual, physical, verbal or psychological.
- We have clear and fair disciplinary procedures, which necessarily include an employee's right to be heard.
- We respect our employees' right to privacy. We have no concern with their conduct outside our work environment, unless such conduct impairs their work performance, creates conflicts of interest or adversely affects our reputation or business interests.

Human rights

- 8. We do not employ children at our workplaces.
- 9. We do not use forced labour in any form. We do not confiscate personal documents of our employees, or force them to make any payment to us or to anyone else in order to secure employment with us, or to work with us.

Bribery and corruption

 Our employees and those representing us, including agents and intermediaries, shall not, directly or indirectly, offer or receive any illegal or improper payments or comparable benefits that are intended or perceived to obtain undue favours for the conduct of our business.

REMEMBER...

Violation by even a single employee of any law relating to anti-bribery, anti-corruption, anti-competition, data privacy, etc. could result in severe financial penalties and cause irreparable reputational damage to the company.



Gifts and hospitality

11. Business gifts and hospitality are sometimes used in the normal course of business activity. However, if offers of gifts or hospitality (including entertainment or travel) are frequent or of substantial value, they may create the perception of, or an actual conflict of interest or an 'illicit payment'. Therefore, gifts and hospitality given or received should be modest in value and appropriate, and in compliance with our company's gifts and hospitality policy.

Freedom of association

12. We recognise that employees may be interested in joining associations or involving themselves in civic or public affairs in their personal capacities, provided such activities do not create an actual or potential conflict with the interests of our company. Our employees must notify and seek prior approval for any such activity as per the 'Conflicts of Interest' clause of this Code and in accordance with applicable company policies and law.

REMEMBER...

As a general rule, we may accept gifts or hospitality from a business associate, only if such a gift:

- has modest value and does not create a perception (or an implied obligation) that the giver is entitled to preferential treatment of any kind;
- would not influence, or appear to influence, our ability to act in the best interest of our company;
- would not embarrass our company or the giver if disclosed publicly.

The following gifts are never appropriate and should never be given or accepted:

- gifts of cash or gold or other precious metals, gems or stones;
- gifts that are prohibited under applicable law;
- gifts in the nature of a bribe, payoff, kickback or facilitation payment*;
- gifts that are prohibited by the gift giver's or recipient's organisation; and
- gifts in the form of services or other non-cash benefits (e.g. a promise of employment).

(*'Facilitation' payment is a payment made to secure or speed up routine legal government actions, such as issuing permits or releasing goods held in customs.)

Working outside employment with us

13. Taking employment, accepting a position of responsibility or running a business outside employment with our company, in your own time, with or without remuneration, could interfere with your ability to work effectively at our company or create conflicts of interest. Any such activity must not be with any customer, supplier, distributor or competitor of our company. Our employees must notify and seek prior approval for any such activity as per the 'Conflicts of Interest' clause of this Code and in accordance with applicable company policies and law.

Integrity of information and assets

- 14. Our employees shall not make any wilful omissions or material misrepresentation that would compromise the integrity of our records, internal or external communications and reports, including the financial statements.
- 15. Our employees and directors shall seek proper authorisation prior to disclosing company or business-related information, and such disclosures shall be made in

accordance with our company's media and communication policy. This includes disclosures through any forum or media, including through social media.

- 16. Our employees shall ensure the integrity of personal data or information provided by them to our company. We shall safeguard the privacy of all such data or information given to us in accordance with applicable company policies or law.
- 17. Our employees shall respect and protect all confidential information and intellectual property of our company.
- 18. Our employees shall safeguard the confidentiality of all third party intellectual property and data. Our employees shall not misuse such intellectual property and data that comes into their possession and shall not share it with anyone, except in accordance with applicable company policies or law.
- Our employees shall promptly report the loss, theft or destruction of any confidential information or intellectual property and data of our company or that of any third party.

Q&A

I am an accountant in the finance department of my company. Due to my artistic skills, I received an offer to pen cartoons for a children's publication for which I would receive compensation. I plan to undertake this activity during week-ends. What should I do before accepting this offer?

Before accepting the offer, you should ascertain whether the company policies and rules require you to make a disclosure to your supervisor so that the company may determine whether your undertaking this activity adversely affects our company's interests. On confirmation from the company that it does not do so, you would be free to take up the activity. It is also your duty to bring to the attention of the company whenever there is any change in the situation you have disclosed.



- 20. Our employees shall use all company assets, tangible and intangible, including computer and communication equipment, for the purpose for which they are provided and in order to conduct our business. Such assets shall not be misused. We shall establish processes to minimise the risk of fraud, and misappropriation or misuse of our assets.
- 21. We shall comply with all applicable anti-money laundering, anti-fraud and anti-corruption laws and we shall establish processes to check for and prevent any breaches of such laws.

Insider trading

22. Our employees must not indulge in any form of insider trading nor assist others, including immediate family, friends or business associates, to derive any benefit from access to and possession of price sensitive information that is not in the public domain. Such information would include information about our company, our group companies, our clients and our suppliers.

Q&A

Our company has recently announced the launch of a new business initiative. In connection with this, your friend who is a journalist with a leading business newspaper has asked you to provide some information that he could cover in his forthcoming article. He has promised not to quote you, or reveal your identity. Should you be giving him this information?

No. You should not be sharing information of this nature with the media, even if it is assured that the source would remain anonymous. Only authorised personnel in the company are permitted to speak to the media and provide information of this nature.

Our company has a "Use of Social Media" policy that lays down the "dos and don'ts" for use of social media even if you may access such media on your own time. Why is there such a policy?

External communication is a serious matter. It must be carefully managed because information put out with reference to our company or its businesses needs to be clear, truthful and not violate any undertakings we have given to other parties. In each business there are managers nominated to authorise and make different types of statements to the outside world. These managers should be consulted about any request for information you may receive or information you think we should give out. In using social media, in particular blogs or social networking sites, you should exercise great caution while talking about our company or the business we do. It may feel like you are chatting with friends or expressing a personal opinion but even while doing so you cannot share any confidential information of our company.

REMEMBER...

We must respect the property rights of others by never misusing their assets, intellectual property or trade secrets, including the copying or downloading of unauthorised software, trademarks, copyrighted material or logos. We should never make unauthorised copies of computer software programs or use unlicensed personal software on company computers.

Prohibited drugs and substances

23. Use of prohibited drugs and substances creates genuine safety and other risks at our workplaces. We do not tolerate prohibited drugs and substances from being possessed, consumed or distributed at our workplaces, or in the course of company duties.

Conflicts of interest

O&A

- 24. Our employees and executive directors shall always act in the interest of our company and ensure that any business or personal association *including close personal relationships* which they may have, does not create a conflict of interest with their roles and duties in our company or the operations of our company. Further, our employees and executive directors shall not engage in any business, relationship or activity, which might conflict with the interest of our company or our group companies.
- 25. Should any actual or potential conflicts of interest arise, the concerned person must immediately report such conflicts and seek approvals as required by applicable law and company policy. The competent authority shall revert to the employee within a reasonable time as defined in our company's policy, so as to enable the concerned employee to take necessary action as advised to resolve or avoid the conflict in an expeditious manner.
- 26. In the case of all employees other than executive directors, the Chief Executive Officer / Managing Director shall be the competent authority, who in turn shall report such cases to the Board of Directors on a quarterly basis. In case of the Chief Executive Officer / Managing Director and executive directors, the Board of Directors of our company shall be the competent authority.

You are responsible for maintaining our company's customer database. One of your friends is starting a business venture and requests you to share a few particulars from this database for marketing purposes of his business. He assures you that he would keep the data as well as his source confidential. Should you do so?

No. You should respect the confidentiality of customer information and not share any part of the database with any person without due authorisation.

You have access to revenue numbers of different business units of our company. While having a conversation with you over evening drinks, your friend enquires about the financial performance of our company. You do not share detailed information with your friend, but share approximate revenue figures. Is this conduct of yours correct?

No, it is not. You are not permitted to share financial information of our company with others who do not need to know this information. Financial information should always be safeguarded and disclosed only on a need-to-know basis after obtaining requisite approvals. Sharing of any price sensitive information that is not generally available with the public could also lead to violation of applicable insider trading laws.



27. Notwithstanding such or any other instance of conflict of interest that exists due to historical reasons, adequate and full disclosure by interested employees shall be made to our company's management. At the time of appointment in our company, our employees and executive directors shall make full disclosure to the competent authority, of any interest leading to an actual or potential conflict that such persons or their immediate family (including parents, siblings, spouse, partner, children) or persons with whom they enjoy close personal relationships, may have in a family business or a company or firm that is a competitor, supplier, customer or distributor of, or has other business dealings with, our company.

REMEMBER...

A conflict of interest could be any known activity, transaction, relationship or service engaged in by an employee, his/her immediate family (including parents, siblings, spouse, partner, and children), relatives or a close personal relationship, which may cause concern (based upon an objective determination) that the employee could not or might not be able to fairly perform his/her duties to our company.

Examples of Potential Conflicts of Interest

A conflict of interest, actual or potential, arises where, directly or indirectly, an employee or executive director:

- (a) engages in a business, activity or relationship with anyone who is party to a transaction with our company;
- (b) is in a position to derive an improper benefit, personally or for any family member or for any person in a close personal relationship, by making or influencing decisions relating to any transaction;
- (c) conducts business on behalf of our company or is in a position to influence a decision with regard to our company's business with a supplier or customer where a relative of, or a person in close personal relationship with, an employee or executive director is a principal officer or representative, resulting in a personal benefit or a benefit to the relative;
- (d) is in a position to influence decisions with regard to award of benefits such as increase in salary or other remuneration, posting, promotion or recruitment of a relative or a person in close personal relationship employed in our company or any of our group companies;
- (e) undertakes an activity by which the interest of our company or our group companies can be compromised or defeated; or
- (f) does anything by which an independent judgement of our company's or our group companies' best interest cannot be exercised.

28. If there is a failure to make the required disclosure and our management becomes aware of an instance of conflict of interest that ought to have been disclosed by an employee or executive director, our management shall take a serious view of the matter and consider suitable disciplinary action as per the terms of employment. In all such matters, we shall follow clear and fair disciplinary procedures, respecting the employee's right to be heard.

Examples of activities normally approved (post-disclosure) as per applicable company policy

Acceptance of a position of responsibility (whether for remuneration or otherwise) in the following cases would typically be permitted, provided the time commitments these demand do not disturb or distract from the employee's primary duties and responsibilities in our company, and are promptly disclosed to the relevant competent authority:

- (a) Directorships on the Boards of any of our group companies, joint ventures or associate companies.
- (b) Memberships/positions of responsibility in educational/professional bodies, where such association will promote the interests of our company.
- (c) Memberships or participation in government committees/bodies or organisations.

Q&A

You are in a relationship with a colleague who has been recently moved into your team and would now be reporting to you. What should you do?

Romantic or close personal relationships with another employee where a reporting relationship exists and one is responsible for evaluating the other's performance, is likely to create a conflict of interest. In such a situation, you would need to report the potential conflict to your supervisor.

Your company is submitting a proposal to a company in which you were previously employed. You have confidential information pertaining to your previous employer, which you believe will help your present employer in winning the contract. Should you share this information?

No. You should not share this information with your company since it relates to confidential information of a third party. Your company respects its employees' duty to protect confidential information that they may have relating to their previous employers.

You are the purchasing manager in the procurement department of your company. You receive an invitation from a supplier to attend a premier sporting event as her guest. This particular supplier is one of the vendors who has submitted a proposal for an open tender issued by your company. Should you accept the invitation?

No. You should not accept the invitation in this instance. Since you are in a key decision-making role for the tender, any unusual benefit that you receive could be perceived as an inducement that could compromise your objectivity.



OUR CUSTOMERS



We have continued to enjoy prosperity, even with adverse times to fight against. Our relations with all concerned are the most friendly. We have maintained the same character for straight-forward dealing with our constituents and customers. Our productions have continued to be of the same high quality, and therefore command the best reputation and realise the highest prices. ... I mention these facts only to point out that with honest and straight-forward business principles, close and careful attention to details, and the ability to take advantage of favourable opportunities and circumstances, there is a scope for success.

> Jamsetji Tata Founder of the Tata group Chairman, Tata Sons (1868 – 1904)

E. OUR CUSTOMERS

Products and services

- We are committed to supplying products and services of world-class quality that meet all applicable standards.
- The products and services we offer shall comply with applicable laws, including product packaging, labelling and after-sales service obligations.
- We shall market our products and services on their own merits and not make unfair or misleading statements about the products and services of our competitors.

Export controls and trade sanctions

 We shall comply with all relevant export controls or trade sanctions in the course of our business.

Fair competition

- We support the development and operation of competitive open markets and the liberalisation of trade and investment in each country and market in which we operate.
- We shall not enter into any activity constituting anti-competitive behaviour such as abuse of market dominance, collusion, participation in cartels or inappropriate exchange of information with competitors.
- We collect competitive information only in the normal course of business and obtain the same through legally permitted sources and means.

Dealings with customers

- 8. Our dealings with our customers shall be professional, fair and transparent.
- We respect our customers' right to privacy in relation to their personal data. We shall safeguard our customers' personal data, in accordance with applicable law.



Q&A

You are the Regional Sales Manager of our company. You have become a member of an "informal group", on an instant messaging service, whose members are the regional sales heads of our company's competitors. The administrator of the group has requested an in-person meeting to informally discuss market conditions and brainstorm on "pricing strategy" from an industry perspective. What should you do?

Any meeting with competitors, especially to discuss "pricing strategy", could be an attempt to promote an anti-competitive practice or manipulate prices. You should respond by declining this invitation and exiting the "informal group". You should also report this incident to your supervisor and your Legal department.

You are attending a customer meeting with a colleague, and your colleague makes an untruthful statement about the company's services. What should you do?

You should assist your colleague in correcting the inaccuracy during the meeting if possible. If this is not possible, raise the issue with your colleague after the meeting to enable him/her or the company to correct any misrepresentation made to the customer.

While working on a customer project, you receive a call from your colleague. He used to manage that customer account before you took over his role. He recalls that he had worked with the customer on developing a new ordering system which he thinks would be beneficial for another customer and requests you to send him the project details. What should you do?

You must not share this information without specific approval of the customer; you are not permitted to use a customer's assets, including software, for another customer or for any personal use.

REMEMBER...

Striving for excellence in the standards of our work and in the quality of our goods and services is a core Tata value. It is the unwavering practice of this value that builds and sustains customer trust in our brand.

OUR COMMUNITIES AND THE ENVIRONMENT



In a free enterprise, the community is not just another shareholder in business but is in fact the very purpose of its existence.

Jamsetji Tata

Founder of the Tata group Chairman, Tata Sons (1868 – 1904)



F. OUR COMMUNITIES AND THE ENVIRONMENT

Communities

- We are committed to good corporate citizenship, and shall actively assist in the improvement of the quality of life of the people in the communities in which we operate.
- 2. We engage with the community and other stakeholders to minimise any adverse impact that our business operations may have on the local community and the environment.
- We encourage our workforce to volunteer on projects that benefit the communities in which we operate, provided the principles of this Code, where applicable, and in particular the 'Conflicts of Interest' clause are followed.

The environment

- 4. In the production and sale of our products and services, we strive for environmental sustainability and comply with all applicable laws and regulations.
- 5. We seek to prevent the wasteful use of natural resources and are committed to improving the environment, particularly with regard to the emission of greenhouse gases, consumption of water and energy, and the management of waste and hazardous materials. We shall endeavour to offset the effect of climate change in our activities.

OUR VALUE-CHAIN PARTNERS



If we had done some of the things that some other groups have done, we would have been twice as big as we are today. But we didn't, and I would not have it any other way.

J.R.D. Tata

Chairman, Tata Sons (1938 – 1991)

(on the pace of expansion of the Tata group in the 1960s and 70s)



G. OUR VALUE-CHAIN PARTNERS

- 1. We shall select our suppliers and service providers fairly and transparently.
- We seek to work with suppliers and service providers who can demonstrate that they share similar values. We expect them to adopt ethical standards comparable to our own.
- Our suppliers and service providers shall represent our company only with duly authorised written permission from our company. They are expected to abide by

the Code in their interactions with, and on behalf of us, including respecting the confidentiality of information shared with them.

- We shall ensure that any gifts or hospitality received from, or given to, our suppliers or service providers comply with our company's gifts and hospitality policy.
- 5. We respect our obligations on the use of third party intellectual property and data.

Q&A

You head the procurement function in our company. You have tight budgetary constraints for a project that you are working on. In order to complete the project within the targeted costs, you intend to request your supplier to provide you an exceptional discount on this project order on the understanding that you would "make it up to him" in future orders. Would you be violating the Code?

Yes, you would. Inducement in any form, including future benefits to the supplier, could compromise your ability to act objectively and in the best interests of the company and therefore must be avoided.

REMEMBER...

Our value-chain partners would include our suppliers and service providers, distributors, sales representatives, contractors, channel partners, consultants, intermediaries and agents; joint-venture partners and other business associates.

OUR FINANCIAL STAKEHOLDERS



Ethical behaviour in business – in every sphere and with all constituents – has been the bedrock on which the Tata group has built, and operates, its enterprises. This has been an article of faith for the group ever since its inception, a fundamental element of our cherished heritage and the essence of our way of life.

> Ratan Tata Chairman, Tata Sons (1991 – 2012)



H. OUR FINANCIAL STAKEHOLDERS

- We are committed to enhancing shareholder value and complying with laws and regulations that govern shareholder rights.
- 2. We shall inform our financial stakeholders about relevant aspects of our business in a fair, accurate and timely manner and shall disclose such information in accordance with applicable law and agreements.
- We shall keep accurate records of our activities and shall adhere to disclosure standards in accordance with applicable law and industry standards.

GOVERNMENTS



Business, as I have seen it, places one great demand on you; it needs you to impose a framework of ethics, values, fairness and objectivity on yourself at all times. It is not easy to do this; you cannot impose it on yourself forcibly because it has to become an integral part of you.

> Ratan Tata Chairman, Tata Sons (1991 – 2012)



(I. GOVERNMENTS

Political non-alignment

 We shall act in accordance with the constitution and governance systems of the countries in which we operate. We do not seek to influence the outcome of public elections, nor to undermine or alter any system of government. We do not support any specific political party or candidate for political office. Our conduct must preclude any activity that could be interpreted as mutual dependence/favour with any political body or person, and we do not offer or give any company funds or property or other resources as donations to any specific political party, candidate or campaign.

Any financial contributions considered by our Board of Directors in order to strengthen democratic forces through a clean electoral process shall be extended only through the Progressive Electoral Trust in India, or by a similar transparent, duly-authorised, nondiscriminatory and non-discretionary vehicle outside India.

Government engagement

- 2. We engage with the government and regulators in a constructive manner in order to promote good governance. We conduct our interactions with them in a manner consistent with our Code.
- We do not impede, obstruct or improperly influence the conclusions of, or affect the integrity or availability of data or documents for any government review or investigation.

OUR GROUP COMPANIES



I do not think anyone was on par with Jamsetji as an industrial visionary. But that is not the sole reason why I have been an admirer of Jamsetji. The major reason was his sense of values, sterling values, which he imparted to this group. If someone were to ask me, what holds the Tata companies together, more than anything else, I would say it is our shared ideals and values which we have inherited from Jamsetji Tata.

> J.R.D. Tata Chairman, Tata Sons (1938 – 1991)



J. OUR GROUP COMPANIES

- We seek to cooperate with our group companies, including joint ventures, by sharing knowledge, physical resources, human and management resources and adopting leading governance policies and practices in accordance with applicable law including adherence to competition law, where relevant.
- We shall strive to achieve amicable resolution of any dispute between us and any of our group companies, through an appropriate dispute resolution mechanism so that it does not adversely affect our business interests and stakeholder value.
- We shall have processes in place to ensure that no third party or joint venture uses the TATA name/brand to further its interests without proper authorisation.
- Our Board of Directors shall consider for adoption policies and guidelines periodically formulated by Tata Sons and circulated to group companies.

Q&A

You are in the process of selecting potential vendors for an IT project in our company. In the final shortlist of two companies, one is a new start-up with limited references and a lower price-quotation, while the other is a Tata company with thirty years of implementation experience and good references, but a marginally higher quote for the same job. With all other parameters of choice being nearly equal, which company should you select for the job?

While price is undoubtedly an important criterion for decision making, it is clearly not the only one to be evaluated. You may also need to consider good customer references, proven track record and shared value systems in order to decide on your IT partner.

You are in the process of selecting potential vendors for a project. One of the three finalists is a group company. In reviewing the final proposals, you rank the group company second out of the three proposals based on pricing and total cost of ownership, and select the first-ranked vendor. Is this the right decision?

Yes. You should select the vendor that, on its own merits, is the vendor that is most appropriate for your company's requirements. You should not select a group company only because of its affiliation.

RAISING CONCERNS

We encourage our employees, customers, suppliers and other stakeholders to raise concerns or make disclosures when they become aware of any actual or potential violation of our Code, policies or law. We also encourage reporting of any event (actual or potential) of misconduct that is not reflective of our values and principles.

Avenues available for raising concerns or queries or reporting cases could include:

- immediate line manager or the Human
 Resources department of our company
- designated ethics officials of our company
- the 'confidential reporting' third party ethics helpline (if available)
- any other reporting channel set out in our company's 'Whistleblower' policy.

We do not tolerate any form of retaliation against anyone reporting legitimate concerns. Anyone involved in targeting such a person will be subject to disciplinary action.

If you suspect that you or someone you know has been subjected to retaliation for raising a concern or for reporting a case, we encourage you to promptly contact your line manager, the company's Ethics Counsellor, the Human Resources department, the MD/CEO or the office of the group's Chief Ethics Officer.

Q&A

My supervisor has asked me to do something which I believe may be illegal. I am afraid if I do not do what I am told, I could lose my job. Should I do it?

No. Breaking the law is never an option. Discuss the situation with your supervisor to be certain that you both understand the facts. If your concerns are not resolved, contact a higher level supervisor, the Ethics Counsellor, the Legal department or report them via the company's confidential reporting system, if available.

I feel that my supervisor is treating me unfairly for reporting a concern to the Ethics Counsellor. What should I do?

Retaliation against anyone who raises a concern is a violation of the Code. You should therefore promptly report this action of your supervisor to the Ethics Counsellor or the MD/CEO of your company or via the company's confidential reporting system, if available.



ACCOUNTABILITY

This Code is more than a set of prescriptive guidelines issued solely for the purpose of formal compliance. It represents our collective commitment to our value system and to our core principles.

Every person employed by us, directly or indirectly, should expect to be held accountable for his/her behaviour. Should such behaviour violate this Code, they may be subject to action according to their employment terms and relevant company policies.

When followed in letter and in spirit, this Code is *lived'* by our employees as well as those who work with us. It represents our shared responsibility to all our stakeholders, and our mutual commitment to each other.

SPEAK UP...

If you are unsure whether a particular action you are about to take is consistent with the principles set forth in the Code, ask yourself:

- Could it directly or indirectly endanger someone or cause them injury?
- Is it illegal/unlawful or out of line with our policies and procedures?
- Does my conscience reject it? Does it conflict with my personal values?
- Would I feel uncomfortable if the story appeared in the media? Would it shame my company, spouse, partner, parent or child?
- Does it 'feel' wrong?

If the answer to any of these questions is "Yes", please stop and consult your reporting manager, the Ethics Counsellor, the Human Resource department, the Legal department or any member of the senior management team, to assist you in making the decision.

When faced with a dilemma: Stop, Think, Act Responsibly



The Code does not provide a comprehensive and complete explanation of all expectations from a company standpoint or obligations from a stakeholder standpoint.

Our employees have a continuing obligation to familiarise themselves with all applicable law, group-level advisories and policies, company-level policies, procedures and work rules as relevant. For any guidance on interpretation of the Code, we may seek support from our company's Ethics Counsellor or from the group's Chief Ethics Officer, as appropriate.

All joint ventures are encouraged to adopt the Tata Code of Conduct (TCOC) or a code of conduct that incorporates all elements of the TCOC.

This version of the Tata Code of Conduct supersedes all earlier versions and associated documents and stands effective from 29th July, 2015.

For any query or clarification on the Code, please contact the office of the group's Chief Ethics Officer via email at: ethicsoffice@tata.com.



TATA CODE OF CONDUCT – 2015

I acknowledge that I have received the Tata Code of Conduct.

I have read the Tata Code of Conduct and I acknowledge that as a Tata employee, I am required to comply with the guidelines described therein and failure to do so may subject me to action as per my employment terms and relevant company policies.

If I have a concern about a violation, or a potential violation of the Tata Code of Conduct, I understand that there are channels available to me in my company to report such concerns. By making use of these channels when necessary, I will play my part in maintaining the high ethical standards to which we hold ourselves.

Signature:	-
Date:	-
Name:	
Department:	
Address:	

(Please submit this declaration to your Ethics Counsellor or the Human Resource department of your company.)





TCOC 2015	
NOTES	

TATA

00

0

10.


Manca

For further information on the Code please contact: The Ethics Office, Tata Sons Ltd., Bombay House, 24, Homi Mody Street, Mumbai – 400001, India. Email: ethicsoffice@tata.com

BILL

ANNEXURE XI

Quality, Safety, Occupational Health & Environment



Integrated Management System Policy

Quality, Safety, Occupational Health, Environment

We at TP Central Odisha Distribution Limited are committed to deliver world class service and reliable power through an energised workforce leading to ever increasing satisfaction of its customers, environmental protection and safe and healthy working condition.

This will be achieved by:

- Complying with all the requirements of ISO-9001, ISO-14001 and ISO-45001 management system standards through engaged workforce
- Complying with applicable Legal requirements
- Continually improving Quality, Environment and Occupational Health & Safety Performance
- Ensuring Environmental protection through Prevention of Pollution
- Conservation of Natural Resources
- Creating a work environment which encourages team work, safe work practices, learning and innovation
- Providing safe and healthy conditions that prevents work related injury and illness
- Eliminating hazards and reducing OH&S Risk
- Ensuring participation and consultation of workers

This policy will be made available to interested parties.

Arvind Singh Chief Executive Officer

Date: 1st June, 2023